No.	OZP Zoning Application	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height	Major Planning & Design Merits
	No.					(Uses)	
Kwui	n Tong Busines	ss Area					
1.	S/K14S/22 "OU(B)" A/K14/763	350 Kwun Tong Road, Kwun Tong (1,782m²)	C/O	PR 12 to 14.4 (+20%)	Approved with conditions on 22.3.2019	4m (Office)	 Full-height setback along Hang Yip Street and Lai Yip Street in accordance with ODP requirement for improving pedestrian environment Greening provision of 357m² (about 20% of Site Area) Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and may still
	BHR: 100mPD			BH 100mPD to 125.9mPD (+25.9%)			allow a stepped BH profile in the Area Incorporation of refuge floor cum communal sky garden
2.	S/K14S/22 "OU(B)" A/K14/764 (same site as No. A/K14/771) BHR: 100mPD	32 Hung To Road, Kwun Tong (911.2m ²)	C/O	PR 12 to 14.4 (+20%) BH 100mPD to 130.2mPD (+30.2%)	Rejected on 22.3.2019 on the following grounds: (I), (II) [see remarks for details]	3.5m (Office)	 Full-height setback/ground floor NBA^[2] along Hung To Road and the back alley in accordance with ODP requirement for improving pedestrian environment Greening provision of 127m² (about 14% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] Incorporation of refuge floor cum communal sky garden
3.	S/K14S/22 "OU(B)" A/K14/766 BHR: 100mPD	41 King Yip Street, Kwun Tong (2,042.011m ²)	C/O	PR 12 to 14.4 (+20%) BH 100mPD to 126mPD (+26%)	Approved with conditions on 16.8.2019	4.025m (Office)	 Full-height setback/ground floor NBA^[2] along King Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment. Voluntary setback and corner setback (G/F to 1/F) along King Yip Street to provide more ground floor greening and weather protection to the pedestrian Curvilinear building design with five layers of edge plantings Greening provision of 530 m² (about 26% of Site Area) Incorporation of refuge floor cum communal sky garden Compliance with SBDG and incorporation of green building design measures Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and may not be incompatible with the planned stepped BH profile in the Area

No.	OZP	Address	Proposed	Proposed	Date of	Typical	Major Planning & Design Merits
	Zoning	(Site Area)	Uses ^[1]	Minor	Consideration	Floor	
	Application			Relaxation		Height	
	No.					(Uses)	
4.	S/K14S/22	32 Hung To	C/O	<u>PR</u>	<u>Approved</u>	3.5m	• Full-height setback/ground floor NBA ^[2] along Hung To Road and the back alley in accordance with ODP
	"OU(B)"	Road,		12 to 14.4	with	(Office)	requirement for improving pedestrian environment
	A/K14/771	Kwun Tong		(+20%)	conditions on		• Greening provision of 197 m ² (about 22% of Site Area) [Note: greenery requirement under SBDG is not applicable
		$(911.2m^2)$			16.8.2019		to this site of $<1,000$ m ²]
	(same site			<u>BH</u>			Incorporation of refuge floor cum communal sky garden
	as No.			100mPD to			Tower deposition to allow building separation at tower with adjoining building to facilitate wind penetration to
	A/K14/764)			119.7mPD			inland area
				(+19.7%)			Compliance with SBDG and incorporation of green building design measures
	BHR:						• Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and may not
	100mPD						be incompatible with the planned stepped BH profile in the Area.
							Confined site configuration while the applicant had made effort in the building design to improve the local
							environment as listed above.
5.	S/K14S/22	7 Lai Yip Street,	C/O	<u>PR</u>	<u>Approved</u>	4m	• Full-height setback along Lai Yip Street and Hang Yip Street in accordance with ODP requirement for improving
	"OU(B)"	Kwun Tong		12 to 14.4	with	(Office)	pedestrian environment
	A/K14/774	$(1,026m^2)$		(+20%)	conditions on		• Greening provision of 222.7m ² (about 22% of Site Area)
					13.12.2019		Incorporation of refuge floor cum communal sky garden
	BHR:			<u>BH</u>			Weather protection canopy along the frontage facing Lai Yip Street
	100mPD			100mPD to			Compliance with SBDG and incorporation of green building design measures
				125.9mPD			• Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and may still
				(+25.9%)			allow a stepped BH profile
6.	S/K14S/22	132 Wai Yip	C/O	<u>PR</u>	<u>Approved</u>	3.9m	Full-height setback/ground floor NBA [2] along Wai Yip Street and the back alley in accordance with ODP
0.	"OU(B)"	Street, Kwun	<i>C, O</i>	12 to 14.4	with	(Office)	requirement for improving pedestrian environment
	A/K14/775	Tong		(+20%)	conditions on	(Office)	• Greening provision of 63m ² including vertical greenery (about 15% of Site Area) [Note: greenery requirement under
		(418.06m^2)		(12070)	3.1.2020		SBDG is not applicable to this site of <1,000m ²]
	BHR:	(.10.00)		<u>BH</u>			 Compliance with SBDG and incorporation of green building design measures
	100mPD			100mPD to			 Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and could be
				120mPD			tolerated
				(+20%)			

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
7.	S/K14S/22 " OU(B)" A/K14/773 BHR: 100mPD	82 Hung To Road, Kwun Tong (929.03m ²)	I	PR 12 to 14.4 (+20%) BH 100mPD to 119.85mPD (+19.85%)	Approved with conditions on 17.1.2020	4.1m (Workshop)	 Voluntary full-height setback along Hung To Road for improving pedestrian environment Greening provision of 202.3m² including vertical greenery (about 21.8% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] Incorporation of refuge floor cum communal sky garden Weather protection canopy along the frontage facing Hung To Road Compliance with SBDG and incorporation of green building design measures Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and could be tolerated
8.	S/K14S/22 " OU(B)" A/K14/778 BHR: 100mPD	203 Wai Yip Street, Kwun Tong (935.99m²)	I	PR 12 to 14.4 (+20%) BH Nil	Approved with conditions on 17.1.2020	4.04m (Workshop)	 Full-height setback/ground floor NBA^[2] along Wai Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment Greening provision of 270m² (about 29% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] Weather protection canopy along the frontage facing Wai Yip Street Compliance with SBDG and incorporation of green building design measures
9.	S/K14S/22 "OU(B)" A/K14/777 BHR: 100mPD	71 How Ming Street, Kwun Tong (1,271.66m ²)	C/O	PR 12 to 14.4 (+20%)	Approved with conditions on 15.5.2020	5m (Office)	 Full-height setback/ground floor NBA^[2] along How Ming Street, Chong Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment Incorporation of refuge floor cum communal sky garden Weather protection canopy along the frontage facing How Ming Street and Chong Yip Street Greening provision of about 20% of Site Area Compliance with SBDG
10.	S/K14S/22 "OU(B)" A/K14/782 BHR: 100mPD	4 Tai Yip Street, Kwun Tong (557.414m²)	C/O	PR 12 to 14.4 (+20%) BH 100mPD to 125.9mPD (+25.9%)	Approved with conditions on 15.5.2020	3.875m (Shop and Services (Medical- related))	 Full-height setback along Tai Yip Street and Yan Yip Street in accordance with ODP requirement for improving pedestrian environment Pedestrian Accesses on G/F facing both Tai Yip Street and Yan Yip Street to enhance pedestrian connectivity Greening provision of not less than 20% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] Incorporation of refuge floor cum communal podium garden Compliance with SBDG and incorporation of green building design measures
Kowl	oon Bay Busin	ness Area					
11.	S/K13/29 " OU(B)" A/K13/313	13 Sheung Yuet Road, Kowloon Bay, Kowloon (1,696m ²)	О	PR 12 to 14.4 (+20%)	Rejected on 17.3.2020 on the following	4.2m (Office)	 Proposed setbacks along Sheung Yuet Road and Wang Tai Road in accordance with ODP requirement for air ventilation, footpath widening and amenity purposes Ground floor NBA from the lot boundary abutting Wang Chiu Road in accordance with OZP requirement Incorporation of refuge floor cum communal sky garden

No.	OZP	Address	Proposed Uses ^[1]	Proposed	Date of	Typical	Major Planning & Design Merits
	Zoning Application	(Site Area)	Uses	Minor Relaxation	Consideration	Floor Height	
	No.			Kciaxation		(Uses)	
	BHR:			BH	grounds:		• Greenery coverage of 438m² (about 26% of Site Area) excluding 146m² of greenery area at refuge floor at 16/F
	120mPD			120mPD to	(III), (IV) [see		Compliance with SBDG
				141.25mPD	remarks for		
				(+17.7%)	details]		
San l	Po Kong Busin	ess Area					
12.	S/K11/29	1 Tsat Po Street,	I	<u>PR</u>	Approved	3.325m	Full-height setback in accordance with OZP along Tsat Po Street and Sam Chuk Street for improving pedestrian
	"OU(B)"	San Po Kong		12 to 14.4	with	(Workshop)	environment.
	A/K11/233	$(1,386m^2)$		(+20%)	conditions on		• Greening provision of 278 m ² (about 20% of Site Area)
					12.4.2019		
	BHR:			<u>BH</u>			
	120mPD			Nil			
13.	S/K11/29	No. 21 Luk Hop	I	<u>PR</u>	Approved	3.603m	• Full-height setback wider than OZP requirement to achieve a total of 3.4m-wide setback from the lot boundary
	"OU(B)"	Street, San Po		12 to 14.4	with	(Workshop)	abutting Luk Hop Street featured with landscape planters
	A/K11/235	Kong, Kowloon		(+20%)	conditions on		• Greening provision of 278 m² (about 35.8% of Site Area) by inclusion of planters, vertical green wall and green roof
		(776.1m^2)			13.12.2019		Incorporation of green building design measures
	BHR:			<u>BH</u>			
	120mPD			Nil			
Hung	Hom						
14.	S/K9/26	13 Hok Yuen	C/O	<u>PR</u>	Approved	N/A	Proposed corner setback at Hok Yuen Street and 4.5m setbacks from adjacent buildings at east and west for
	"OU(B)"	Street,		12 to	with		improving the pedestrian environment
	A/K9/274	Hung Hom		12.782	conditions on		A 26.8m-wide building gap between the two office towers
		$(3,698.8m^2)$		(+6.52%)	17.5.2019		• Greening provision of 740 m² (including a landscaped garden on 1/F) (about 20% of Site Area)
	BHR:						
	120mPD			<u>BH</u>			
				Nil			
Yau '	Tsim Mong Arc	ea					
15.	S/K3/31	107-111 (Odd	I	<u>PR</u>	Approved	4.025m	Setback above 15m measured from the mean street level along Maple Street in accordance with OZP requirement
	" OU(B)"	Numbers Only)		12 to 14.4	with	(Workshop)	Full-height setback along Tung Chau Street
	A/K3/582	Tung Chau		(+20%)	conditions on		• Greening ratio of about 33.4% (about 129m²) with greening on G/F (about 11m²) and 3/F (about 48m²) as well as
		Street, Tai Kok			17.3.2020		vertical greening (about 70m²)
	BHR:	Tsui, Kowloon		<u>BH</u>			Incorporation of landscaped area at the setback on G/F
	110mPD	$(386.5m^2)$		Nil			• Incorporation of a sky garden with edge planters on 3/F

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
							Provision of vertical greening features on the podium façade along Tung Chau Street
							Compliance with SBDG and incorporation of green building design measures
	ng Sha Wan	022 1 : 01:	0/0	DD.		4.075	
16.	S/K5/37	822 Lai Chi	C/O	<u>PR</u>	Approved	4.375m	• Full-height setbacks along Lai Chi Kok Road and Cheung Lai Street in accordance with ODP requirement for street
	" OU(B)"	Kok Road,		12 to 14.4	with	(Office)	• widening and streetscape improvement
	A/K5/813	Cheung Sha		(+20%)	conditions on		• Voluntary setback at G/F and 1/F along Cheung Yee Street to provide shading and to enhance pedestrian
	DIID	Wan		DII	6.3.2020		connectivity and comfort
	BHR:	$(1318.3 \mathrm{m}^2)$		<u>BH</u>			• Incorporation of refuge floor cum communal sky garden
	120mPD			120mPD to			• Incorporation of flat roofs/recessed terraces with greenery
				125.7mPD			• Greenery coverage of 263.891m ² (about 20% of Site Area) with an additional 50m2 vertical greening
				(+4.75%)			Compliance with SBDG and incorporation of green building design measures
Kwai	Chung						
17.	S/KC/29	57 – 61 Ta	I-O	<u>PR</u>	Approved	N/A	Full-height setback along Ta Chuen Ping Street wider than OZP requirement for long-term road widening and
	"OU(B)"	Chuen Ping		9.5 to 11.4	with		improving air ventilation
	A/KC/460	Street,		(+20%)	conditions on		
		Kwai Chung			5.7.2019		
	BHR:	$(2,261 \mathrm{m}^2)$		<u>BH</u>			
	130mPD			Nil			
18.	S/KC/29	20-24 Kwai	I	<u>PR</u>	Approved	4.2m	Voluntary full-height setbacks at the northern portion of site and along Castle Peak Road - Kwai Chung for
	"OU(B)"	Wing Road,		9.5 to 11.4	with	(Workshop)	improving pedestrian environment, air ventilation and visual permeability
	A/KC/464	Kwai Chung		(+20%)	conditions on		• Greening provision of 316m² (about 20% of Site Area)
		$(1,579m^2)$			29.11.2019		Provision of communal escalator with universal accessible lift and staircase open to the public for improving
	BHR:			<u>BH</u>			pedestrian connectivity, accessibility and comfort
	105mPD			Nil			Compliance with SBDG and incorporation of green building design measures
19.	S/KC/29	Kwai Chung	I	<u>PR</u>	<u>Approved</u>	4.20m	2m Voluntary full-height setback along Kwok Shui Road for proposed pedestrian footpath and landscaped area
	" OU(B)"	Town Lot		9.5 to 11.4	with	(Workshop)	Weather protection canopy along the northern and western facades
	A/KC/463	(KCTL) 49 and		(+20%)	conditions on		• Greening ratio of about 28.37% (335m ²)
		Ext. RP, 45-51			17.3.2020		● Incorporation of landscaped area at G/F, 1/F, 3/F and the rooftop
	BHR:	Kwok Shui		<u>BH</u>			Compliance with SBDG and incorporation of green building design measures
	105mPD	Road, Kwai		Nil			
		Chung, New					
		Territories					
		(Gross Site					

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
		Area: 1,324.3m ² Net Site Area ^[3] : 1,181.727 m ²)					
20.	S/TW/33 "Industrial" A/TW/505 BHR: 100mPD	14-18 Ma Kok Street, Tsuen Wan (1,858.1m ²)	I	PR 9.5 to 11.4 (+20%) BH Nil	Approved with conditions on 1.11.2019	3.5m (Workshop)	 Voluntary full-height setback along Ma Kok Street for improving pedestrian environment Greening at G/F (with 0.6m setback) along Tsuen Yip Street Greening provision of 389 m² (about 20% of Site Area) Compliance with SBDG and incorporation of green building design measures
21.	S/TW/33 "Industrial" A/TW/509 BHR: 100mPD	8-14 Sha Tsui Road, Tsuen Wan (4,645.16m²)	I	PR 9.5 to 11.4 (+20%) BH Nil	Approved with conditions on 13.12.2019	4.95m (Workshop)	 Full-height setback along Sha Tsui Road, Pun Shan Street and back alley Building setback above 1/F Landscape and seating provided in setback area along Sha Tsui Road and Pun Shan Street Substantial vertical greenery in front facade and total greenery coverage of not less than 20% Compliance with SBDG and incorporation of green building design measures
22.	S/TW/33 " OU(B)" A/TW/508 BHR: 100mPD	18-20 Pun Shan Street, Tsuen Wan (2,322.557m ²)	I	PR 9.5 to 11.4 (+20%) BH Nil	Approved with conditions on 17.1.2020	3.85m (Workshop)	 Full-height setback along Pun Shan Street in accordance with ODP requirement for improving pedestrian environment Setback from G/F to 3/F along the service lane at the west of the application site Landscape area provided at 1/F, 2/F and roof floor Greenery provided at entrance foyer and run-in/out, and total greenery coverage of not less than 20% Compliance with SBDG and incorporation of green building design measures

<u>Notes</u>

- [1] Proposed Uses: Industrial (I), Commercial/Office (C/O), Office (O) and Industrial-Office (I-O)
- [2] For back alleys, in addition to a 1.5m full-height setback, a 1.5m non-building area (NBA) from ground level with clear headroom of 5.1 are required, which basement structures as well as cantilevered structures projecting above the minimum 5.1m headroom are allowed.
- [3] The Site comprises parent lot KCTL No.49 (about 1,181.727m²) and Ext. RP (about 142.6m²). The extension area was granted after the building plans for the existing Toppy Tower were approved in 1974. Under the lease, no structure other than boundary walls and fences is permitted to be erected within the extension area except with prior approval of the Director of Lands, and the extension area shall not be PR/site coverage accountable. Hence, only the area of KCTL 49, i.e. about 1,181.727m² should be accountable for PR/GFA calculation.

Rejection Reasons

- (I) The applicant failed to demonstrate that there were sufficient planning and design merits to justify the proposed minor relaxation of building height restriction.
- (II) The approval of the application would set an undesirable precedent for similar applications for minor relaxation of building height restriction in the area, the cumulative effects of approving similar applications would have adverse visual impact on the area.
- (III) The applicant failed to demonstrate that the proposed minor relaxation of BH restriction will not create adverse visual impact on the area.
- (IV) The applicant had not provided strong justifications for the proposed minor relaxation of BH restriction.

Advisory clauses

- (a) the approval of the application does not imply that any proposal on building design elements to fulfill the requirements under the Sustainable Building Design Guidelines and any gross floor area (GFA) concession of the proposed commercial/office development will be granted by the Building Authority (BA). The applicant should approach the Buildings Department (BD) direct to obtain the necessary approval. If the proposed building design elements and GFA concession are not approved/granted by the BA and major changes to the current scheme are required, a fresh planning application to the Town Planning Board (TPB) may be required;
- (b) to note the comments of the District Lands Officer/Kowloon East, Lands Department (LandsD) on the need to apply to the District Lands Office, Kowloon East for a lease modification to give effect to the proposal. However, there is no guarantee that the lease modification/land exchange to implement the proposal. When processing the lease modification application, LandsD will impose such appropriate terms and conditions including user restriction, the 5-year time limit for completion of the development, payment of full premium and administrative fee, etc. There is no guarantee that the lease modification would be approved. The application will be considered by LandsD acting in its capacity as the landlord at its own discretion and any approval given will be subject to such terms and conditions as may be imposed by LandsD. Under the Policy, the lease modification letter/conditions of land exchange shall be executed within 3 years from the date of the TPB's approval letter;
- (c) to note the comments of the Chief Building Surveyor/Kowloon, BD that regarding the proposed setback to be surrendered, whether bonus PR could be granted for the surrender under Building (Planning) Regulation (B(P)R) 22(2) could only be considered in the building plan (BP) submission stage. Bonus PR for the development will only be allowed if such surrender is considered essential and acceptable to relevant departments. PNAP APP-20 is relevant. Detailed comments under the Buildings Ordinance will be given at the BP submission stage;
- (d) to note the comments of the Director of Environmental Protection that the applicant should minimise the generation of construction and demolition (C&D) materials; reuse and recycle the C&D materials on-site as far as possible; and observe and comply with the legislative requirements and prevailing guidelines on proper waste management for the proposed development; and
- (e) to note the comments of the Chief Town Planner/Urban Design and Landscape, Planning Department that if proprietary vertical greening system is proposed, the applicant is reminded to take into consideration of the long-term commitment to provide proper maintenance for healthy and sustainable plant growth and sufficient soil provision should be provided for plant growth at 1/F and 2/F. Given the long frontage of the application site, the applicant should explore the possibility to incorporate further design measures in particular relating to the setback areas as so to further enhance streetscape and pedestrian amenities, for instance, the applicant may consider the possibilities of incorporating pedestrian weather protection along the development edges where appropriates and further extending the landscape treatments along the building frontages.