

Similar Applications

**Replacement of Appendix II of
MPC Paper No. A/K5/813A
For Consideration by MPC on 6.3.2020**

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
1.	S/K14S/22 “OU(B)” A/K14/763	350 Kwun Tong Road, Kwun Tong (1,782m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 125.9mPD (+25.9%)	Approved with conditions on 22.3.2019	4m (Office)	<ul style="list-style-type: none"> ● Full-height setback along Hang Yip Street and Lai Yip Street in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 357m² (about 20% of Site Area) ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under applied; and may still allow a stepped BH profile in the Area ● Incorporation of refuge floor cum communal sky garden
2.	S/K14S/22 “OU(B)” A/K14/764 (same site as No. A/K14/771)	32 Hung To Road, Kwun Tong (911.2m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 130.2mPD (+30.2%)	Rejected on 22.3.2019 on the following grounds: (I), (II) [see remarks for details]	3.5m (Office)	<ul style="list-style-type: none"> ● Full-height setback/ground floor NBA^[2] along Hung To Road and the back alley in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 127m² (about 14% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Incorporation of refuge floor cum communal sky garden
3.	S/K11/29 “OU(B)” A/K11/233	1 Tsat Po Street, San Po Kong (1,346.1m ²)	I	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> Nil	Approved with conditions on 12.4.2019	3.325m (Workshop)	<ul style="list-style-type: none"> ● Full-height setback in accordance with OZP along Tsat Po Street and Sam Chuk Street for improving pedestrian environment. ● Greening provision of 278 m² (about 20% of Site Area)
4.	S/K9/26 “OU(B)” A/K9/274	13 Hok Yuen Street, Hung Hom (3,698.8m ²)	C/O	<u>PR</u> 12 to 12.782 (+6.52%) <u>BH</u> Nil	Approved with conditions on 17.5.2019	N/A	<ul style="list-style-type: none"> ● Proposed corner setback at Hok Yuen Street and 4.5m setbacks from adjacent buildings at east and west for improving the pedestrian environment ● A 26.8m-wide building gap between the two office towers ● Greening provision of 740 m² (including a landscaped garden on 1/F) (about 20% of Site Area)

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
5.	S/K14S/22 “OU(B)” A/K14/766	41 King Yip Street, Kwun Tong (2,042m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 126mPD (+26%)	Approved with conditions on 16.8.2019	4.025m (Office)	<ul style="list-style-type: none"> ● Full-height setback/ground floor NBA^[2] along King Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment. ● Voluntary setback and corner setback (G/F to 1/F) along King Yip Street to provide more ground floor greening and weather protection to the pedestrian ● Curvilinear building design with five layers of edge plantings ● Greening provision of 530 m² (about 26% of Site Area) ● Incorporation of refuge floor cum communal sky garden ● Compliance with SBDG and incorporation of green building design measures ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under applied; and may not be incompatible with the planned stepped BH profile in the Area
6.	S/K14S/22 “OU(B)” A/K14/771 (same site as No. A/K14/764)	32 Hung To Road, Kwun Tong (911.2m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 119.7mPD (+19.7%)	Approved with conditions on 16.8.2019	3.5m (Office)	<ul style="list-style-type: none"> ● Full-height setback/ground floor NBA^[2] along Hung To Road and the back alley in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 197 m² (about 22% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Incorporation of refuge floor cum communal sky garden ● Tower deposition to allow building separation at tower with adjoining building to facilitate wind penetration to inland area ● Compliance with SBDG and incorporation of green building design measures ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under applied; and may not be incompatible with the planned stepped BH profile in the Area. ● Confined site configuration while the applicant had made effort in the building design to improve the local environment as listed above.
7.—	S/K14S/22 “OU(B)” A/K14/773	82 Hung To Road, Kwun Tong (929.03m ²)	I	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 119.85mPD (+19.85%)	Deferred by the MPC on 18.10.2019 and the applicant was requested to provide further information on the planning and design merits—	4.1m— (Workshop)	<ul style="list-style-type: none"> ● Building setback from above 1F ● Glass canopy for providing weather protection to the pedestrian— ● Greening provision of 203 m² (about 22% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Incorporation of refuge floor cum communal sky garden— ● Compliance with SBDG and incorporation of green building design measures

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
87.	S/KC/29 “OU(B)” A/KC/460	57 – 61 Ta Chuen Ping Street, Kwai Chung (2,261m ²)	I-O	<u>PR</u> 9.5 to 11.4 (+20%) <u>BH</u> Nil	Approved with conditions on 5.7.2019	N/A	<ul style="list-style-type: none"> ● Full-height setback along Ta Chuen Ping Street wider than OZP requirement for long-term road widening and improving air ventilation
98.	S/TW/33 “Industrial” A/TW/505	14-18 Ma Kok Street, Tsuen Wan (1,858.1m ²)	I	<u>PR</u> 9.5 to 11.4 (+20%) <u>BH</u> Nil	Approved with conditions on 1.11.2019	3.5m (Workshop)	<ul style="list-style-type: none"> ● Voluntary full-height setback along Ma Kok Street for improving pedestrian environment ● Greening at G/F (with 0.6m setback) along Tsuen Yip Street ● Greening provision of 389 m² (about 20% of Site Area) ● Compliance with SBDG and incorporation of green building design measures
109.	S/KC/29 “OU(B)” A/KC/464	20-24 Kwai Wing Road, Kwai Chung (1,579m ²)	I	<u>PR</u> 9.5 to 11.4 (+20%) <u>BH</u> Nil	Approved with conditions on 29.11.2019	4.2m (Workshop)	<ul style="list-style-type: none"> ● Voluntary full-height setbacks at the northern portion of site and along Castle Peak Road - Kwai Chung for improving pedestrian environment, air ventilation and visual permeability ● Greening provision of 316m² (about 20% of Site Area) ● Provision of communal escalator with universal accessible lift and staircase open to the public for improving pedestrian connectivity, accessibility and comfort ● Compliance with SBDG and incorporation of green building design measures
110.	S/K14S/22 “OU(B)” A/K14/774	7 Lai Yip Street, Kwun Tong (1,026 m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 125.9mPD (+25.9%)	Approved with conditions on 13.12.2019	4m (Office)	<ul style="list-style-type: none"> ● Full-height setback along Lai Yip Street in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 222.7 m² (about 22% of Site Area) ● Incorporation of refuge floor cum communal sky garden ● Weather protection canopy along the frontage facing Lai Yip Street ● Compliance with SBDG and incorporation of green building design measures ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and may still allow a stepped BH profile

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
1211.	S/TW/33 “Industrial” A/TW/509	8-14 Sha Tsui Road, Tsuen Wan (4,645.16m ²)	I	<u>PR</u> 9.5 to 11.4 (+20%) <u>BH</u> Nil	Approved with conditions on 13.12.2019	4.95m (Workshop)	<ul style="list-style-type: none"> ● Full-height setback along Sha Tsui Road, Pun Shan Street and back alley ● Building setback above 1/F ● Landscape and seating provided in setback area along Sha Tsui Road and Pun Shan Street ● Substantial vertical greenery in front façade and total greenery coverage of not less than 20% ● Compliance with SBDG and incorporation of green building design measures
1312.	S/K11/29 “OU(B)” A/K11/235	21 Luk Hop Street, San Po Kong (776.1m ²)	I	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> Nil	Approved with conditions on 13.12.2019	3.603m (Workshop)	<ul style="list-style-type: none"> ● Full-height setback wider than OZP requirement to achieve a total of 3.4m-wide setback from the lot boundary abutting Luk Hop Street featured with landscape planters ● Greening provision of 278 m² (about 35.8% of Site Area) by inclusion of planters, vertical green wall and green roof ● Incorporation of green building design measures
1413.	S/K14S/22 “OU(B)” A/K14/775	132 Wai Yip Street, Kwun Tong (418.06m ²)	C/O	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 120mPD (+20%)	Approved with conditions on 3.1.2020	3.9m (Office)	<ul style="list-style-type: none"> ● Full-height setback/ground floor NBA^[2] along Wai Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 63m² including vertical greenery (about 15% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Compliance with SBDG and incorporation of green building design measures ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and could be tolerated
1514.	S/TW/33 “OU(B)” A/TW/508	18-20 Pun Shan Street, Tsuen Wan (2,322.557 m ²)	I	<u>PR</u> 9.5 to 11.4 (+20%) <u>BH</u> Nil	Approved with conditions on 17.1.2020	3.85m (Workshop)	<ul style="list-style-type: none"> ● Full-height setback along Pun Shan Street in accordance with ODP requirement for improving pedestrian environment ● Setback from G/F to 3/F along the service lane at the west of the application site ● Landscape area provided at 1/F, 2/F and roof floor ● Greenery provided at entrance foyer and run-in/out, and total greenery coverage of not less than 20% ● Compliance with SBDG and incorporation of green building design measures

No.	OZP Zoning Application No.	Address (Site Area)	Proposed Uses ^[1]	Proposed Minor Relaxation	Date of Consideration	Typical Floor Height (Uses)	Major Planning & Design Merits
16 15.	S/K14S/22 “OU(B)” A/K14/773	82 Hung To Road, Kwun Tong (929.03m ²)	I	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> 100mPD to 119.85mPD (+19.85%)	Approved with conditions on 17.1.2020	4.1m (Workshop)	<ul style="list-style-type: none"> ● Voluntary full-height setback along Hung To Road for improving pedestrian environment ● Greening provision of 202.3m² including vertical greenery (about 21.8% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Incorporation of refuge floor cum communal sky garden ● Weather protection canopy along the frontage facing Hung To Road ● Compliance with SBDG and incorporation of green building design measures ● Proposed minor relaxation of BH generally in proportion to the 20% increase in PR under application; and could be tolerated
17 16.	S/K14S/22 “OU(B)” A/K14/778	203 Wai Yip Street, Kwun Tong (935.99m ²)	I	<u>PR</u> 12 to 14.4 (+20%) <u>BH</u> Nil	Approved with conditions on 17.1.2020	4.04m (Workshop)	<ul style="list-style-type: none"> ● Full-height setback/ground floor NBA^[2] along Wai Yip Street and the back alley in accordance with ODP requirement for improving pedestrian environment ● Greening provision of 270m² (about 29% of Site Area) [Note: greenery requirement under SBDG is not applicable to this site of <1,000m²] ● Weather protection canopy along the frontage facing Wai Yip Street ● Compliance with SBDG and incorporation of green building design measures

Notes

[1] Proposed Uses: Industrial (I), Commercial/ Office (C/O), and Industrial-Office (I-O)

[2] For back alleys, in addition to a 1.5m full-height setback, a 1.5m non-building area (NBA) from ground level with clear headroom of 5.1 are required, which basement structures as well as cantilevered structures projecting above the minimum 5.1m headroom are allowed.

Rejection Reasons

(I) The applicant failed to demonstrate that there were sufficient planning and design merits to justify the proposed minor relaxation of building height restriction.

(II) The approval of the application would set an undesirable precedent for similar applications for minor relaxation of building height restriction in the area, the cumulative effects of approving similar applications would have adverse visual impact on the area

Recommended Advisory Clauses

- (a) to note the comments of the District Lands Officer/Kowloon West and the Chief Estate Surveyor/Development Control, Lands Department (LandsD) that the proposed development does not comply with the existing lease conditions. If the Board approves the subject application, the owner of the subject lot is required to apply for a lease modification/land exchange from LandsD to implement the proposal. When processing the lease modification application, LandsD will impose such appropriate terms and conditions including user restriction, the 5-year time limit for completion of the development, payment of full premium and administrative fee. There is no guarantee that the application will be approved by LandsD. Under the 2018 IB revitalisation measure for redevelopment, the lease modification letter/conditions of land exchange shall be executed within 3 years from the date of the Board's approval letter;
- (b) to note the comments of the Commissioner for Transport that the proposed loading/unloading provision shall be reviewed to achieve a level closer to high-end of the Hong Kong Planning Standards and Guidelines in deriving the detailed layout plans;
- (c) to note the comments of the Director of Environmental Protection that general construction noise within restricted hours (i.e. time between 1900 and 0700 hours and any time on a general holiday, including Sundays) is subject to the control under the Noise Control Ordinance (NCO). If percussive piling works are needed, the future developer needs to strictly comply with the "Technical Memorandum on Noise from Percussive Piling" under NCO. There are also other guidelines including ProPECC Note No. 2/93 issued by the department and those issued by the Buildings Department (BD) which cover good practices and noise mitigation measures to minimise the construction noise impact. The future developer is advised to follow the relevant guidelines in the construction stage. Besides, the future developer is also reminded to strictly comply with all requirements under the relevant pollution control ordinances including NCO.
- (d) to note the comments of the Chief Building Surveyor/Kowloon, Buildings Department that:
 - (i) the bonus PR under B(P)R 22(2) for surrender of the building setback area should be subject to compliance with PNAP APP-20 and agreements from the concerned Government departments;
 - (ii) compliance with the Sustainable Building Design Guidelines under PNAP APP-152 is required if GFA concession for non-mandatory plant rooms/services and green/amenities features under the Buildings Ordinance (BO) is claimed;
 - (iii) detailed comments under the BO will be given at building plan submission stage; and
- (e) to note the comments of the Chief Town Planner/Urban Design and Landscape, Planning Department that if proprietary vertical greening system is proposed, the applicant is reminded to take into consideration of the long-term commitment to provide proper maintenance for healthy and sustainable plant growth.