

Annex 2 Estimated Traffic Generation

- 2.1 The application site is abutting an unnamed Road. It is situated amidst the ‘Agriculture’ (“AGR”) zone. According to the Town Planning Board Guideline 13G, the application site is categorized as ‘Category 2 Areas’ of which open storage use may be approved in the event that there is no objection from Government departments.
- 2.2 Also, the proposed 11m x 3.5m loading/unloading space at the application site would only be opened to users with prior appointment. No visitors will be allowed to visit the proposed development.
- 2.3 The estimated average traffic generation and traffic generation rate at peak hours are as follow:

Type of Vehicle	<u>Average Traffic Generation Rate</u> (pcu/hr)	<u>Average Traffic Attraction Rate</u> (pcu/hr)	<u>Traffic Generation Rate at Peak Hours</u> (pcu/hr)	<u>Traffic Attraction Rate at Peak Hours</u> (pcu/hr)
Medium/ heavy goods vehicle	0.2	0.2	2	0

Note 1: The opening hour of the proposed development is restricted to 9:00 a.m. to 7:00 p.m. from Mondays to Sundays including public holidays;

Note 2: The pcu of medium/heavy goods vehicle is taken as 2 &

Note 3: Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.

- 2.4 As shown in the above estimation, it is estimated that the proposed development would not generate significant amount of traffic. It would not affect the traffic condition of the unnamed road leading from Kong Nga Po Road. The negligible increase in traffic would not aggravate the traffic condition of nearby road networks.