


地段索引圖 LOT INDEX PLAN



<p>項目:</p> <p>DD84 LOT217 (部份)</p> <p>臨時露天存放建築機械及建築材料及 相關填土工程(為期三年)</p>	<p>圖目:</p> <p>申請地點圖</p>
<p>圖號: 1</p>	<p>備注:</p>

<div data-bbox="240 192 1353 1397"> <div data-bbox="699 232 841 309"> <div>佈局圖</div> </div> <div data-bbox="970 353 1319 430"> <div>1 個中型貨車泊車位</div> </div> <div data-bbox="290 1079 756 1155"> <div>存放建築材料(約 350 平方米)</div> </div> <div data-bbox="774 1135 898 1211"> <div>大門</div> </div> <div data-bbox="999 1146 1310 1223"> <div>1 個私家車泊車位</div> </div>  <p>The diagram shows an irregular plot of land. At the bottom center is a small rectangle labeled '大門' (Main Gate). To the left of the gate is a large rectangular area labeled '存放建築材料(約 350 平方米)' (Storage of building materials (approx. 350 sqm)). To the right of the gate is a rectangular area labeled '1 個私家車泊車位' (1 private car parking space). Further up and to the right is another rectangular area labeled '1 個中型貨車泊車位' (1 medium truck parking space). A line connects the top of the plot to the '1 個中型貨車泊車位' label. A line connects the left side of the plot to the '存放建築材料' label. A line connects the bottom of the plot to the '大門' label. A line connects the right side of the plot to the '1 個私家車泊車位' label. A line connects the top of the plot to the '1 個中型貨車泊車位' label. A line connects the top of the plot to the '佈局圖' label.</p> </div>	
<div data-bbox="240 1397 796 1733"> <div>項目:</div> <div>DD84 LOT217 (部份)</div> <div>臨時露天存放建築機械及建築材料及</div> <div>相關填土工程(為期三年)</div> </div>	<div data-bbox="796 1397 1353 1733"> <div>圖目:</div> <div>佈局圖</div> </div>
<div data-bbox="240 1733 796 1825"> <div>圖號: 2</div> </div>	<div data-bbox="796 1733 1353 1825"> <div>備注:</div> </div>

地段索引圖 LOT INDEX PLAN




項目:	圖目:
DD84 LOT217 (部份)	車路圖
臨時露天存放建築機械及建築材料及 相關填土工程(為期三年)	
圖號: 3	備注:

TEMPORARY OPEN STORAGE OF CONSTRUCTION MACHINERY &
CONSTRUCTION MATERIAL AND ASSOCIATED FILLING OF LAND AT LOTS
217 (PART) IN DD84 PING CHE , N.T.

Traffic Point of View:

1. As the proposed application scale is small, the turnover rate is relatively small. The construction materials mainly store at the site. The loading and unloading activity is about three to four times per week. The traffic impact can be minimal.
2. For each visit, one loading/unloading space is for one medium good vehicle , and one private car parking is for the staff . The staff is helped for uploading/unloading construction materials for safety reason. There are no foreign visitors.
3. The vehicular access is no less than 7.3m wide. There are no heavy good vehicles enter to the proposed site.
4. Attached please find the **Figure4** and **Figure5** for swept path analysis. No queuing is needed that the proposed entrance will be keep opening during the working hours.
5. Except traffic sign TS460 will install at the subject site if needed, the applicant proposed to install ‘Stop and give way’ and ‘5KM/H speed limit’ signs at the site to alert the driver with the closed-circuit television monitoring system.

地段索引圖 LOT INDEX PLAN



<p>項目:</p> <p>DD84 LOT217 (部份)</p> <p>臨時露天存放建築機械及建築材料及 相關填土工程(為期三年)</p>	<p>圖目:</p> <p>交通行車線分析圖(入車)</p> <p>SWEPT PATH ANALYSIS (INGRESS)</p>
<p>圖號: 4</p>	<p>1:1500</p>

地段索引圖 LOT INDEX PLAN



<p>項目:</p> <p>DD84 LOT217 (部份)</p> <p>臨時露天存放建築機械及建築材料及</p> <p>相關填土工程(為期三年)</p>	<p>圖目:</p> <p>交通行車線分析圖(出車)</p> <p>SWEPT PATH ANALYSIS</p> <p>(DEPARTING)</p>
<p>圖號: 5</p>	<p>1:1500</p>

TEMPORARY OPEN STORAGE OF CONSTRUCTION MACHINERY &
CONSTRUCTION MATERIAL AND ASSOCIATED FILLING OF LAND AT LOTS
217 (PART) IN DD84 PING CHE , N.T.

Proposal of Fire Service Installations:

1. There are two Fire Hydrants 4059/4462 200M far from the site, and therefore, the applicant are proposed to install 3X5KG dry powder fire extinguishers at site according to **Figure 6**.

<div data-bbox="240 192 1353 1397"> <p>The diagram illustrates the fire safety layout for a site. It features a central irregular polygon representing the site boundary. At the bottom center is a '大門' (Main Gate). To the right of the gate is a parking area with '1 個私家車泊車位' (1 private car parking space) and '5 公斤乾粉滅火筒' (5 kg dry powder fire extinguisher). To the left of the gate is an area labeled '存放建築材料' (Storage of building materials). At the top left, there is another '5 公斤乾粉滅火筒' (5 kg dry powder fire extinguisher). At the top right, there is a parking area for '1 個中型貨車泊車位' (1 medium truck parking space). The title '消防設施佈局圖' (Fire facility layout diagram) is at the top center.</p> </div>	
<div data-bbox="240 1397 796 1733"> <p>項目:</p> <p>DD84 LOT217 (部份)</p> <p>臨時露天存放建築機械及建築材料及 相關填土工程(為期三年)</p> </div>	<div data-bbox="796 1397 1353 1733"> <p>圖目:</p> <p>消防設施佈局圖</p> </div>
<div data-bbox="240 1733 796 1827"> <p>圖號: 6</p> </div>	<div data-bbox="796 1733 1353 1827"> <p>備注:</p> </div>

地段索引圖 LOT INDEX PLAN



<p>項目:</p> <p>DD84 LOT217 (部份)</p> <p>臨時露天存放建築機械及建築材料及</p> <p>相關填土工程(為期三年)</p>	<p>圖目:</p> <p>填土範圍圖</p>
<p>圖號: 7</p>	<p>備注:</p>