

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

寄件者: Alex Yeung [REDACTED]
寄件日期: 2025年09月24日星期三 11:31
收件者: tpbpd/PLAND
副本: [REDACTED]
主旨: Response to Comments - Planning Application No. A/SK-HC/354 on Review
附件: 20250923 Response to WSD Comments of 8.8.2025.docx; 20250301 Revised Risk Assessment Report by Mr. PAU Wah Lung.pdf; 20250301 Attachments 1 to 8 of Appendix II.pdf

Dear Sir/Madam,

I refer to the email dated 19/09/2025 from Miss CHAN of the PlannD.

In view of Comments from the Chief Engineer/Construction Water Supplies Department,

as referred by Miss CHAN of PlanD on 08/08/2025, I forward our response below:

Grateful for your noting of our response and attachments-

Attachment 1 - Appendix I (Our Response to WSD Comments);

Attachment 2 - Appendix II (The Revised Risk Assessment Report of 01/03/2025, prepared by Mr. PAU Wah Lung, an architect and authorized person); and

Attachment 3 - Attachments 1 to 8 attached to the Revised Risk Assessment Report of 01/03/2025.

Thank you for your kind attention.

YEUNG Siu Fung

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

寄件者: Alex Yeung [REDACTED]
寄件日期: 2025年09月24日星期三 14:26
收件者: tpbpd/PLAND
副本: [REDACTED]
主旨: Response to Comments - Planning Application No. A/SK-HC/354 on Review
附件: 20250923 Response to AMO Comments of 8.8.2025.docx
類別: Internet Email

Dear Sir/Madam,

With reference to the comments by AMO as referred by Miss CHAN of PlanD on 08/08/2025,
please note our response at Appendix I.

We are not sending the concerned photographs as they have been submitted in response to AMO's
comments of 11 March 2025 before.

Attachments:
Appendix I-Response to AMO's Comments of 08/08/2025.

Thank you for your kind attention.

YEUNG Siu Fung