


申請地點位置圖



地政總署測繪處


Survey and Mapping Office, Lands Department

比例尺 SCALE 1:1000

米 metres 10 0 10 20 30 40 50 metres




雨水排放建議圖



地政總署測繪處

Survey and Mapping Office, Lands Department

比例尺 SCALE 1:1000



Proposed 300UC (1:100) with concrete cover

Proposed 300mm P.E. Pipe


Site Catchment Area $1369 \text{ m}^2 = 0.001369 \text{ km}^2$

Peak runoff in $\text{m}^3/\text{s} = 0.278 \times 0.95 \times 240 \text{ mm/hr} \times 0.001369 \text{ km}^2 = 0.08677 \text{ m}^3/\text{s}$
 $= 5423 \text{ liter/min}$

Note

1. Catchpit (CP7) with desilting facility shall follow CEDD's standard drawing No. C2406/I.C2406/2A
2. Catchpit and UC follows Typical Details of Geotechnical Manual for Slope Fig.8.10 and Fig.8.11 respectively.
3. The inverted level of the connection point shall be verified on site prior the commencement of work
4. Grating Concrete Cover follows CEDD's standard drawing No. C2412E: U-CHANNELS WITH PRECAST CONCRETE SLABS

申請填土及填塘範圍圖



地政總署測繪處


Survey and Mapping Office, Lands Department

比例尺 SCALE 1:1000

米 metres 10 0 10 20 30 40 50 metres



美化環境建議圖



地政總署測繪處

Survey and Mapping Office, Lands Department

比例尺 SCALE 1:1000

米 10 0 10 20 30 40 50 metres



我等擬議在場內@兩位置種植14棵中華杜英