By Email

Our Ref: S3157/DD122PS_G/25/005Lg

15 October 2025

Secretary, Town Planning Board 15/F, North Point Government Offices 333 Java Road North Point Hong Kong





Dear Sir/Madam,

Temporary Filling of Land for Access Road Connecting to the Permitted Place of Recreation, Sports or Culture (Mountain Bike Training Ground) with Ancillary Shop and Services in "Recreation" Zone for a Period of 3 Years, Various Lots in D.D. 122 and Adjoining Government Land, Ping Shan, Yuen Long, New Territories

(Planning Application No. A/YL-PS/749)

- Further Information No. 2 -

Reference is made to the captioned s16 Planning Application submitted to the Town Planning Board ("TPB") on 14 March 2025 and departmental comments received on 30 July 2025.

In response to the comments received, we hereby submit this Further Information ("FI") No.2 for the TPB's consideration. This FI submission consists of:

- 1) Response-to-Comment Table
- 2) Annex A Swept Path Analysis

Should you have any queries in relation to the above or attached, please do not hesitate to contact the undersigned or Mr. Benjamin TUNG at

Thank you for your kind attention.

Yours faithfully
For and on behalf of
KTA PLANNING LIMITED

Paulihe LAM

Encl.

cc. the Applicant & Team

PL/BT/vy

Response-to-Comment

Temporary Filling of Land for Access Road Connecting to the Permitted Place of Recreation, Sports or Culture (Mountain Bike Training Ground) with Ancillary Shop and Services in "Recreation" Zone for a Period of 3 Years, Various Lots in D.D. 122 and Adjoining Government Land, Ping Shan, Yuen Long, New Territories

(S.16 Planning Application No. A/YL-PS/749)

- Further Information No. 2 -

Items	Comments	Responses
1	Comments from Transport Department Received on 30 July 2025 (Contact Person: Ms. Sarita CHAN; Tel: 2399 2191)	
1.1	The applicant should indicate the width of the aisle, the site entrance and the vehicular access leading to the subject site;	The width of the aisle and the site entrance is about 7m. The width of the vehicular access leading to the Application Site is not less than 4m.
1.2	The applicant should advise the location and dimension of loading/unloading bay in the layout plan;	There is no loading/unloading bay within the Application Site.
1.3		Since the access road is mainly for the adjoining Permitted Mountain Bike Training Ground, vehicles will be manoeuvring in the Permitted Mountain Bike Training Ground with sufficient space. The swept path analysis for heavy vehicle including rescue vehicles accessing the Application Site to/from Ha Mei San Tsuen Road is provided in Annex A (Similar to the swept path analysis submitted under Application No. A/YL-PS/668).
1.4	The applicant should substantiate the trip generation and attraction during construction and operation;	The access road has been built. No trip generation and attraction will be caused by construction vehicles. The trip generation and attraction during operation phase are as follows (i.e. the trip generation and attraction adopted for the permitted Mountain Bike Training Ground under Application No. A/YL-PS/668): 2 round trips of LGV per week will be generated/attracted for goods delivery from 12noon to 2pm on separate weekdays. For trip generation/attraction for private cars/taxis during operation phase, please refer to the table below:

Response-to-Comment

Items	Comments	Responses					
			Weekdays		Weekends/Public Holidays		
			Attraction	Generation	Attraction	Generation	
		10am-12noon	8	3	10	5	
		12noon-2pm	5	3	10	5	
		2pm-4pm	6	6	10	10	
		4pm-6pm	3	5	5	10	
		6pm-8pm	3	8	5	10	
		Total	25	25	40	40	

Encl. Annex A - Swept Path Analysis

Complied by: KTA Planning Limited

Date: 15 October 2025

File Ref: 20251015_S3157_R-to-C



