

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

Emily Tsz Yan WONG/PLAND

寄件者: sun wo wong <[REDACTED]>
寄件日期: 2026年01月31日星期六 19:32
收件者: Emily Tsz Yan WONG/PLAND; tpbpd/PLAND
主旨: A/YL-PS/771
附件: 回應T.D.的擬問 31-01-2026.pdf

類別: Internet Email

cc : etywong@pland.gov.hk
回應 T.D.的擬問

回應T.D的擬問

- (a) Please specify how the loading/unloading need of the proposed development could be satisfied.

我等已依照貴署的建議在附件一的場內通道圖以加入有關通道的呎吋供參考。

- (b) Please provide the dimensions and detailed layout of the proposed run-in/out.

請看附件一。

- (c) Please provide swept path analysis for critical locations, e.g. turning points and vehicular access, etc. to demonstrate smooth maneuvering for vehicles.

請看附件一。

- (d) Please indicate the width of aisles. According to TPDM, the desirable aisle width shall be 6m. Justifications with swept path analysis shall be provided if the requirements could not be fulfilled.

請看附件一。

- (e) The access road leading to the subject site is not under TD's purview. The applicant shall obtain consent of the managing parties of the access road for using it as the vehicular access to the subject site.

我等清楚明白有關道路為政府土地，如獲得批准，在有需要時我等會向地政處作出申請使用有關政處土地進出停車場用途。

- (f) Please be reminded that sufficient space should be provided within the application site for manoeuvring of vehicles. In addition, no parking, queuing and reverse movement of vehicles on public road are allowed.

我等停車場現停泊的車輛只有70%為月租，其餘的30%足夠時租車輛使用，因此絕對不會令至車輛在公共道路上出現排隊的情況。

附件1 A/YL-PS/771
車輛通道呎吋說明

