Proposed Temporary Public Vehicle Park for Private Cars & Van-type Light Goods Vehicles for a Period of 3 Years at

Lots 3338, 3339 S.H ss.1, 3339 S.H ss.2, 3339 S.H ss.3, 3339 S.H ss.4, 3339 S.H ss.5 (Part), 3339 S.H RP (Part), 3339 S.I ss.1, 3339 S.I ss.2, 3339 S.I ss.3, 3339 S.I ss.4, 3339 S.I ss.5 (Part), 3339 S.I ss.6, 3339 S.I ss.7, 3339 S.I ss.8, 3339 S.I ss.9, 3339 S.I ss.10 (Part), 3339 S.I RP (Part), 3339 S.J ss.1, 3339 S.J ss.2, 3339 S.J ss.3, 3339 S.J ss.4, 3339 S.J ss.5, 3339 S.J ss.6, 3339 S.J ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Part), 3339 S.J ss.5, 3339 S.J ss.6, 3339 S.J ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Part), 3339 S.J ss.6, 3339 S.J ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Part), 3339 S.J RP (Part), 3339 S.K ss.1, 3339 S.K ss.1, 3339 S.K ss.2, 3339 S.K ss.3 RP (Part), 3339 S.K ss.4, 3339 S.K ss.9, 3339 S.K ss.10, 3339 S.K ss.6, 3339 S.K ss.7, 3339 S.K ss.8, 3339 S.K ss.9, 3339 S.L ss.3, 3339 S.L ss.4, 3339 S.L ss.5, 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L RP (Part) in D.D. 116, Yuen Long, N.T.

Annex 1 Estimated Traffic Generation

- 1.1 The application site is served by a paved vehicular track leading from Tai Shu Ha Road East. (**Figure 2**)
- 1.2 The application site will be opened for parking of private cars and van-type light goods vehicle only. Also, vehicles without valid licences issued under the Road Traffic Ordinance will not be permitted to park at the application site. The estimated average traffic generation and traffic generation rate at peak hours are as follow:

Type of	Average Traffic	Average Traffic	Traffic	Traffic
Vehicle	Generation Rate	Attraction Rate	Generation Rate	Attraction Rate
	(pcu/hr)	(pcu/hr)	at Peak Hours	at Peak Hours
			(pcu/hr)	(pcu/hr)
Private car /				
van-type	1.17	1.17	16	12
light goods	1.17	1.17	10	12
vehicle				


Note 1: The proposed development is opened 24 hours a day and 7 days a week including Sundays and public holidays


Note 2: The pcu of private car/ van-type light goods vehicle is taken as 1.

Note 3: Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.

1.3 As shown in the above estimation, it is estimated that the proposed development would not generate significant amount of traffic. It would not affect the traffic condition of the area especially that the proposed development would provide only 28 parking spaces to meet the parking demand of villagers. No new traffic will generated because there is no major development in proximity to the application site except the existing village houses.

Proposed Temporary Public Vehicle Park in D.D. 116, Yuen Long, N.T.





N K		
	28 parking spaces 5m x 2.5m for private cars and van-type light god	s of ods vehicles
Proiect 項目名種· Proposed Temporary Public Vehicle Park for Private Cars & Van-type Light Goods Vehicles for a Period of 3 Years at Lots 3338, 3339 S.H ss.1, 3339 S.H ss.2, 3339 S.H ss.3, 3339 S.H ss.4, 3339 S.H ss.5 (Part), 3339 S.H RP (Part), 3339 S.I ss.1, 3339 S.I ss.2, 3339 S.I ss.3, 3339 S.I ss.4, 3339 S.I ss.5 (Part), 3339 S.I ss.6, 3339 S.I ss.7, 3339 S.I ss.8, 3339 S.I ss.9, 3339 S.I ss.10 (Part), 3339 S.I ss.7, 3339 S.J ss.6, 3339 S.J ss.2, 3339 S.J ss.3, 3339 S.J ss.4, 3339 S.J ss.5, 3339 S.J ss.6, 3339 S.J ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Part), 3339 S.J ss.6, 3339 S.J ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Part), 3339 S.J ss.6, 3339 S.K ss.1, 3339 S.K ss.2, 3339 S.K ss.7, 3339 S.J ss.6, 3339 S.K ss.1, 3339 S.K ss.2, 3339 S.K ss.7, 3339 S.K ss.4, 3339 S.K ss.5 RP (Part), 3339 S.K ss.6, 3339 S.K ss.7, 3339 S.K ss.8, 3339 S.K ss.9, 3339 S.K ss.10, 3339 S.K ss.11, 3339 S.K ss.13 (Part), 3339 S.K RP (Part), 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L RP (Part) in D.D. 116, Yuen Long, N.T.	Drawing Title 圖目: Proposed Layout Plan Drawing No. 圖號: Figure 3	Remarks 備註: Scale 比例: 1:1000

			Approximate					
	Tree		Height	Spacing	Quantity			
Ν	Existing <i>Ficus</i> in to be preserved	microcarpa I	2.75m	3m to 4m	24			
	Existing Hibisco sinensis to be p	<i>us rosa-</i> preserved	600mm	450mm	10			
Preventient								
3339 S.H ss.2, 3339 S.H ss.3, 3339 S.I S.H RP (Part), 3339 S.I ss.1, 3339 S.I 3339 S.I ss.5 (Part), 3339 S.I ss.6, 333 ss.9, 3339 S.I ss.10 (Part), 3339 S.I ss.6, 333 ss.2, 3339 S.I ss.3, 3339 S.J ss.4, 3335 ss.7, 3339 S.J ss.8, 3339 S.J ss.9 (Pa ss.1, 3339 S.K ss.2, 3339 S.K ss.3, RP(Pa RP (Part), 3339 S.K ss.6, 3339 S.K ss.2, 3340 S.K ss.2, 340 S.K ss.2, 340 S.K	ss.2, 3339 S.I ss.3, 3339 S.I ss.4, 9 S.I ss.7, 3339 S.I ss.8, 3339 S.I P (Part), 3339 S.J ss.1, 3339 S.J, 9 S.J ss.5, 3339 S.J ss.6, 3339 S.J rt), 3339 S.J RP (Part), 3339 S.K irt), 3339 S.K ss.4, 3339 S.K ss.5, .7, 3339 S.K ss.8, 3339 S.K ss.9,	Drawing Title ⊠⊟∶ Proposed Preservati	Tree	Remarks 備註:				
3339 S.K ss.10, 3339 S.K ss.11, 3339 S.K ss.13 (Part), 3339 S.K RP (Part), 3339 S.L ss.3, 3339 S.L ss.4, 3339 S.L ss.5, 3339 S.L ss.6, 3339 S.L ss.7, 3339 S.L ss.8, 3339 S.L ss.9 (Part) & 3339 S.L RP (Part) in D.D. 116, Yuen Long, N.T.		Drawing No. 圖號: Figure 4		Scale 比例:	1:1000			

