Temporary Open Storage of Construction Materials with Ancillary Facilities and Associated Filling of Land for a Period of 3 Years at

Lots 1551, 1552, 1556 (Part) & 1557 (Part) in D.D. 118, Yuen Long, New Territories


Annex 1 Estimated Traffic Generation


- 1.1 The application site is accessible via a vehicular track leading from Tai Shu Ha Road West. It is intended to serve the long term storage of mobile toilet at the site so that the traffic generated by the proposed development is insignificant.
- 1.2 The proposed parking space at the application site would only be opened to staff and no visitors is allowed to visit the proposed development.
- 1.3 There will be 1 parking space of 5m x 2.5m for private car and one loading/unloading bay for light goods vehicle not exceeding 5.5 tonnes. The estimated traffic generation/attraction rate is shown below:

| Type of | Average Traffic | Average | Traffic | Traffic | |
|---------------------|-----------------|-----------------|-----------------|-----------------|--|
| Vehicle | Generation Rate | Traffic | Generation Rate | Attraction Rate | |
| | (pcu/hr) | Attraction Rate | at Peak Hours | at Peak Hours | |
| | | (pcu/hr) | (pcu/hr) | (pcu/hr) | |
| Private car | 0.13 | 0.13 | 0 | 0 | |
| Light goods vehicle | 0.19 | 0.19 | 0 | 0 | |
| Total | 0.32 | 0.32 | 0 | 0 | |


Note:

- 1. The operation hours of the proposed development is from 9:00a.m. to 5:00p.m. from Mondays to Saturdays. No operation will be carried out on Sundays and public holidays.
- 2. The pcu of private car and light goods vehicle is taken as 1 and 1.5 respectively; &
- 3. Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.
- 1.4 In association with the intended purpose, adequate space for manoeuvring would be provided within the application site. Sufficient space within the application site is provided so that no queueing up of vehicle would be occurred outside the application site.









Project 項目名稱:

Temporary Open Storage of Construction Materials with Ancillary Facilities and Associated Filling of Land for a Period of 3 Years at Lots 1551, 1552, 1556 (Part) & 1557 (Part) in D.D. 118, Yuen Long, New Territories

Drawing Title 圖目:

Proposed Layout Plan


Drawing No. 圖號:


Figure 3


Remarks 備註:

Scale 比例:

1:1000







Project:
Proposed Temporary Open Storage of Mobile Toilet for a Period of 3 Years and Associated Filling of Land at Lots 1551, 1552, 1556 (Part) and 1557 (Part) in D.D. 118, Yuen Long, New Territories

(Application No.:A/YL-TT/617)

| Orawn by: | Date: |
|-----------|-----------|
| DM | 15-8-2025 |
| Check by: | Scale: |

Check by: Scale:

DM




Photo 1




Photo 2



Debris and soil shall be removed


Photo 3





前往地圖: https://www.map.gov.hk/gm/geo:22.4206,114.0392?z=4514





由「地理資訊地圖」網站提供: https://www.map.gov.hk


注意: 使用此地圖受「地理資訊地圖」的使用條款及條件以及知識產權告示約束。


| Outside Catchment Area | 1, Area | = 6520 | m^2 | (C= 0.25) |
|---|---------|--|---------------------|--|
| THE SITE, Area | | = 1250 | m^2 | (C= 0.95) |
| | | | | |
| _ | | f the Proposed Development Area | | |
| For the design of drains | | the site, Catchment Area $= \Sigma 0.278 \mathrm{CiA}$ | 1 + 1116 210 | 2 |
| | ΔQ | - 20.276 CTA | | |
| | A | = 6520+1250 | m^2 | |
| | | = 7770 | | |
| | | = 0.00777 | km^2 | |
| | | | | |
| | t | $= 0.14465 \text{ L/H}^{0.2} \text{A}^{0.1}$ | | |
| | | $= 0.14465*291/1^{0.2}*777$ | $0^{0.1}$ | |
| | | = 17.186 | min | |
| | | | | (50 |
| | i | 1110 011 (010) | 0.255 | (50 yrs return period, Table 3a, Corrigendum 2024, SDM) and (16% increase due to climate change) |
| | | = 1.16*505.5/(17.186+3 | • | SDM) and (10% increase due to chimate change) |
| | | = 200.8 | mm/hr | |
| Therefore, | Q | = 0.278*0.25*200.8*0.0 | 00652+0.278 | 3*0.95*200.8*0.00125 |
| , | | = 0.1573 | m ³ /sec | |
| | | = <u>9435</u> | lit/min | |
| | | | | |

Provide 375UC (1:150) is OK

Geotechnical Engineering Office, Civil Engineering and Development Department The Government of the Hong Kong Special Administrative Region

GEO Technical Guidance Note No. 43 (TGN 43) Guidelines on Hydraulic Design of U-shaped and Half-round Channels on Slopes





Check 375mm dia. Pipes by Colebrook-White Equation

$$V = -\sqrt{(8gDs)} \log(\frac{ks}{3.7D} + \frac{2.51v}{D\sqrt{(2gDs)}})$$

where:

1.14E-06 m2/s kinematic viscosity of fluid (m2/s)

(Table 14, from DSD SDM 2018, concrete pipe)


s = 0.01 hydraulic gradient

Therefore, design V of pipe capacity = 2.0971 m/s


Q= 0.8VA (0.8 factor for sedimentation) = 0.185 m3/s = 11118 lit/min

> 9036 lit/min Ok









由「地理資訊地圖」網站提供: https://www.map.gov.hk

注意: 使用此地圖受「地理資訊地圖」的使用條款及條件以及知識產權告示約束。

| Undeveloped Area, Area | = 101064 | m^2 | (C= 0.2 | ,) |
|------------------------|----------|-------|----------|------------|
| Developed Area, Area | = 25266 | m^2 | (C= 0.9) | <i>j</i>) |

Calculation of Design Runoff to Existing 2.1m(W)x1.2m(D) Open Channel.

 $\Sigma Q = \Sigma 0.278 \,\mathrm{CiA}$

 $A = 101064 + 25266 \qquad m^2$

= 126330

= 0.12633 km²

t = $0.14465 \text{ L/ H}^{0.2} \text{A}^{0.1}$

 $= 0.14465*163/0.368^{0.2}*126330^{0.1}$ = 15.881 min

i = $1.16*a/(t+b)^c$ (50 yrs return period, Table 3a, Corrigendum 2024, = $1.16*505.5/(15.881+3.20)^{0.355}$ SDM) and (16% increase due to climate change)

 $= 1.16*505.5/(15.881+3.29)^{0.355}$ = 205.5mm/hr

Q = 0.278*0.25*205.5*0.101064+0.278*0.95*205.5*0.025266

= 2.8149 m³/sec = 168892 lit/min

Calculation Maximum Capacity of Existing2.1m(W)x1.2m(D) Open Channel

Manning Equation $V = R^{2/3} * S_f^{0.5} / n$

Therefore,

where R = (WD)/(W+2D) W= 2.1 m

D= 1 m (200mm freeboard considered) = 0.512 m

= 0.017 s/m^{1/3} (Table 13 of Stormwater Drainage Manual)

 $S_{\rm f} = 0.01$


Therefore, $V = 0.512^{2/3} * 0.01^{0.5} / 0.017$

= 3.7656623 m/sec

Maximum Capacity $(Q_{max}) = V*A$

= 3.013

= 180752 m^3/sec > 168892 OK




CATCHPIT WITH TRAP (SHEET 1 OF 2)

CIVIL ENGINEERING AND CEDD **DEVELOPMENT DEPARTMENT** SCALE 1:20 **DATE** JAN 1991

DRAWING NO. C2406 /1

卓越工程 建設香港

We Engineer Hong Kong's Development



ALTERNATIVE TOP SECTION FOR PRECAST CONCRETE COVERS / GRATINGS

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETRES.
- 2. ALL CONCRETE SHALL BE GRADE 20 /20.
- 3. CONCRETE SURFACE FINISH SHALL BE CLASS U2 OR F2 AS APPROPRIATE.
- 4. FOR DETAILS OF JOINT, REFER TO STD. DRG. NO. C2413.
- 5. CONCRETE TO BE COLOURED AS SPECIFIED.
- UNLESS REQUESTED BY THE MAINTENANCE PARTY AND AS DIRECTED BY THE ENGINEER, CATCHPIT WITH TRAP IS NORMALLY NOT PREFERRED DUE TO PONDING PROBLEM.
- 7. UPON THE REQUEST FROM MAINTENANCE PARTY, DRAIN PIPES AT CATCHPIT BASE CAN BE USED BUT THIS IS FOR CATCHPITS LOCATED AT SLOPE TOE ONLY AND AS DIRECTED BY THE ENGINEER.
- FOR CATCHPITS CONSTRUCTED ON OR ADJACENT TO A FOOTPATH, STEEL GRATINGS (SEE DETAIL 'A' ON STD. DRG. NO. C2405 /2) OR CONCRETE COVERS (SEE STD. DRG. NO. C2407) SHALL BE PROVIDED AS DIRECTED BY THE ENGINEER.
- 9. IF INSTRUCTED BY THE ENGINEER, HANDRAILING (SEE DETAIL 'J' ON STD. DRG. NO. C2405 /5; EXCEPT ON THE UPSLOPE SIDE) IN LIEU OF STEEL GRATINGS OR CONCRETE COVERS CAN BE ACCEPTED AS AN ALTERNATIVE SAFETY MEASURE FOR CATCHPITS NOT ON A FOOTPATH NOR ADJACENT TO IT. TOP OF THE HANDRAILING SHALL BE 1 000 mm MIN. MEASURED FROM THE ADJACENT GROUND LEVEL.
- 10. MINIMUM INTERNAL CATCHPIT WIDTH SHALL BE 1 000 mm FOR CATCHPITS WITH A HEIGHT EXCEEDING 1 000 mm MEASURED FROM THE INVERT LEVEL TO THE ADJACENT GROUND LEVEL. AND, STEP IRONS (SEE DSD STD. DRG. NO. DS1043) AT 300 ℃ STAGGERED SHALL BE PROVIDED. THICKNESS OF CATCHPIT WALL FOR INSTALLATION OF STEP IRONS SHALL BE INCREASED TO 150 mm.
- 11. FOR RETROFITTING AN EXISTING CATCHPIT WITH STEEL GRATING, SEE DETAIL 'G' ON STD. DRG. NO. C2405 /4.
- SUBJECT TO THE APPROVAL OF THE ENGINEER, OTHER MATERIALS CAN ALSO BE USED AS COVERS / GRATINGS.

| ĺ | REF. | REVISION | SIGNATURE | DATE |
|---|------|-------------------------|-----------------|---------|
| | - | FORMER DRG. NO. C2406J. | Original Signed | 03.2015 |
| | Α | MINOR AMENDMENT. | Original Signed | 04.2016 |

CATCHPIT WITH TRAP (SHEET 2 OF 2)

卓越工程 建設香港



CIVIL ENGINEERING AND DEVELOPMENT DEPARTMENT

SCALE 1:20 DATE JAN 1991 DRAWING NO. C2406 /2A

We Engineer Hong Kong's Development




Figure 8.10 - Typical Details of Catchpits




Figure 8.11 - Typical U-channel Details