

Appendix II
Landscape Proposal

**S.16 PLANNING APPLICATION FOR
PROPOSED RESIDENTIAL DEVELOPMENT AT
21-35 WANG YIP STREET EAST IN YUEN LONG**

Landscape Proposal

1st Submission

by



Landes Limited

Date: 23 April 2026

CONTENTS

- 1.0 Introduction
- 2.0 The Site and its Context
- 3.0 The Proposed Development
- 4.0 Landscape Proposal
- 5.0 Planting Proposal

ANNEXES

- Appendix A Landscape Master Plan and Relevant Sections
- Appendix B Planting Plans
- Appendix C Common Greenery and Communal Open Space Provision
- Appendix D Maintenance Schedule of Soft Landscape Works

1.0 INTRODUCTION

- 1.1 The proposed residential development is located at No. 21-35 Wang Yip Street East, Tung Tau Industrial Area, Yuen Long, New Territories (Y.L.T.L. 362) (The Proposed Development). This proposal is prepared as part of the planning application for the proposed development.
- 1.2 This report describes the concepts and principles underlying the Landscape Master Plan of the Proposed Development. It describes the proposed composite development and the associated landscape design. A more comprehensive package of proposals will be formulated at the detailed design stage of the Project.
- 1.3 This landscape proposal presents:
- The existing tree vegetation;
 - The Landscape Master Plan;
 - Site Coverage of Greenery;
 - Communal Open Space Provision and
 - Planting Proposal of the Proposed Development.

2.0 THE SITE AND ITS CONTEXT

- 2.1 The Site is situated at No. 21-35 Wang Yip Street East, Tung Tau Industrial Area, Yuen Long, New Territories. To the south of the Site is the new residential development – The Spectra while Tung Tau Industrial Area Playground is located on its north. It was bounded by Wang Yip Street East and Po Yip Street on its east and west respectively. The main vehicular and pedestrian is via Wang Yip Street East. Long Ping MTR Station is situated at about 200m southwest of the Site and within 10-minute walking distance.
- 2.2 The Site itself is occupied by existing Lai Sun Yuen Long Centre which is existing 9-storey industrial building and no vegetation was found within the Site. It is confirmed that no Old and Valuable Trees (OVT) and protected species were identified in accordance with the DEVB TCW No. 5/2020 - Registration and Preservation of Old and Valuable Trees and the Forests and Countryside Ordinance.
- 2.3 The landscape character of the Site and its surroundings are mixed ranging from industrial buildings, e.g. Yuen Long Trading Centre, Yuen Long Logistics Centre, residential developments, e.g. The Spectra, Twin Regency and The Parkville and villages, e.g. Sai Pin Wai and Nam Pin Wai.

3.0 THE PROPOSED DEVELOPMENT

- 3.1 The proposed development comprises two 28-storey residential towers constructed atop a 3-storey podium. The ground floor of the development will accommodate retail shops, residential lobbies, recreational facilities, and car parking while home care services (HCS) for frail elderly persons, indoor/outdoor car parking, and landscaped areas are proposed at 1/F. The podium level at 2/F will serve recreational facilities, swimming pools, residential lobbies, STFAST, and outdoor recreation areas.
- 3.2 Landscape provision is mainly located at the G/F, 1/F, and 2/F levels of the residential towers in order to enhance local greenery at pedestrian level. Building edges have been set back along the western boundary fronting Wang Yip Street East, the eastern boundary fronting Po Yip Street, and the southern boundary adjoining the electrical substation, with a view to improving the local streetscape. Details of the proposed development are shown in the Architect's drawings submitted as part of the planning application.

4.0 LANDSCAPE PROPOSAL

- 4.01 The landscape design aims to respond to the site conditions, building form, and function and to provide a high-quality landscape scheme that would improve the overall site character for the proposed building blocks with a higher building height. The main factors to be taken into consideration are:
- Response to the site context, both in terms of landscape character and visual amenity;
 - Supplement to the proposed building and its architectural style;
 - Creation of a green and sustainable setting by maximising the opportunity for soft landscape;
 - Improve the existing streetscape by creating open spaces and promoting outdoor activities;
 - Establishment of pleasant landscape areas which meet the varying needs of users; and
 - Minimization of future maintenance requirements.
- 4.02 Landscape drawings showing the proposed landscape treatment for the Proposed Development, and their underlying principles have been attached in **Appendix A** for ease of reference.
- Hong Kong Planning Standards and Guidelines;
 - Design Manual: Barrier Free Access 2008 (Building Department);
 - DEVB TC W No. 6/2015 - Maintenance of Vegetation and Hard Landscape Features;
 - LAO Practice Note No. 6/2023 – Processing of Tree Preservation and Removal Proposals for Building Development in Private Projects – Compliance with Tree Preservation Clause under Lease;
 - PlanD's PNPP No. 1/2019 – Processing and Compliance Checking of Landscape Submissions related to Planning Applications; and
 - Guidance Notes for Application for Permission under Section 16 of the Town Planning Ordinance (Cap. 131).

4.1 LANDSCAPE DESIGN CONCEPT

- 4.1.1 The landscape concept mentioned below describe considerations, which has been considered as being general to the whole landscape design.

Enhancement of Streetscape

- 4.1.2 In view of the existing condition of Wang Yip Street East, the footprint of the existing building directly abuts the street, leaving only a narrow pedestrian walkway. To improve the existing streetscape, a substantial building setback of **1.5 m** from Wang Yip Street East and **3.0 m** from the southern boundary is proposed for the roadside planters with ornamental trees and shrubs. This will help enhance visual amenity and provide shade for pedestrians.
- 4.1.3 Similarly, the residential towers have been set back from Po Yip Street to allow for approx. **3.5 m-wide** planting bed and pavement for the enjoyment of occupants and visitors. Rows of heavy standard trees are proposed to soften the hard architectural edges at pedestrian level and to provide a smooth visual transition between the proposed development and the adjoining roadside environment. Please refer to Drawing No. **Landscape Master Plan and Sections** in **Appendix A**.

Integration of the development with the Surrounding Context

- 4.1.4 The landscape design aims to create soft-planted edges to the proposed development and to provide a smooth transition between the development and the adjoining roadside environment. Together with peripheral planting along the eastern, southern, and western site boundaries, edge planters with ornamental trees, shrubs and creeping plants are proposed within the landscaped areas at the 1/F and 2/F levels of the development. These landscape features will help achieve visual integration between the proposed development and the adjoining neighbours. Please refer to **Landscape Master Plan and Sections** in **Appendix A**.

Landscaped Garden at 1/F and 2/F

- 4.1.5 Landscaped open spaces are proposed at the 1/F and 2/F levels to cater for the recreational needs of both users and visitors. A variety of landscaped areas, including entrance plaza, sitting courtyards, children's play areas, fitness facilities, a swimming pool, jacuzzi, and BBQ terrace, are strategically located within available spaces to create inviting settings for social interaction and community activities. These gardens will be equipped with appropriate outdoor furniture and recreational facilities and will incorporate a diverse palette of planting to form attractive and functional green spaces. The use of refined paving materials and carefully coordinated plant combinations is intended to enhance the visual appeal of the development by introducing richness in colour, texture, and spatial layering, thereby providing a vibrant and aesthetically pleasing environment for all users.

Planting Design

- 4.1.6 For the entire landscape area, where practicable, ornamental trees, flowering shrubs, creeping plants and foliage plants are proposed. The use of tree planting in heavy standard size would be encouraged to provide a more instant effect while the proposed shrub and groundcover planting will in addition to contribute to the landscape concept for the development and visually soften the appearance of the development in short and medium distance views. Drawings showing the soft landscape treatments such as trees, shrub, groundcovers and lawn are in **Appendix B**.

4.2 ACTIVE AND PASSIVE RECREATION FACILITIES:

4.2.1 Recreational facilities like entrance plaza, sitting courtyards, children's play areas, fitness facilities, a swimming pool, jacuzzi, and BBQ terrace are provided at 1/F and 2/F levels, in order to cater for the recreational need of the occupants and visitors.

4.2.2 It is expected that there will be about **2,881** occupants at the Proposed Development while the proposed area of the communal open spaces under application shall not be less than **2,881** m². Hence, the provision of the communal open space can meet the requirement set out in HKPSG, i.e. 1 m² per person. Please refer to the Communal Open Space Calculation in **Appendix C**.

4.3 SOIL DEPTH FOR PLANTING

4.3.1 The requirement of soil depth is directly related to the planting design and its associated loading requirement upon structure. In general, the soil depth provided, with all drainage layers, water-proofing and protective screening exclusive is listed below:

Table 1.0 Planting Medium (Soil Depth)

Planting Type	Soil Depth (Minimum)
Tree/ Palm tree	1200mm
Shrub/ Climber	600mm
Groundcover/ Turf	300mm

4.4 SITE COVERAGE OF GREENERY

4.4.1 The current landscape proposal aims to provide more greenery within the site boundary. The calculation of greening ratio in accordance with PNAP APP No. 152 is shown as follows and the common greenery calculation shall refer to **Common Greenery Provision in Appendix C**:

Table 2.0 Common Greenery Calculation

Required Common Greenery	
Site Area:	7,271.0m ²
Minimum Total Common Greenery:	7,271.0m ² x 20% = 1,454.20m ²
Minimum Common Greenery at Primary Zone:	7,271.0m ² x 10% = 727.10m ²
Provided Common Greenery	
Common Greenery Area at Primary Zone (G/F, 1/F and 2/F):	1,548.10m ² (>727.10m ²)
Common Greenery Area at Other Areas:	0m ²
Total Common Greenery Area:	1,548.10m ² (>1,454.20 m ²)
Total Green Coverage in Common Area	1,548.10/7,271.0 x 100% = 21.29%

4.4.2 The proposed greenery at common area is approx. **1,548.10m²** which exceeds the required 20% greenery requirement, i.e. **1,454.20m²**. Besides, all the proposed greenery are easily accessible and visible by the users and visitors and is counted as "common greenery area at Primary Zone", i.e. **1,548.10m²** which also exceeds the required **727.10m²**.

4.5 IRRIGATION

- 4.5.1 The proposed irrigation system will be by tap water pipe for manual operation. Lockable water points will be provided at 40m centres covering the entire site. The proposed source of water supply is subject to final approval from the Water Services Department.

4.6 FUTURE MAINTENANCE

Hard Landscape Elements

- 4.6.1 Maintenance for hard landscape elements within the proposed landscaped areas shall be carried out by management office of the development with maintenance intention as follows:

I – Routine Maintenance (Daily – Weekly)

- a. Rubbish and litter removal
- b. Sweeping and cleaning
- c. Damage inspection and repair for site furniture and light bulb replacement

II – Annual/ Long Term Maintenance

- a. Repainting
- b. Resurfacing of worn pavements
- c. Replacing worn parts site furniture, lighting fixture and other facilities
- d. Replacement of worn landscape furniture.

Soft Landscape Element

- 4.6.2 For the whole landscaped areas, the softworks contractor will be responsible for maintenance of the planting during the establishment period allowed for in the construction contract, usually for the first year after the beginning of the schemes operational phase. This will ensure that the soft landscape measures are in a healthy condition prior to the finished scheme being handed back to the lot owner.
- 4.6.3 Ultimately the management office will employ maintenance staff to take care of all landscape areas within the Site.
- 4.6.4 The maintenance schedule for soft landscape works has been included in **Appendix D**. It is important to mention that tree risk assessment will be conducted at appropriate time to facilitate proper tree management and maintenance.

5.0 PLANTING PROPOSALS

5.1 In order to provide quality landscape for the proposed development, soft landscape works will be the major landscape element of the landscaping proposal and the following factors are taken into consideration in planting species selection:

- Low maintenance requirement;
- Evergreen with small amount of leave fall to prevent litter accumulation;
- Tolerance to wind and exposed condition;
- To screen the proposed buildings and reduce the visual impact to the nearby users.

5.2 The proposed planting species list is shown as follows and details shall refer to the Planting Plans in **Appendix B**.

Table 3.0 Planting Schedule

Botanical Name	Chinese Name	Size (mm)	Spacing (mm)	Native/ Exotic
TREE		Height x Spread x DBH (mm)		
<i>Bischofia javanica</i>	秋楓	3500x1500x75	4000	Native
<i>Cinnamomum burmanii</i>	陰香	4000x2000x75	4000	Native
<i>Garcinia Subelliptica</i>	菲島福木	4000x1500x75	4000	Exotic
<i>Osmanthus fragrans</i>	桂花	4000x1500x75	4000	Exotic
<i>Sterculia lanceolata</i>	假蘋婆	4000x1500x75	4000	Native
<i>Sapium bicolor</i>	山烏柏	3500x1500x75	4000	Native
<i>Terminalia boivinii</i>	細葉欖仁	5500x2000x75	4000	Exotic
SHRUBS		Height x Spread (mm)	Spacing (mm)	Native/ Exotic
<i>Codiaeum variegatum 'Glorisa'</i>	紅葉洒金榕	450x400	300	Exotic
<i>Cordyline terminalis 'Rubra'</i>	紅葉鐵樹	500x450	150	Exotic
<i>Duranta repens 'Golden'</i>	黃金金露花	300x250	250	Exotic
<i>Ixora chinensis</i>	龍船花	500x450	300	Native
<i>Philodendron selloum</i>	春羽	500x500	500	Exotic
<i>Rhapis humilis</i>	小葉棕竹	500x350	300	Exotic
<i>Rhaphiolepis indica</i>	石斑木	450x300	250	Native
<i>Rhododendron simsii</i>	紅杜鵑	300x250	200	Native
<i>Schefflera arboricola</i>	鵝掌藤	600x550	500	Exotic
GROUNDCOVER		Height x Spread (mm)	Spacing (mm)	Native/ Exotic
<i>Dieffenbachia picta</i>	白斑萬年青	400x350	300	Exotic
<i>Lantana montevidensis</i>	小葉馬櫻丹	400x350	300	Native
<i>Ligustrum sinense</i>	山指甲	350x300	250	Native
<i>Nephrolepis auriculata</i>	腎蕨	350x300	250	Native









CREEPING PLANT		Height x Spread (mm)	Spacing (mm)	Native/ Exotic
<i>Bauhinia glauca</i>	羊蹄甲藤	800x400	300	Native
<i>Parthenocissus himalayana</i>	爬牆虎	800x400	300	Exotic
LAWN				Native/ Exotic
<i>Zoysia japonica</i>	朝鮮草	-		Exotic


- 5.3 In this project, total **74** nos. of heavy standard trees and **1,548.10m²** for shrubs, groundcover and lawn will be planted within the Proposed Development. They will be maintained by the management office of the development.

Appendix A
Landscape Master Plan
And
Relevant Sections

KEUNG YIP STREET REST GARDEN

LEGEND:

-  APPLICATION SITE BOUNDARY
-  PROPOSED HEAVY STANDARD TREE
-  PROPOSED GROUNDCOVERS AND SHRUBS
-  PROPOSED LAWN
-  +4.425 PROPOSED LEVEL
-  PROPOSED CREEPING PLANT
-  PROFILE OF BUILDING EDGE
-  PROPOSED PAVING



KEY:

- ① Vehicular Entrance
- ② Emergency Vehicular Access(EVA)
- ③ Entrance Plaza
- ④ Green Boulevard
- ⑤ Edge Planter with Pavement Trees
- ⑥ Edge Planter with Ornamental Plant
- ⑦ Sitting Courtyard
- ⑧ Swimming Pool
- ⑨ Children Pool
- ⑩ Jacuzzi
- ⑪ BBQ Terrace



Setback of Building Edge along Wang Yip Street East for Ornamental Tree Planting to provide shade to passer-by and enhance the Streetscape


Provision of Edge Planters for Ornamental Trees, Shrubs and Creeping Plants to provide visual amenity in Pedestrian Level

Proposed Ornamental Planting along the Pavement to Create a soft-planted edge to the Development and provide a smooth transition between the Development and the surrounding roadside environment

Proposed Swimming Pool and associated deck for enjoyment of the Occupants and form as the visual courtyard to the surrounding neighbours

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		COPYRIGHT RESERVED 保留版權	
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	SCALE 比例 1:400	DESIGNED 設計 TEL	
						DATE 日期 MAR 2026	DRAWN 繪圖 CAD	CHECKED 審核 TEL	
						DRAWING TITLE 圖紙名稱 LANDSCAPE MASTER PLAN (OVERALL)	REVISION 校訂 -	APPROVED 審批 TEL	
						DRAWING NUMBER 圖號 LMP01			
						LANDES LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二二三			
						CADD FILENAME : C2616-LMP01			


- LEGEND:
-  APPLICATION SITE BOUNDARY
 -  PROPOSED HEAVY STANDARD TREE
 -  PROPOSED GROUNDCOVERS AND SHRUBS
 -  PROPOSED LAWN
 -  +4.425 PROPOSED LEVEL
 -  PROPOSED PAVING




Setback of Building Edge along Wang Yip Street East for Ornamental Tree Planting to provide shade to passer-by and enhance the Streetscape

Proposed Ornamental Planting along the Pavement to Create a soft-planted edge to the Development and provide a smooth transition between the Development and the surrounding roadside environment

- KEY:
- ① Vehicular Entrance
 - ② Ramp to 1/F Car Park
 - ③ Emergency Vehicular Access
 - ④ Entrance Plaza
 - ⑤ Green Boulevard
 - ⑥ Edge Planter with Pavement Trees

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		COPYRIGHT RESERVED 保留版權	
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	SCALE 比例 1:400	DESIGNED 設計 TEL	
						DATE 日期 MAR 2026	DRAWN 繪圖 CAD	CHECKED 審核 TEL	
						DRAWING TITLE 圖紙名稱 LANDSCAPE MASTER PLAN (G/F)	REVISION 校訂 -	APPROVED 審批 TEL	
						DRAWING NUMBER 圖號 LMP02			
						<p>LANDS LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二零三</p>			
						CAD FILENAME : C2616-LMP02			

- LEGEND:
-  APPLICATION SITE BOUNDARY
 -  PROPOSED HEAVY STANDARD TREE
 -  PROPOSED GROUNDCOVERS AND SHRUBS
 -  PROPOSED LAWN
 -  +4.425 PROPOSED LEVEL
 -  PROPOSED CREEPING PLANT
 -  PROPOSED PAVING



Sitting Courtyard to promote social interaction of the Occupants










Provision of Edge Planters for Ornamental Trees, Shrubs and Creeping Plants to provide visual amenity in Pedestrian Level


KEY:

- 1 **Sitting Courtyard**
- 2 **Edge Planter with Ornamental Plant**

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	SCALE 比例 1:400	DESIGNED 設計 TEL
						DRAWING TITLE 圖紙名稱 LANDSCAPE MASTER PLAN (1/F)	DATE 日期 MAR 2026	DRAWN 繪圖 CAD
						REVISION 校訂 -	REVISION 校訂 -	CHECKED 審核 TEL
						DRAWING NUMBER 圖號 LMP03	DRAWING NUMBER 圖號 LMP03	APPROVED 審批 TEL
						LANDES LIMITED 景園設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二零三	LanDes	CAD FILENAME : C2616-LMP03

LEGEND:

-  APPLICATION SITE BOUNDARY
-  PROPOSED HEAVY STANDARD TREE
-  PROPOSED GROUNDCOVERS AND SHRUBS
-  PROPOSED LAWN
-  +4.425 PROPOSED LEVEL
-  PROPOSED CREEPING PLANT
-  PROPOSED PAVING



Proposed Fitness Equipment and Children Play Area to cater for the Active and Passive Recreational Need of the Occupants and Visitors

Provision of Edge Planters for Ornamental Trees, Shrubs and Creeping Plants to soften the Hard Lines of the Buildings

Proposed Swimming Pool and associated deck for enjoyment of the Occupants and form as the visual courtyard to the surrounding neighbours

KEY:

- ① Children Play Area
- ② Fitness Equipment
- ③ Sitting Courtyard
- ④ Swimming Pool
- ⑤ Children Pool
- ⑥ Jacuzzi
- ⑦ BBQ Terrace
- ⑧ Edge Planter with Ornamental Shrubs and Creeping Plants
- ⑨ Emergence Vehicular Access (EVA)

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	SCALE 比例 1:400	DESIGNED 設計 TEL
						DRAWING TITLE 圖紙名稱 LANDSCAPE MASTER PLAN (2/F)	DATE 日期 MAR 2026	DRAWN 繪圖 CAD
							REVISION 校訂 -	CHECKED 審核 TEL
							DRAWING NUMBER 圖號 LMP04	APPROVED 審批 TEL
						LANDES LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二二三		
								CADD FILENAME : C2616-LMP04

+125.80 TOP ROOF

+114.80 R/F

+111.30 SPECIAL UNIT

+70.35

+67.05 REFUGE FLOOR

+22.95 3/F

+19.45 TRANSFER PLATE

+14.45 2/F

+10.45 1/F

+4.45 G/F

T1

T2

+114.80

+114.80

Wang Yip Street East




Po Yip Street

Edge Planter

Building Setback for Roadside Planter

Raised Planter with Tree Planting

Building Setback for Roadside Planter



KEY PLAN

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例	SCALE 比例	DESIGNED 設計	COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	1:550	TEL	
						DATE 日期 MAR 2026		CAD	
						DRAWING TITLE 圖紙名稱 LANDSCAPE SECTION	REVISION 校訂 -	CHECKED 審核 TEL	
						DRAWING NUMBER 圖號 LD101		APPROVED 審批 TEL	
						LANDES LIMITED 景誠設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二零三			
									CAD FILENAME : C2616-LD101

Wang Yip Street East

Existing Pavement



+4.45



B.L.


Proposed Tree

Proposed Shrubs

Planting Soil



1200 min.



LANDSCAPE SECTION
SCALE 1:30

Proposed Building

Existing Pavement

Po Yip Street



B.L.

Proposed Tree


Proposed Shrubs

Planting Soil



1200 min.


+4.45



LANDSCAPE SECTION
SCALE 1:30

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	SCALE 比例 1:30	DESIGNED 設計 TEL
						DRAWING TITLE 圖紙名稱 LANDSCAPE SECTION	DATE 日期 MAR 2026	DRAWN 繪圖 CAD
							REVISION 校訂 -	CHECKED 審核 TEL
							DRAWING NUMBER 圖號 LD103	APPROVED 審批 TEL
						<small>LANDS LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二零三</small>		

LanDes



A TYPICAL PLANTER AT 1/F AND 2/F
SCALE 1:20

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例	SCALE 比例	DESIGNED 設計	COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	1:20	TEL	
						DRAWING TITLE 圖紙名稱 LANDSCAPE SECTION	MAR 2026	CAD	
						DRAWING NUMBER 圖號 LD104		TEL	
						LANDS LIMITED 景園設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔蘇利街385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二二三		TEL	

LanDes

Appendix B
Planting Plans

Quantity	Code	Chinese Name	Botanical Name	Native/Exotic	Height (mm)	Spread (mm)	DBH (mm)	Spacing (mm)	Remark
STANDARD TREES									
11	BJ	秋楓	<i>Bischofia javanica</i>	Native	3500	1500	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
9	CB	陰香	<i>Cinnamomum burmanni</i>	Native	4000	2000	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
15	GS	菲島福木	<i>Garcinia Subelliptica</i>	Exotic	4000	1500	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
15	OF	桂花	<i>Osmanthus fragrans</i>	Exotic	4000	1500	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
4	SL	假蒨婆	<i>Sterculia lanceolata</i>	Native	4000	1500	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
14	SD	山烏柏	<i>Sapium dicolor</i>	Native	3500	1500	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
6	TB	細葉欖仁	<i>Terminalia boivinii</i>	Exotic	5500	2000	75	4000	Abundance of Foliage, Well-Formed, Full Spread Formed
SHRUBS									
-	Cov	紅葉洒金榕	<i>Codiaeum variegatum 'Glorisa'</i>	Exotic	450	400	-	300	Abundance of Foliage, Well-Balanced Form
-	Clr	紅葉鐵樹	<i>Cordyline terminalis 'Rubra'</i>	Exotic	500	450	-	150	Abundance of Foliage, Well-Balanced Form
-	Dyg	黃金金露花	<i>Duranta repens 'Golden'</i>	Exotic	300	250	-	250	Abundance of Foliage, Well-Balanced Form
-	Ich	龍船花	<i>Ixora chinensis</i>	Native	500	450	-	300	Abundance of Foliage, Well-Balanced Form
-	Pse	春羽	<i>Philodendron selloum</i>	Exotic	500	500	-	500	Abundance of Foliage, Well-Balanced Form
-	Rh	小葉棕竹	<i>Rhapis humilis</i>	Exotic	500	350	-	300	at least 5 shoots per plant
-	Rhi	石斑木	<i>Raphiolepis indica</i>	Native	450	300	-	250	Abundance of Foliage, Well-Balanced Form
-	Rhs	紅杜鵑	<i>Rhododendron simsii</i>	Native	300	250	-	200	Abundance of Foliage, Well-Balanced Form
-	Sar	撫掌藤	<i>Schefflera arboricola</i>	Exotic	600	550	-	500	Abundance of Foliage, Well-Balanced Form
GROUNDCOVERS									
-	Dip	白班萬年青	<i>Dieffenbachia picta</i>	Exotic	400	350	-	300	at least 5 leaves per plant
-	Lam	小葉馬櫻丹	<i>Lantana montevidensis</i>	Native	400	350	-	300	Abundance of Foliage, Well-Balanced Form
-	Lis	山指甲	<i>Ligustrum sinense</i>	Native	350	300	-	250	Abundance of Foliage, Well-Balanced Form
-	Nau	腎蕨	<i>Nephrolepis auriculata</i>	Native	350	300	-	250	at least 5 leaves per plant
CREEPING PLANT									
-	Bgl	羊蹄甲藤	<i>Bauhinia glauca</i>	Native	800	400	-	300	at least 5 shoots per plant
-	Phi	爬牆虎	<i>Parthenocissus himalayana</i>	Exotic	800	400	-	300	at least 5 shoots per plant
GRASS									
-	Zja	朝鮮草	<i>Zoysia japonica</i>	Exotic	-	-	-	-	Bermuda tif dwarf + overseeding

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例	SCALE 比例 N.T.S.	DESIGNED 設計 TEL
-------------	------------------	----------	---------	------------	-------------	---------------------------------------	--------------------	--------------------

PROJECT 工程項目 S-16 PLANNING APPLICATION FOR THE PROPOSED RESIDENTIAL DEVELOPMENT AT 21-35 WANG YIP STREET EAST IN YUEN LONG	DATE 日期 MAR 2026	DRAWN 繪圖 CAD
DRAWING TITLE 圖紙名稱 PLANNING SCHEDULE	REVISION 校訂	CHECKED 審核 TEL
	DRAWING NUMBER 圖號 PS01	APPROVED 審批 TEL

LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION. 景觀園林設計、園林建築。
 LANDSCAPE PLANNING DESIGN AND CONSTRUCTION. 景觀園林設計、園林建築。
 UNIT B, 16/F., YUE ON COMMERCIAL BUILDING, 355 - 397 LOCKHART ROAD, WA. CHI., HONG KONG. 香港灣仔軒尼詩道355-397號商業大廈16樓B座
 TELEPHONE 2868 0880 FACSIMILE 2868 2203 電話:(八五三) 二八六八 零八八 傳真:(八五三) 二八六八 二二三


LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION. 景觀園林設計、園林建築。
 UNIT B, 16/F., YUE ON COMMERCIAL BUILDING, 355 - 397 LOCKHART ROAD, WA. CHI., HONG KONG. 香港灣仔軒尼詩道355-397號商業大廈16樓B座
 TELEPHONE 2868 0880 FACSIMILE 2868 2203 電話:(八五三) 二八六八 零八八 傳真:(八五三) 二八六八 二二三

CAD FILENAME : C2616-PS01



COPYRIGHT RESERVED 保留版權

- LEGEND:**
- APPLICATION SITE BOUNDARY
 - ▭ PROPOSED SHRUBS AND GROUNDCOVER
 - ▨ PROPOSED LAWN
 - - - - PROPOSED CREEPING PLANT
 - ⊕ +4.425 PROPOSED LEVEL



REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批

DO NOT SCALE FROM THIS DRAWING 勿按圖量比例

PROJECT 工程項目
S.16 PLANNING APPLICATION FOR THE PROPOSED
RESIDENTIAL DEVELOPMENT AT 21-35
WANG YIP STREET EAST IN YUEN LONG

SCALE 比例
1:400
DATE 日期
MAR 2026

DESIGNED 設計
TEL
DRAWN 繪圖
CAD

CHECKED 審核
TEL
APPROVED 審批
TEL

DRAWING TITLE 圖紙名稱
PLANNING PLAN (G/F)

DRAWING NUMBER 圖號
PT01


LANDS LIMITED 地政總署有限公司
LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃設計、園藝建築
Rm 16/F, YUE ON COMMERCIAL BUILDING, 355 - 397 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道355-397號軒尼詩商業大廈16樓
TEL: (852) 2266 2203 電話:(八五二) 二二六六 二二〇三

CAD FILENAME : C2616-PT01



COPYRIGHT RESERVED 保留版權

- LEGEND:**
- APPLICATION SITE BOUNDARY
 - ▨ PROPOSED SHRUBS AND GROUNDCOVER
 - ▨ PROPOSED LAWN
 - PROPOSED CREEPING PLANT
 - +4.425 PROPOSED LEVEL



REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批

DO NOT SCALE FROM THIS DRAWING 勿按圖量比例		SCALE 比例	DESIGNED 設計
PROJECT 工程項目		DATE 日期	TEL
S.16 PLANNING APPLICATION FOR THE PROPOSED		MAR 2026	CAD
RESIDENTIAL DEVELOPMENT AT 21-35		REVISION 校訂	CHECKED 審核
WANG YIP STREET EAST IN YUEN LONG		PT02	APPROVED 審批
DRAWING TITLE 圖紙名稱			TEL
PLANNING PLAN (1/F)			TEL

LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀設計有限公司
 專業園藝設計、園藝造景
 辦事處地址：香港新界元朗區廣生街16號1樓
 電話：(八五三) 二〇〇〇 〇〇〇 傳真：(八五三) 二〇〇〇 〇〇〇
 UNIT B, 16/F, YUE ON COMMERCIAL BUILDING, 355 - 357 LOCKHART ROAD, WAI CHAI, HONG KONG
 TELEPHONE 2888 0880 FACSIMILE 2888 2203



CAD FILENAME : C2616-PT02



COPYRIGHT RESERVED 保留版權

LEGEND:

- APPLICATION SITE BOUNDARY
- ▨ PROPOSED SHRUBS AND GROUNDCOVER
- ▨ PROPOSED LAWN
- - - PROPOSED CREEPING PLANT
- +4.425 PROPOSED LEVEL



REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批

DO NOT SCALE FROM THIS DRAWING 勿按圖量比例

PROJECT 工程項目
S.16 PLANNING APPLICATION FOR THE PROPOSED
RESIDENTIAL DEVELOPMENT AT 21-35
WANG YIP STREET EAST IN YUEN LONG

SCALE 比例
1:400

DESIGNED 設計
TEL

DRAWING TITLE 圖紙名稱
PLANNING PLAN (2/F)

DATE 日期
MAR 2026

DRAWN 繪圖
CAD

DRAWING NUMBER 圖號
PT03

REVISION 校訂

CHECKED 審核
TEL

APPROVED 審批
TEL

DESIGNED 設計
TEL

APPROVED 審批
TEL

LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION
LANDSCAPE PLANNING AND CONSTRUCTION
R/F 8, 16/F, 11/E ON COMMERCIAL BUILDING, 395 - 397 LOCKHART ROAD, WA CHAI, HONG KONG
TEL: (852) 2888 9880 FAX: (852) 2888 2203

LANDSCAPE PLANNING AND CONSTRUCTION
R/F 8, 16/F, 11/E ON COMMERCIAL BUILDING, 395 - 397 LOCKHART ROAD, WA CHAI, HONG KONG
TEL: (852) 2888 9880 FAX: (852) 2888 2203

CAD FILENAME : C2616-PT03







COPYRIGHT RESERVED 保留版權



Appendix C

Common Greenery

and

Communal Open Space Provision

- LEGEND:
-  APPLICATION SITE BOUNDARY
 -  UNCOVERED COMMON GREENERY AT PRIMARY ZONE
 -  COVERED COMMON GREENERY AT PRIMARY ZONE
 -  +4.425 PROPOSED LEVEL





Site Coverage of Greenery (in accordance with PNAP APP-152)		
	Area	Unit
Required Greenery		
Site Area:	7,271.00	m ²
Required Area at Primary Zone:	727.10	m ²
Required Total Greenery:	1,454.20	m ²
Allowable Greenery Features:	436.26	m ²
Provided Greenery at Primary Zone	Area	Unit
Uncovered Planitng Area (G/F)	463.50	m ²
Uncovered Planitng Area (1/F)	264.40	m ²
Uncovered Planitng Area (2/F)	617.10	m ²
Covered Planitng Area (2/F) (with 0.5 reduction factor)	203.10	m ²
	(<436.28)	
Greenery at Primary Zone	1,548.10	m²
	(>727.14)	m²
Greenery Ratio at Primary Zone	21.29%	
Provided Greenery at Other Areas	Area	Unit
Greenery at Other Areas	0.00	m ²
Greenery Ratio at Other Areas	0.00%	
Total Greenery	1,548.10	m²
	(>1,454.28)	m²
Greenery Ratio	21.29%	

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例	SCALE 比例	DESIGNED 設計	COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 21-25 WANG YIP STREET EAST, YUEN LONG, NEW TERRITORIES, HONG KONG	1:1000	TEL	
						DRAWING TITLE 圖紙名稱 GREENERY PROVISION	MAR 2026	DRAWN 繪圖 CAD	
							REVISION 校訂	CHECKED 審核 TEL	
							DRAWING NUMBER 圖號 GC01	APPROVED 審批 TEL	
						LANDS LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二零三			



- LEGEND:
-  APPLICATION SITE BOUNDARY
 -  COMMUNAL OPEN SPACE
 -  +4.425 PROPOSED LEVEL



Target Population: 2,881 persons
Required Communal Open Space: 2,881.0 SQ.M.
(1 SQ.M. per person in accordance with HKPSG)

Provided Communal Open Space: 3,029.0 SQ.M.

REVISION 校訂	DESCRIPTION 內容摘要	DRAWN 繪圖	DATE 日期	CHECKED 審核	APPROVED 審批	DO NOT SCALE FROM THIS DRAWING 勿按圖量比例	COPYRIGHT RESERVED 保留版權
						PROJECT 工程項目 S.16 PLANNING APPLICATION FOR THE PROPOSED RESIDENTIAL DEVELOPMENT AT 21-35 WANG YIP STREET EAST IN YUEN LONG DRAWING TITLE 圖紙名稱 COMMUNAL OPEN SPACE PROVISION SCALE 比例 1:1000 DATE 日期 MAR 2026 REVISION 校訂 - DRAWING NUMBER 圖號 OS01	DESIGNED 設計 TEL DRAWN 繪圖 CAD CHECKED 審核 TEL APPROVED 審批 TEL
						LANDES LIMITED 景聯設計有限公司 LANDSCAPE PLANNING, DESIGN AND CONSTRUCTION 景觀規劃及設計, 景觀建築 FLAT B, 16/F, YUE ON COMMERCIAL BUILDING, 385 - 387 LOCKHART ROAD, WAI CHAI, HONG KONG 香港灣仔軒尼詩道385-387號裕安商業大廈16樓B室 TELEPHONE 2868 0980 FACSIMILE 2868 2203 電話:(八五二) 二八六八 零九八零 傳真:(八五二) 二八六八 二二三三	LanDes CAD FILENAME : C2616-OS01

Appendix D

Maintenance Schedule

Of

Soft Landscape Works

OPERATIONS													REMARKS
	SPRING			SUMMER			AUTUMN			WINTER			
	March	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	Jan	Feb	
DISEASE CONTROL INSPECTION	O	O	O	O	O	O	O	O	O	O	O	O	Treatment immediately after detection
FERTILIZATION Applications	O						O						
GENERAL PLANT INSPECTION	O	O	O	O	O	O	O	O	O	O	O	O	Treatment immediately after detection
IRRIGATION Watering operation	D	D	D	D	D	D	D	D	D	D	D	D	Early morning / late afternoon, as appropriate
PROTECTION Inspection of fence, tree grates, guards, stakes & ties	O			O			O			O			Inspection also after heavy storms and adverse weather. Treatments immediately after detection
FIRMING UP of plants & supports	O			O			O			O			Inspection also after heavy storms and adverse weather. Firm-up operations immediately after detection
WEEDING Weeding operation & litter collection	O	O	O	O	O	O	O	O	O	O	O	O	Additional litter inspection & collection after heavy use
THINNING INSPECTION	O						O						Thinning operations in appropriate pruning season
MULCH Topping up	O						O						And following run off caused by rain / wind storm
PRUNING	O						O						As appropriate
FORKING OVER	O						O						As appropriate
TREE RISK ASSESSMENT	O												As appropriate

KEY:

D = once daily

W = once weekly

2W = twice weekly

Bi-W = Bi-weekly

O = once

R = repeat if necessary