

2025年 9月 3 0日

此文件在 收到。城市規劃委員會
只會在收到所有必要的資料及文件後才正式確認收到
申請的日期。

k

This document is received on 2025-09-30
The Town Planning Board will formally acknowledge
the date of receipt of the application only upon receipt
of all the required information and documents.

Form No. S16-III
表格第 S16-III 號

**APPLICATION FOR PERMISSION
UNDER SECTION 16 OF
THE TOWN PLANNING ORDINANCE
(CAP. 131)**

根據《城市規劃條例》(第131章)
第16條遞交的許可申請

**Applicable to Proposal Only Involving Temporary Use/Development of Land
and/or Building Not Exceeding 3 Years in Rural Areas or Regulated Areas,
or Renewal of Permission for such Temporary Use or Development***

**適用於祇涉及位於鄉郊地區或受規管地區土地上及/或建築物內進行
為期不超過三年的臨時用途/發展或該等臨時用途/發展的許可續期的建議***

**Form No. S16-I should be used for other Temporary Use/Development of Land and/or Building (e.g. temporary use/developments in the Urban Area) and Renewal of Permission for such Temporary Use or Development.*

**其他土地上及/或建築物內的臨時用途/發展 (例如位於市區內的臨時用途或發展) 及有關該等臨時用途/發展的許可續期，應使用表格第 S16-I 號。*

Applicant who would like to publish the notice of application in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers:
https://www.tpb.gov.hk/en/plan_application/apply.html

申請人如欲在本地報章刊登申請通知，以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行土地擁有人所指定的其中一項合理步驟，請瀏覽以下網址有關在指定的報章刊登通知：
https://www.tpb.gov.hk/tc/plan_application/apply.html

General Note and Annotation for the Form

填寫表格的一般指引及註解

"Current land owner" means any person whose name is registered in the Land Registry as that of an owner of the land to which the application relates, as at 6 weeks before the application is made

「現行土地擁有人」指在提出申請前六星期，其姓名或名稱已在土地註冊處註冊為該申請所關乎的土地的擁有人的人

& Please attach documentary proof 請夾附證明文件

^ Please insert number where appropriate 請在適當地方註明編號

Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」

Please use separate sheets if the space provided is insufficient 如所提供的空間不足，請另頁說明

Please insert a 「✓」 at the appropriate box 請在適當的方格內上加上「✓」號

2502045

For Official Use Only 請勿填寫此欄	Application No. 申請編號	A/TL-TT/739
	Date Received 收到日期	2025-09-30

- The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.
申請人須把填妥的申請表格及其他支持申請的文件(倘有), 送交香港北角渣華道 333 號北角政府合署 15 樓城市規劃委員會(下稱「委員會」)秘書收。
- Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at <http://www.info.gov.hk/tpb/>. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories).
請先細閱《申請須知》的資料單張, 然後填寫此表格。該份文件可從委員會的網頁下載(網址: <http://www.info.gov.hk/tpb/>)。亦可向委員會秘書處(香港北角渣華道 333 號北角政府合署 15 樓 - 電話: 2231 4810 或 2231 4835)及規劃署的規劃資料查詢處(熱線: 2231 5000)(香港北角渣華道 333 號北角政府合署 17 樓及新界沙田上禾輦路 1 號沙田政府合署 14 樓)索取。
- This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete.
此表格可從委員會的網頁下載, 亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全, 委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

(☐ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☐ Ms. 女士 ☒ Company 公司 / ☐ Organisation 機構)

鴻盛世紀有限公司

Homeway Century Limited

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱 (如適用)

(☐ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☐ Ms. 女士 / ☐ Company 公司 / ☐ Organisation 機構)

3. Application Site 申請地點

(a) Full address / location / demarcation district and lot number (if applicable)
詳細地址/地點/丈量約份及地段號碼(如適用)

Lot No. 1896 in D.D. 118, Yuen Long, N.T.

(b) Site area and/or gross floor area involved
涉及的地盤面積及/或總樓面面積

☒ Site area 地盤面積 318 sq.m 平方米 ☒ About 約
☒ Gross floor area 總樓面面積 196 sq.m 平方米 ☒ About 約

(c) Area of Government land included (if any)
所包括的政府土地面積(倘有)

..... sq.m 平方米 ☐ About 約

(d) Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號	S/YL-TT/20
(e) Land use zone(s) involved 涉及的土地用途地帶	農業
(f) Current use(s) 現時用途	存倉 (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施，請在圖則上顯示，並註明用途及總樓面面積)

4. "Current Land Owner" of Application Site 申請地點的「現行土地擁有人」

The applicant 申請人 -

☒ is the sole "current land owner"[#] (please proceed to Part 6 and attach documentary proof of ownership).
是唯一的「現行土地擁有人」[#] (請繼續填寫第 6 部分，並夾附業權證明文件)。

☐ is one of the "current land owners"[#] & (please attach documentary proof of ownership).
是其中一名「現行土地擁有人」[#] (請夾附業權證明文件)。

☐ is not a "current land owner"[#].
並不是「現行土地擁有人」[#]。

☐ The application site is entirely on Government land (please proceed to Part 6).
申請地點完全位於政府土地上 (請繼續填寫第 6 部分)。

5. Statement on Owner's Consent/Notification

就土地擁有人的同意/通知土地擁有人的陳述

(a) According to the record(s) of the Land Registry as at (DD/MM/YYYY), this application involves a total of "current land owner(s)"[#].
根據土地註冊處截至 年 月 日的記錄，這宗申請共牽涉 名「現行土地擁有人」[#]。

(b) The applicant 申請人 -

☐ has obtained consent(s) of "current land owner(s)"[#].
已取得 名「現行土地擁有人」[#]的同意。

Details of consent of "current land owner(s)"[#] obtained 取得「現行土地擁有人」[#]同意的詳情

No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where consent(s) has/have been obtained 根據土地註冊處記錄已獲得同意的地段號碼/處所地址	Date of consent obtained (DD/MM/YYYY) 取得同意的日期 (日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上列任何方格的空間不足，請另頁說明)

- ☐ has notified "current land owner(s)"[#]
已通知 名「現行土地擁有人」[#]。

Details of the "current land owner(s)" [#] notified 已獲通知「現行土地擁有人」 [#] 的詳細資料		
No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where notification(s) has/have been given 根據土地註冊處記錄已發出通知的地段號碼／處所地址	Date of notification given (DD/MM/YYYY) 通知日期(日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上述任何方格的空間不足，請另頁說明)

- ☐ has taken reasonable steps to obtain consent of or give notification to owner(s):
已採取合理步驟以取得土地擁有人的同意或向該人發給通知。詳情如下：

Reasonable Steps to Obtain Consent of Owner(s) 取得土地擁有人的同意所採取的合理步驟

- ☐ sent request for consent to the "current land owner(s)" on (DD/MM/YYYY)^{#&}
於 (日/月/年)向每一名「現行土地擁有人」[#]郵遞要求同意書[&]

Reasonable Steps to Give Notification to Owner(s) 向土地擁有人發出通知所採取的合理步驟

- ☐ published notices in local newspapers on (DD/MM/YYYY)[&]
於 (日/月/年)在指定報章就申請刊登一次通知[&]
- ☐ posted notice in a prominent position on or near application site/premises on (DD/MM/YYYY)[&]
於 (日/月/年)在申請地點／申請處所或附近的顯明位置貼出關於該申請的通知[&]
- ☐ sent notice to relevant owners' corporation(s)/owners' committee(s)/mutual aid committee(s)/management office(s) or rural committee on (DD/MM/YYYY)[&]
於 (日/月/年)把通知寄往相關的業主立案法團/業主委員會/互助委員會或管理處，或有關的鄉事委員會[&]

Others 其他

- ☐ others (please specify)
其他 (請指明)

Note: May insert more than one 「✓」.
Information should be provided on the basis of each and every lot (if applicable) and premises (if any) in respect of the application.
註: 可在多於一個方格內加上「✓」號
申請人須就申請涉及的每一地段(倘適用)及處所(倘有)分別提供資料

6. Type(s) of Application 申請類別	
(A) Temporary Use/Development of Land and/or Building Not Exceeding 3 Years in Rural Areas 位於鄉郊地區土地上及/或建築物內進行為期不超過三年的臨時用途/發展 (For Renewal of Permission for Temporary Use or Development in Rural Areas, please proceed to Part (B)) (如屬位於鄉郊地區臨時用途/發展的規劃許可續期, 請填寫(B)部分)	
(a) Proposed use(s)/development 擬議用途/發展	臨時貨倉(危險品倉庫除外)存放建築物料 及相關填土工程(為期三年) (Please illustrate the details of the proposal on a layout plan) (請用平面圖說明擬議詳情)
(b) Effective period of permission applied for 申請的許可有效期	☒ year(s) 年 3 ☐ month(s) 個月
(c) Development Schedule 發展細節表	
Proposed uncovered land area 擬議露天土地面積	 122sq.m ☒ About 約
Proposed covered land area 擬議有上蓋土地面積	 196sq.m ☒ About 約
Proposed number of buildings/structures 擬議建築物/構築物數目	 2
Proposed domestic floor area 擬議住用樓面面積	 0sq.m ☐ About 約
Proposed non-domestic floor area 擬議非住用樓面面積	 196sq.m ☒ About 約
Proposed gross floor area 擬議總樓面面積	 196sq.m ☒ About 約
Proposed height and use(s) of different floors of buildings/structures (if applicable) 建築物/構築物的擬議高度及不同樓層的擬議用途 (如適用) (Please use separate sheets if the space below is insufficient) (如以下空間不足, 請另頁說明)	
有 1 個單層建築物 (13.5 x 6.6 米, 約 3.5 米高) 有 1 個上蓋儲物空間 (倉庫棚) (15.5 x 6.9 米, 約 3.3 米高) 都是用作存放工具	
Proposed number of car parking spaces by types 不同種類停車位的擬議數目	
Private Car Parking Spaces 私家車車位	 0
Motorcycle Parking Spaces 電單車車位	 0
Light Goods Vehicle Parking Spaces 輕型貨車泊車位	 1
Medium Goods Vehicle Parking Spaces 中型貨車泊車位	 0
Heavy Goods Vehicle Parking Spaces 重型貨車泊車位	 0
Others (Please Specify) 其他 (請列明)	 0
Proposed number of loading/unloading spaces 上落客貨車位的擬議數目	
Taxi Spaces 的士車位	 0
Coach Spaces 旅遊巴車位	 0
Light Goods Vehicle Spaces 輕型貨車車位	 0
Medium Goods Vehicle Spaces 中型貨車車位	 0
Heavy Goods Vehicle Spaces 重型貨車車位	 0
Others (Please Specify) 其他 (請列明)	 0

Proposed operating hours 擬議營運時間

基本上沒有人上班，星期一至五間中有人拿取物件時才有人。

(d) Any vehicular access to the site/subject building? 是否有車路通往地盤/ 有關建築物?	Yes 是	☒ There is an existing access. (please indicate the street name, where appropriate) 有一條現有車路。(請註明車路名稱(如適用)) <u>大樹下東路</u>
	No 否	☐ There is a proposed access. (please illustrate on plan and specify the width) 有一條擬議車路。(請在圖則顯示，並註明車路的闊度) ☐

(e) Impacts of Development Proposal 擬議發展計劃的影響 沒有更多的改動，應不會有影響
(If necessary, please use separate sheets to indicate the proposed measures to minimise possible adverse impacts or give justifications/reasons for not providing such measures. 如需要的話，請另頁註明可盡量減少可能出現不良影響的措施，否則請提供理據/理由。)

(i) Does the development proposal involve alteration of existing building? 擬議發展計劃是否包括現有建築物的改動?	Yes 是	☐ Please provide details 請提供詳情
	No 否	☒

(ii) Does the development proposal involve the operation on the right? 擬議發展是否涉及右列的工程?	Yes 是	☒ (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land) (請用地盤平面圖顯示有關土地/池塘界線，以及河道改道、填塘、填土及/或挖土的細節及/或範圍) ☐ Diversion of stream 河道改道 ☐ Filling of pond 填塘 Area of filling 填塘面積 sq.m 平方米 ☐ About 約 Depth of filling 填塘深度 m 米 ☐ About 約 ☒ Filling of land 填土 (2022年購入時已有填土) Area of filling 填土面積 318 sq.m 平方米 ☒ About 約 Depth of filling 填土厚度 0.1 m 米 ☒ About 約 ☐ Excavation of land 挖土 Area of excavation 挖土面積 sq.m 平方米 ☐ About 約 Depth of excavation 挖土深度 m 米 ☐ About 約
	No 否	☐

(iii) Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響?	On environment 對環境	Yes 會 ☐	No 不會 ☒
	On traffic 對交通	Yes 會 ☐	No 不會 ☒
	On water supply 對供水	Yes 會 ☐	No 不會 ☒
	On drainage 對排水	Yes 會 ☐	No 不會 ☒
	On slopes 對斜坡	Yes 會 ☐	No 不會 ☒
	Affected by slopes 受斜坡影響	Yes 會 ☐	No 不會 ☒
	Landscape Impact 構成景觀影響	Yes 會 ☐	No 不會 ☒
	Tree Felling 砍伐樹木	Yes 會 ☐	No 不會 ☒
	Visual Impact 構成視覺影響	Yes 會 ☐	No 不會 ☒
	Others (Please Specify) 其他 (請列明)	Yes 會 ☐	No 不會 ☒

	Please state measure(s) to minimise the impact(s). For tree felling, please state the number, diameter at breast height and species of the affected trees (if possible) 請註明盡量減少影響的措施。如涉及砍伐樹木，請說明受影響樹木的數目、及胸高度的樹幹直徑及品種(倘可) <u>不會有任何改動。</u>
--	---

(B) Renewal of Permission for Temporary Use or Development in Rural Areas or Regulated Areas
位於鄉郊地區或受規管地區臨時用途/發展的許可續期

(a) Application number to which the permission relates 與許可有關的申請編號	A/ _____ / _____
(b) Date of approval 獲批給許可的日期	 (DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期	 (DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	
(e) Approval conditions 附帶條件	☐ The permission does not have any approval condition 許可並沒有任何附帶條件 ☐ Applicant has complied with all the approval conditions 申請人已履行全部附帶條件 ☐ Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件： Reason(s) for non-compliance: 仍未履行的原因： (Please use separate sheets if the space above is insufficient) (如以上空間不足，請另頁說明)
(f) Renewal period sought 要求的續期期間	☐ year(s) 年 ☐ month(s) 個月

7. Justifications 理由

The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary.
現請申請人提供申請理由及支持其申請的資料。如有需要，請另頁說明。

我於 2022 年購入此 site，原計劃用作養植各類菇類。菇類需要高濕度環境下培植，而此 site 剛好有一個密封建築物，條件十分適合。惟於 2022 年底在撥資採購設備時遭合夥人詐騙，種植菇類計劃暫時擱置。

我的本業為消防工程。受近年香港經濟環境回落影響，許多工程遭遇欠款或延期，過去很多項政府工程亦相繼推遲，至 2023 年起更有不少工程停頓。原本應在地盤使用的各類工具及設備只能暫時搬至此 site 作臨時儲存。而我們在不知屬違規的情況下，已於此 site 存放物品約兩年，其間一直沒有人投訴，亦沒有對附近環境造成影響。期望於 2026-2027 年建築行業環境改善後，相關工具及設備可搬走。

我用白城市規劃委員會需要配合多方面的考慮，現補充資料如下：

背景：目前此 site 的唯一用途為暫存消防工程的工具和設備，平日無人在此 site 上班，亦不會有任何公眾人士到訪。於 2025 年 6 月至 8 月，我們每月平均到訪次數不多於 3 次。
交通影響：通往此 site 的道路有小巴服務，道路闊度足夠。存放的物品均可用貨 van 運送，加上到訪次數甚少，相信不會對交通影響。

存放物品：大部分為消防工程所需之工具及設備，其中以水喉鉸牙機及梯具為主；未有存放任何危險或易燃物品。物品亦不會因天氣因素而影響附近環境。

謹此懇請城市規劃委員會批准將此 site 用作臨時貨倉。
謝謝！

8. Declaration 聲明

I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief.
本人謹此聲明，本人就這宗申請提交的資料，據本人所知及所信，均屬真實無誤。


I hereby grant a permission to the Board to copy all the materials submitted in this application and/or to upload such materials to the Board's website for browsing and downloading by the public free-of-charge at the Board's discretion.

本人現准許委員會酌情將本人就此申請所提交的所有資料複製及/或上載至委員會網站，供公眾免費瀏覽或下載。

Signature

簽署

☐ Applicant 申請人 / ☐ Authorised Agent 獲授權代理人


.....
嚴梓菽

Name in Block Letters
姓名（請以正楷填寫）

Director

Position (if applicable)
職位（如適用）

Professional Qualification(s)

專業資格

☐ Member 會員 / ☐ Fellow of 資深會員☐ HKIP 香港規劃師學會 / ☐ HKIA 香港建築師學會 /☐ HKIS 香港測量師學會 / ☐ HKIE 香港工程師學會 /☐ HKILA 香港園境師學會 / ☐ HKIUD 香港城市設計學會☐ RPP 註冊專業規劃師

Others 其他

on behalf of

代表

鴻威世紀有限公司

☒ Company 公司 / ☐ Organisation Name and Chop (if applicable) 機構名稱及蓋章（如適用）

Date 日期

02/09/2025

(DD/MM/YYYY 日/月/年)

Remark 備註

The materials submitted in this application and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate.

委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下，有關申請資料亦會上載至委員會網頁供公眾免費瀏覽及下載。

Warning 警告

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance.

任何人在明知或故意的情況下，就這宗申請提出在任何要項上是虛假的陳述或資料，即屬違反《刑事罪行條例》。

Statement on Personal Data 個人資料的聲明

1. The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes:

委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門，以根據《城市規劃條例》及相關的城市規劃委員會規劃指引的規定作以下用途：

(a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and

處理這宗申請，包括公布這宗申請供公眾查閱，同時公布申請人的姓名供公眾查閱；以及

(b) facilitating communication between the applicant and the Secretary of the Board/Government departments.

方便申請人與委員會秘書及政府部門之間進行聯絡。

2. The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above.

申請人就這宗申請提供的個人資料，或亦會向其他人士披露，以作上述第 1 段提及的用途。

3. An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.

根據《個人資料(私隱)條例》(第 486 章)的規定，申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料，應向委員會秘書提出有關要求，其地址為香港北角渣華道 333 號北角政府合署 15 樓。

Gist of Application 申請摘要

(Please provide details in both English and Chinese as far as possible. This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and available at the Planning Enquiry Counters of the Planning Department for general information.)

(請盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及於規劃署規劃資料查詢處供一般參閱。)


Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)
Location/address 位置/地址	Lot No. 1896 in D.D. 118, Yuen Long, N.T.
Site area 地盤面積	 318 sq. m 平方米 ☒ About 約 (includes Government land of 包政府土地) 0 sq. m 平方米 ☐ About 約
Plan 圖則	S/YL-TT/20
Zoning 地帶	農業
Type of Application 申請類別	☒ Temporary Use/Development in Rural Areas or Regulated Areas for a Period of 位於鄉郊地區或受規管地區的臨時用途/發展為期 □ Year(s) 年 <u>3</u> □ Month(s) 月 _____ ☐ Renewal of Planning Approval for Temporary Use/Development in Rural Areas or Regulated Areas for a Period of 位於鄉郊地區或受規管地區臨時用途/發展的規劃許可續期為期 □ Year(s) 年 _____ □ Month(s) 月 _____
Applied use/ development 申請用途/發展	臨時貨倉(危險品倉庫除外)存放建築物料及 相關填土工程(為期3年)


(i) Gross floor area and/or plot ratio 總樓面面積及／或地積比率		sq.m 平方米	Plot Ratio 地積比率
	Domestic 住用	☐ About 約 ☐ Not more than 不多於	☐ About 約 ☐ Not more than 不多於
	Non-domestic 非住用	196 ☒ About 約 ☐ Not more than 不多於	0.62 ☒ About 約 ☐ Not more than 不多於
(ii) No. of block 幢數	Domestic 住用	0	
	Non-domestic 非住用	2	
(iii) Building height/No. of storeys 建築物高度／層數	Domestic 住用	0 m 米 ☐ (Not more than 不多於)	
		0 Storeys(s) 層 ☐ (Not more than 不多於)	
	Non-domestic 非住用	3.5 m 米 ☒ (Not more than 不多於)	
		1 Storeys(s) 層 ☒ (Not more than 不多於)	
(iv) Site coverage 上蓋面積	61.6 % ☒ About 約		
(v) No. of parking spaces and loading / unloading spaces 停車位及上落客貨車位數目	Total no. of vehicle parking spaces 停車位總數		
	Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (請列明) _____ _____		0 0 1 0 0 0
	Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位／停車處總數		
	Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 中型貨車車位 Heavy Goods Vehicle Spaces 重型貨車車位 Others (Please Specify) 其他 (請列明) _____ _____		0 0 0 0 0 0

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件		
	Chinese 中文	English 英文
Plans and Drawings 圖則及繪圖		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖／布局設計圖	☐	☐
Block plan(s) 樓宇位置圖	☐	☐
Floor plan(s) 樓宇平面圖	☐	☐
Sectional plan(s) 截視圖	☐	☐
Elevation(s) 立視圖	☐	☐
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片	☐	☐
Master landscape plan(s)/Landscape plan(s) 園境設計總圖／園境設計圖	☐	☐
Others (please specify) 其他 (請註明)	☒	☐
<u>位置圖, 平面圖, 填土圖, 存放物品圖片</u>		
Reports 報告書		
Planning Statement/Justifications 規劃綱領/理據	☐	☐
Environmental assessment (noise, air and/or water pollutions) 環境評估 (噪音、空氣及／或水的污染)	☐	☐
Traffic impact assessment (on vehicles) 就車輛的交通影響評估	☐	☐
Traffic impact assessment (on pedestrians) 就行人的交通影響評估	☐	☐
Visual impact assessment 視覺影響評估	☐	☐
Landscape impact assessment 景觀影響評估	☐	☐
Tree Survey 樹木調查	☐	☐
Geotechnical impact assessment 土力影響評估	☐	☐
Drainage impact assessment 排水影響評估	☐	☐
Sewerage impact assessment 排污影響評估	☐	☐
Risk Assessment 風險評估	☐	☐
Others (please specify) 其他 (請註明)	☐	☐
Note: May insert more than one '✓'. 註：可在多於一個方格內加上「✓」號		

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.

註：上述申請摘要的資料是由申請人提供以方便市民大眾參考。對於所載資料在使用上的問題及文義上的歧異，城市規劃委員會概不負責。若有任何疑問，應查閱申請人提交的文件。





貨倉
13500長 x 6600闊 x
3500高
約89平方米

有上蓋儲物空間(金屬棚)
15500長 x 6900闊 x 3300高
約107平方米

露天輕型貨車車位 1個


正門




室內主要放置不防水的小機械及物料, 主要是: 手提電工具, 鉸牙機, 電風扇, 花灑頭, 和其他與消防工程有關的物料, 沒有任何易燃物品或危機物品



室外位置主要存放梯具, 金屬製品及少量金屬喉料





填土(水泥)面積318平方米
填土厚度 0.1米 (10cm水泥)

希望填土工程 規範化

Chris Shut Ming LEUNG/PLAND

寄件者: Emma Emmanuel Derui JIANG/PLAND
寄件日期: 2025年11月05日星期三 16:46
收件者: Chris Shut Ming LEUNG/PLAND
主旨: Fw: 修改資料 規劃申請編號 A/YL-TT/739
附件: 填土明圖_Updated.pdf; 表格_Updated.pdf

From: Emily Chow <[REDACTED]>
Sent: Wednesday, November 5, 2025 4:34 PM
To: tpbpd/PLAND <tpbpd@pland.gov.hk>
Cc: Emma Emmanuel Derui JIANG/PLAND <eedjiang@pland.gov.hk>
Subject: Fwd: 修改資料 規劃申請編號 A/YL-TT/739

先生/小姐,

請查看附件, 謝謝

----- Forwarded message -----

寄件者: **Emily Chow** <[REDACTED]>
Date: 2025年11月5日週三 下午12:08
Subject: 修改資料 規劃申請編號 A/YL-TT/739
To: <tpbpd@pland.gov.hk>

先生/小姐,

你好,
已修改資料, 請查看附件, 謝謝

--
Regards,
Emily Chow


E // [REDACTED]
P // [REDACTED]

--

Regards,
Emily Chow

E // [REDACTED]
P // [REDACTED]

Proposed operating hours 擬議營運時間 這邊沒有人上班，只會間中在星期一至五中午11-12點，有1位員工進入取物件(大約逗留1小時)，星期六日都不會有人進入。			
(d) Any vehicular access to the site/subject building? 是否有車路通往地盤／有關建築物？	Yes 是	☒ There is an existing access. (please indicate the street name, where appropriate) 有一條現有車路。(請註明車路名稱(如適用)) <u>大樹下東路</u>	
	No 否	☐ There is a proposed access. (please illustrate on plan and specify the width) 有一條擬議車路。(請在圖則顯示，並註明車路的闊度) ☐	
(e) Impacts of Development Proposal 擬議發展計劃的影響 (If necessary, please use separate sheets to indicate the proposed measures to minimise possible adverse impacts or give justifications/reasons for not providing such measures. 如需要的話，請另頁註明可盡量減少可能出現不良影響的措施，否則請提供理據/理由。) <u>沒有更多的改動，應不會有影響</u>			
(i) Does the development proposal involve alteration of existing building? 擬議發展計劃是否包括現有建築物的改動？	Yes 是	☐ Please provide details 請提供詳情	
	No 否	☒	
(ii) Does the development proposal involve the operation on the right? 擬議發展是否涉及右列的工程？	Yes 是	☒ (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land) (請用地盤平面圖顯示有關土地／池塘界線，以及河道改道、填塘、填土及／或挖土的細節及／範圍) ☐ Diversion of stream 河道改道 ☐ Filling of pond 填塘 Area of filling 填塘面積 sq.m 平方米 ☐ About 約 Depth of filling 填塘深度 m 米 ☐ About 約 ☒ Filling of land 填土 (2022年購入時已有填土) Area of filling 填土面積 318 sq.m 平方米 ☒ About 約 Depth of filling 填土厚度 0.1 m 米 ☒ About 約 ☐ Excavation of land 挖土 Area of excavation 挖土面積 sq.m 平方米 ☐ About 約 Depth of excavation 挖土深度 m 米 ☐ About 約	
	No 否	☐	
(iii) Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響？	On environment 對環境 Yes 會 ☐ No 不會 ☒		
	On traffic 對交通 Yes 會 ☐ No 不會 ☒		
	On water supply 對供水 Yes 會 ☐ No 不會 ☒		
	On drainage 對排水 Yes 會 ☐ No 不會 ☒		
	On slopes 對斜坡 Yes 會 ☐ No 不會 ☒		
	Affected by slopes 受斜坡影響 Yes 會 ☐ No 不會 ☒		
	Landscape Impact 構成景觀影響 Yes 會 ☐ No 不會 ☒		
	Tree Felling 砍伐樹木 Yes 會 ☐ No 不會 ☒		
	Visual Impact 構成視覺影響 Yes 會 ☐ No 不會 ☒		
	Others (Please Specify) 其他 (請列明) Yes 會 ☐ No 不會 ☒		



填土(水泥)面積318平方米
填土厚度 0.1米 (10cm水泥)

希望填土工程 規範化

Chris Shut Ming LEUNG/PLAND

寄件者: Emma Emmanuel Derui JIANG/PLAND
寄件日期: 2025年11月06日星期四 10:08
收件者: Chris Shut Ming LEUNG/PLAND
主旨: Fw: 修改資料 規劃申請編號 A/YL-TT/739

From: Emily Chow [REDACTED]
Sent: Thursday, November 6, 2025 9:56 AM
To: tpbpd/PLAND <tpbpd@pland.gov.hk>
Cc: Emma Emmanuel Derui JIANG/PLAND <eedjiang@pland.gov.hk>
Subject: Re: 修改資料 規劃申請編號 A/YL-TT/739

先生/小姐,

補充營運時間: 星期六日及公眾假期 都不會有人進入, 謝謝

Emily Chow <[REDACTED]> 於 2025年11月5日週三 下午4:34寫道:

先生/小姐,

請查看附件, 謝謝

----- Forwarded message -----

寄件者: **Emily Chow** <[REDACTED]>
Date: 2025年11月5日週三 下午12:08
Subject: 修改資料 規劃申請編號 A/YL-TT/739
To: <tpbpd@pland.gov.hk>

先生/小姐,

你好,
已修改資料, 請查看附件, 謝謝

--
Regards,
Emily Chow

E // [REDACTED]
P // [REDACTED]

--

Regards,

Emily Chow

E // [REDACTED]

P // [REDACTED]

--

Regards,

Emily Chow

E // [REDACTED]

P // [REDACTED]

**Similar Applications within the Subject “Agriculture” Zone
on the Tai Tong Outline Zoning Plan in the Past Five Years**

Approved Applications

	<u>Application No.</u>	<u>Proposed Use(s) / Development(s)</u>	<u>Date of Consideration (RNTPC)</u>
1	A/YL-TT/575	Proposed Temporary Warehouse for Storage of Metal and Timber for a Period of 3 Years	9.12.2022
2	A/YL-TT/608	Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years	13.10.2023
3	A/YL-TT/648	Proposed Temporary Warehouse (Excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land	7.6.2024
4	A/YL-TT/651	Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years and Associated Filling of Land	25.10.2024
5	A/YL-TT/671	Proposed Temporary Warehouse (Excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land	4.10.2024
6	A/YL-TT/717	Proposed Temporary Warehouse (Excluding Dangerous Goods Godown) with Ancillary Facilities and Associated Filling of Land for a Period of 3 Years	7.11.2025

Government Departments' General Comments

1. Land Administration

Comments of the District Lands Officer/Yuen Long, Lands Department:

- No adverse comment on the application.
- Advisory comments as detailed in **Appendix IV**.

2. Traffic

(a) Comments of the Commissioner for Transport:

- No adverse comment from traffic engineering perspective.
- Advisory comments as detailed in **Appendix IV**.

(b) Comments of the Chief Highway Engineer/New Territories West, Highways Department:

- No comment on the application.

3. Environment

Comments of the Director of Environmental Protection:

- No objection to the application.
- No environmental complaint concerning the application site (the Site) was received in the past three years.
- Advisory comments as detailed in **Appendix IV**.

4. Drainage

Comments of the Chief Engineer/Mainland North of Drainage Services Department:

- No in-principle objection to the applied use from drainage point of view.
- Conditions should be stipulated in the approval letter requiring the applicant for the submission of a drainage proposal and the implementation and maintenance of the drainage proposal to the satisfaction of the Director of Drainage Services or of the Town Planning Board.

5. **Fire Safety**

Comments of the Director of Fire Services:

- No in-principle objection to the proposal subject to the fire service installations being provided to the Site.
- Advisory comments as detailed in **Appendix IV**.

6. **Building Matters**

Comments of the Chief Building Surveyor/New Territories West, Buildings Department:

- No objection to the application.
- Advisory comments as detailed in **Appendix IV**.

7. **Electricity Safety**

- No comment on the application.
- Advisory comments as detailed in **Appendix IV**.

8. **District Officer's Comments**

Comment of the District Officer (Yuen Long), Home Affairs Department:

His office has not received any comments on the application from the village representatives in the vicinity of the Site.

9. **Landscape**

Comments of the Chief Town Planner/Urban Design & Landscape, Planning Department:

No adverse comment on the application from landscape planning perspective as the Site is already hard paved with temporary structures. No existing tree within the Site is observed.

10. **Other Departments**

The following departments have no objection to/ no comment on the application:

- Chief Engineer/Construction, Water Supplies Department;
- Project Manager (West), Civil Engineering and Development Department; and
- Commissioner of Police.

Recommended Advisory Clauses

- (a) prior planning permission should have been obtained before commencing the applied use at the application site (the Site);
- (b) failure to reinstate the Site as required under the relevant approval condition upon expiry of the planning permission might constitute an unauthorized development under the Town Planning Ordinance and be subject to enforcement and prosecution actions;
- (c) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:
 - (i) the Site comprises Old Schedule Agricultural Lot held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government; and
 - (ii) the lot owner(s) shall apply to LandsD for a Short Term Waiver (STW) to permit the structure(s) erected within the said private lot. The application for STW will be considered by Government in its capacity as a landlord and there is no guarantee that the application will be approved. The STW, if approved, will be subject to such terms and conditions including the payment of waiver fee and administrative fee as considered appropriate by LandsD. Besides, given the applied use is temporary in nature, only erection of temporary structure(s) will be considered;
- (d) to note the comments of the Commissioner for Transport that:
 - (i) the local track and footpath leading to the Site are not under Transport Department's purview. The applicant shall obtain consent of the owners/managing departments of the local track and footpath for using the local track and footpath for using it as the access to the Site; and
 - (ii) sufficient manoeuvring space shall be provided within the Site. No vehicles are allowed to queue back to public roads or reverse onto/from public roads;
- (e) to note the comments of the Director of Environmental Protection:
 - (i) to follow the relevant mitigation measures and requirements in the latest "Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites" issued by Environmental Protection Department to minimise the potential environmental nuisances on the surrounding areas; and
 - (ii) to implement appropriate pollution control measures outlined in the Professional Persons Environmental Consultative Committee (ProPECC) Practice Notes 2/24 'Construction Site Drainage' to minimise any potential environmental impacts on nearby water bodies during the construction of the project;
- (f) to note the comments of the Director of Fire Services that:
 - (i) the layout plans for the proposed fire service installations (FSIs) should be drawn to scale and depicted with dimensions and nature of occupancy;
 - (ii) the location of the proposed FSIs to be installed should be clearly marked on the layout plans; and

- (iii) if the proposed structures are required to comply with the Buildings Ordinance (BO) (Cap. 123), detailed fire services requirements will be formulated upon receipt of formal submission of general building plans;
- (g) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD) that:
 - (i) two structures and associated filling of land are proposed in the application. Before any new building works (including containers/open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on the Site, prior approval and consent of the Building Authority (BA) should be obtained, otherwise they are unauthorized building works (UBW) under the Buildings Ordinance (BO). An Authorized Person should be appointed as the coordinator for the proposed building works in accordance with the BO;
 - (ii) the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively;
 - (iii) the Site does not abut on a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at building plan submission stage;
 - (iv) if existing structure is erected on leased land without the approval of the BA, they are UBW under the BO and should not be designated for any proposed use under the application;
 - (v) for UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO;
 - (vi) any temporary shelters or converted containers for office, storage, washroom or other uses considered as temporary buildings are subject to the control of Part VII of the B(P)R; and
 - (vii) detailed checking under the BO will be carried out at building plan submission stage; and
- (h) to note the comments of the Director of Electrical and Mechanical Services that:

in the interests of public safety and ensuring the continuity of electricity supply, the parties concerned with planning, designing, organising and supervising any activity near the underground cable or overhead line under the mentioned document should approach the electricity supplier (i.e. CLP Power) for the requisition of cable plans (and overhead line alignment drawings, where applicable) to find out whether there is any underground cable and/or overhead line within and/or in the vicinity of the Site. The applicant should also be reminded to observe the Electricity Supply Lines (Protection) Regulation and the “Code of Practice on Working near Electricity Supply Lines” established under the Regulation when carrying out works in the vicinity of the electricity supply lines.

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

tpbpd/PLAND

寄件者: [REDACTED]
寄件日期: 2025年10月28日星期二 2:49
收件者: tpbpd/PLAND
主旨: A/YL-TT/739 DD 118 Sung Shan New Village
類別: Internet Email

Dear TPB Members,

724 withdrawn. Back with one vehicle parking added.

Previous objections relevant and upheld.

Mary Mulvihill

From: [REDACTED]
To: tpbpd <tpbpd@pland.gov.hk>
Date: Wednesday, 20 August 2025 3:00 AM HKT
Subject: A/YL-TT/724 DD 118 Sung Shan New Village

A/YL-TT/724

Lot 1896 in D.D.118, Sung Shan New Village, Yuen Long

Site area: About 318sq.m

Zoning: "Agriculture"

Applied use: Warehouse / ?? Vehicle Parking / **Filling of Land**

Dear TPB Members,

Strong Objections. No history of approvals but the site has obviously been used for brownfield for some time.

The district is not Cat 2.

Has any enforcement action been taken?

Mary Mulvihill