

**Similar Applications for Temporary Warehouse
within/partly within the same “Agriculture” zone in the vicinity of the Application Site**

Approved Applications

Application No.	Uses / Developments	Date of Consideration
A/NE-MKT/34	Proposed Temporary Warehouse for Storage of Construction Materials for a Period of Three Years and Associated Filling of Land	20.9.2024 <i>(revoked on 20.9.2025)</i>
A/NE-MKT/35	Proposed Temporary Warehouse (Timber and Other Associated Materials) for a Period of Three Years and Associated Filling of Land	19.7.2024 <i>(revoked on 19.4.2026)</i>
A/NE-MKT/37	Proposed Temporary Warehouse for Storage of Food Provisions for a Period of Three Years and Associated Filling of Land	10.1.2025
A/NE-MKT/39	Proposed Temporary Warehouse for Storage of Construction Materials for a Period of Three Years and Associated Filling of Land	24.1.2025
A/NE-MKT/40	Proposed Temporary Warehouse for Storage of Construction Materials and Furniture for a Period of Three Years and Associated Filling of Land	2.5.2025 <i>(revoked on 2.5.2026)</i>
A/NE-MKT/46	Proposed Temporary Warehouse for Storage of Construction Materials for a Period of Three Years	18.7.2025
A/NE-MKT/55	Proposed Temporary Warehouse (Cold Store for Iced Poultry) and Shop and Services (Fresh Provision Shop) and Associated Filling of Land for a Period of Three Years	8.5.2026
A/NE-MKT/56 ¹	Proposed Temporary Warehouse for Storage of Car Parts and Associated Filling of Land for a Period of Three Years	6.2.2026
A/NE-MKT/61	Proposed Temporary Warehouse (Storage of Construction Materials) and Associated Filling of Land for a Period of Three Years	8.5.2026

Rejected Applications

Application No.	Uses / Developments	Date of Consideration	Rejection Reasons
A/NE-MKT/25 ¹	Temporary Open Storage and Warehouse for Construction Materials for a Period of Three Years and Filling of Land	11.9.2023	R1-R3
A/NE-MKT/26	Proposed Temporary Warehouse for Storage of Electronic Products and Open Storage of Packaging Tools for a Period of Three Years and Associated Filling of Land	1.12.2023 <i>(on review)</i>	R1-R2
A/NE-MKT/29	Proposed Temporary Warehouse for Storage of Engineering Tools and Equipment for a Period of Three Years	10.11.2023	R1-R2

Application No.	Uses / Developments	Date of Consideration	Rejection Reasons
A/NE-MKT/31	Proposed Temporary Logistics Warehouse (Excluding Dangerous Goods) and Ancillary Office for a Period of Three Years and Filling of Land	27.10.2023	R1-R3

Rejection Reasons

- R1 The proposed/applied use was not in line with the planning intention of the “Agriculture” zone, which was primarily to retain and safeguard good quality agricultural land/farm/fish ponds for agricultural purposes. It was also intended to retain fallow arable land with good potential for rehabilitation for cultivation and other agricultural purposes. There was no strong planning justification in the submission to merit a departure from such planning intention, even on a temporary basis.
- R2 The applicant failed to demonstrate in the submission that the proposed/applied use would not cause adverse traffic, environmental, drainage, landscape and/or slope safety impacts on the surrounding areas.
- R3 The proposed use did not comply with the Town Planning Board Guidelines for Application for Open Storage and Port Back-up Uses under Section 16 of the Town Planning Ordinance in that no previous approval had been granted to the site and there were adverse departmental comments and local objections.

Remarks

¹ Application Nos. A/NE-MKT/25 and A/NE-MKT/56 largely involved the same site.

Government Departments' General Comments

1. Drainage

Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- no objection to the application from public drainage perspective;
- should the application be approved, conditions should be included to request the applicant to submit and implement a revised drainage proposal for the application site (the Site) to ensure that it will not cause adverse drainage impact to the adjacent area, and the implemented drainage facilities at the Site shall be maintained at all times during the planning approval period; and
- her advisory comments on the application are at **Appendix IV**.

2. Fire Safety

Comments of the Director of Fire Services (D of FS):

- no in-principle objection to the application subject to fire service installation and water supplies for firefighting being provided to his satisfaction; and
- his advisory comments on the application are at **Appendix IV**.

3. Environment

Comments of the Director of Environmental Protection (DEP):

- although heavy vehicle is involved, no residential dwelling is identified within 100m from the Site and 50m from the access road, hence he has no objection to the application from environmental planning perspective;
- no comment on the proposed regularisation of filling of land from the environmental planning perspective since no further land filling of land will be carried out under this application;
- no environmental complaint was received for the Site in the past three years; and
- his advisory comments on the application are at **Appendix IV**.

4. Other Departments

The following Government departments have no objection to/no comment on the application:

- (a) Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD);
- (b) Head of the Geotechnical Engineering Office, Civil Engineering and Development Department (H(GEO), CEDD);

- (c) Chief Highway Engineer/New Territories East, Highways Department (CHE/NTE, HyD);
- (d) Chief Engineer/Construction, Water Supplies Department (CE/C, WSD);
- (e) Commissioner of Police (C of P);
- (f) Project Manager (North), CEDD (PM(N), CEDD); and
- (g) District Officer (North), Home Affairs Department (DO(N), HAD).

Recommended Advisory Clauses

- (a) the permission is given to the use under the application. It does not condone any other use(s)/development which currently exist(s) on the application site (the Site) but not covered by the application. The applicant shall be requested to take immediate action to discontinue such use not covered by the permission;
- (b) to resolve any land issues relating to the development with the concerned owner(s) of the Site;
- (c) failure to reinstate the Site as required under the relevant approval condition upon expiry of the planning permission might constitute an unauthorized development under the Town Planning Ordinance and be subject to enforcement and prosecution actions;
- (d) to note the comments of the Chief Town Planner/Urban Design and Landscape, Planning Department (CTP/UD&L, PlanD) that approval of the application does not imply approval of tree works such as pruning, transplanting and felling. The applicant is reminded to seek approval for any proposed tree works from relevant departments prior to commencement of the works;
- (e) to note the comments of the Commissioner for Transport (C for T) that the Site is connected to the public road network via a section of a local access which is not managed by the Transport Department. The land status of the local access road should be checked with the District Lands Officer/North, Lands Department (DLO/N, LandsD). Moreover, the management and maintenance responsibilities of the local access road should be clarified with the relevant parties/authorities accordingly. Sufficient manoeuvring space shall be provided within the Site. No vehicle is allowed to queue back to or reserve onto/from public road at any time during the planning approval period;
- (f) to note the comments of DLO/N, LandsD that:
 - (i) no consent is given for inclusion of Government land (GL) (about 60m² as mentioned in **Appendix I**) in the Site;
 - (ii) the following irregularities partly covered and partly not covered by the subject planning application have been detected by his office:

Unauthorised structure(s) within Lots 100, 101 and 103 in D.D. 86 partly covered and partly not covered by the planning application

there is/are unauthorised structure(s) extended to Lot 101 in D.D. 86 from Lot 100 in D.D. 86 which is not covered by the subject planning application. There is/are also unauthorised structure(s) on Lot 103 in D.D. 86. The lot owner(s) should immediately rectify the lease breaches and his office reserves the rights to take necessary lease enforcement action against the breaches without further notice; and

Unlawful occupation of GL adjoining Lots 100, 101 and 103 in D.D. 86 with unauthorised structure(s) partly covered and partly not covered by the planning application

part of the GL within and outside the Site has been fenced off/illegally occupied with unauthorised structure(s) without any permission. Any occupation of GL without Government's prior approval is an offence under the Land (Miscellaneous Provisions) Ordinance (Cap. 28). His office objects to the planning applications since there is illegal occupation of GL which regularisation would not be considered according to the prevailing land policy. The lot owner(s) should immediately cease the illegal occupation of GL and

remove the unauthorised structure(s) as demanded by LandsD. His office reserves the rights to take necessary land control action against the illegal occupation of GL without further notice;

- (iii) subject to the approval of the Town Planning Board to the planning application which shall have reflected the rectification as aforesaid required, the lot owner(s) shall apply to his office for Short Term Waiver (STW) to permit the proposed structures. The application for STW will be considered by the Government in its capacity as a landlord and there is no guarantee that it will be approved. The STW, if approved, will be on the whole lot basis and subject to such terms and conditions including the payment of waiver fees and administrative fee as considered appropriate to be imposed by LandsD. In addition, LandsD reserves the right to take enforcement action against the lot owner(s)/applicant for any breach of the lease conditions, including the breach(es) already in existence or to be detected at any point of time in future and land control action for any unlawful occupation of GL;
 - (iv) erection of unauthorised structures and illegal occupation of GL should not be encouraged. The lot owners/applicant should remove all the unauthorised structures, rectify the occupation of GL immediately and provide relevant proof to his office;
 - (v) part of a local track on GL adjoining Lots 101 and 103 in D.D. 86 is included in the Site, this is not acceptable and no application for Short Term Tenancy (STT) will be considered. His office acknowledged that the applicant will not apply for a STT or erect any fencing on the portion of GL within the Site which would affect a local track. The applicant is reminded that any occupation of GL without Government's prior approval (whether with or without fencing) is an offence under Cap. 28. His office reserves the rights to take necessary land control action against the illegal occupation of GL without further notice (if any); and
 - (vi) the lot owner(s) should comply with all the land filling requirements imposed by relevant government departments. GL should not be disturbed unless with prior approval;
- (g) to note the comments of the Director of Agriculture, Fisheries and Conservation (DAFC) that the applicant should implement good site practices to avoid impacts on trees adjacent to the Site;
- (h) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD) that:
- (i) the Site is located in an area where no public sewerage connection is available; and
 - (ii) the applicant should be reminded of the following general requirements in the drainage proposal:
 - surface channel with grating covers should be provided along the site boundary;
 - a drainage plan should be provided clearly showing the size, levels and routes of the proposed drainage. The details (invert level, gradient, general sections etc.) of the proposed drain/surface channel, catchpits and the discharge structure shall be provided;
 - the cover levels of proposed channels should be flush with the existing adjoining ground level;
 - a catchpit with covers should be provided where there is a change of direction of the channel/drain. The details of the catchpit with covers shall be provided;

- catchpits with sand trap shall be provided at the outlets of the proposed drainage system. The details of the catchpit with sand trap should be provided;
 - the applicant should check and ensure that the existing drainage downstream to which the proposed connection will be made have adequate capacity and satisfactory condition to cater for the additional discharge from the Site. He/she should also ensure that the flow from the Site will not overload the existing drainage system;
 - where walls are erected or kerbs are laid along the site boundary, peripheral channels should be provided on both sides of the walls or kerbs, and/or adequate openings should be provided at the walls/kerbs to allow existing overland flow passing through the Site to be intercepted by the drainage system of the Site with details to be agreed by DSD, unless justified not necessary;
 - all existing flow paths as well as the run-off falling onto and passing through the Site should be intercepted and disposed of via proper discharge points. The applicant shall also ensure that no works, including any site formation works, shall be carried out as may adversely interfere with the free flow condition of the existing drains, channels and watercourses on or in the vicinity of the Site any time during or after the works;
 - the proposed drainage works, whether within or outside the Site, should be constructed and maintained properly by the applicant and rectify the system if it is found to be inadequate or ineffective during operation at his/her own expense;
 - for works to be undertaken outside the lot boundary, the applicant should obtain prior consent and agreement from DLO/N, LandsD and/or relevant private lot owners;
 - the applicant should make good all the adjacent affected areas upon the completion of the drainage works;
 - the applicant shall allow all time free access for the Government and its agent to conduct site inspection on his/her completed drainage works;
 - the applicant and the successive lot owners shall allow connections from the adjacent lots to the completed drainage works on GL when so required; and
 - photos should be submitted clearly showing the current conditions of the area around the Site, the existing drainage/flowpaths around the Site, the proposed drainage from the Site to the downstream existing watercourse and the existing watercourse at about 20m intervals. The locations of the camera and the direction of each photo should also be indicated on a plan;
- (i) to note the comments of the Director of Fire Services (D of FS) that in consideration of the design/nature of the proposal, fire service installations (FSIs) are anticipated to be required. Therefore, the applicant is advised to submit relevant layout plans incorporated with the proposed FSIs to his office for approval. In addition, the applicant should note that:
- (i) the layout plans should be drawn to scale and depicted with dimensions and nature of occupancy; and
 - (ii) the location of where the proposed FSIs to be installed should be clearly marked on the layout plans;

if the proposed structures are required to comply with the Buildings Ordinance (BO), detailed fire service requirements will be formulated upon receipt of formal submission of general building plans;

- (j) to note the comments of the Director of Environmental Protection (DEP) that the applicant should observe the requirements of the 'Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites'; and if toilets are proposed, to provide suitable sewage treatment facilities as required under Professional Persons Environmental Consultative Committee Practice Note (ProPECC PN) 1/23 'Drainage Plans subject to Comment by the Environmental Protection Department' and are duly certified by an Authorised Person (AP) or employ licensed waste collector to regularly collect and properly dispose of the sewage collected in the proposed toilet;
- (k) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD) that:
- (i) it is noted that two structures and land filling are proposed at the Site. Before any new building works are to be carried out on the Site, prior approval and consent of the Building Authority (BA) should be obtained unless they are exempted building works or commenced under the simplified requirement under the Minor Works Control System, otherwise they are unauthorised building works (UBW) under the BO. An AP should be appointed as the coordinator for the proposed building works in accordance with the BO;
- (ii) the applicant's attention is drawn to the following points:
- the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively;
 - the Site does not abut on a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at building plan submission stage;
 - if any existing structure is erected on leased land without approval of the BA, they are UBW under the BO and should not be designated for any approved use under the captioned application;
 - for UBW erected on leased land, enforcement action may be taken by BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO;
 - before any new building works (including containers/open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on the Site, prior approval and consent of the BA should be obtained; otherwise they are UBW under the BO. An AP should be appointed as the coordinator for the proposed building works in accordance with the BO;
 - any temporary shelters or converted containers for office, storage, washroom or other uses are considered as temporary buildings are subject to the control of Part VII of the B(P)R;
 - in general, there is no requirement under the BO in respect of provision of car parking spaces for a proposed use. However, the applicant's attention is drawn to the

provision of accessible car parking spaces designated for the use of persons with a disability as per the requirements under Regulation 72 of the B(P)R and Division 3 of Design Manual: Barrier Free Access 2008;

- the applicant's attention is drawn to the provision under Regulations 40 and 41 of the Building (Standards of Sanitary Fitments, Plumbing, Drainage Works and Latrines) Regulation in respect of disposal of foul water and surface water respectively;
 - the 5m high warehouse is considered excessive. It should be justified upon formal plan submission to BD; and
 - detailed checking under the BO will be carried out at building plan submission stage;
- (l) to note the comments of the Head of the Geotechnical Engineering Office, Civil Engineering and Development Department (H(GEO), CEDD) that the applicant should be reminded to submit the proposed building works to BD for approval as required under the provisions of the BO;
- (m) to note the comments of the Chief Highway Engineer/New Territories East, Highways Department (CHE/NTE, HyD) that HyD is not/shall not be responsible for the maintenance of any access connecting the Site to Lin Ma Hang Road;
- (n) to note the comments of Chief Engineer/Construction, Water Supplies Department (CE/C, WSD) that for provision of water supply to the proposed use, the applicant may need to extend his/her inside services to the nearest suitable government water mains for connection. The applicant shall resolve any land matter (such as private lots) associated with the provision of water supply and shall be responsible for the construction, operation and maintenance of the inside services within the private lots to WSD's standards; and
- (o) to note the comments of the Project Manager (North), CEDD (PM(N), CEDD) that the proposed use is located within the proposed New Territories North (NTN) New Town under the Planning & Engineering (P&E) Study for NTN New Town and Man Kam To. The preliminary development proposal for NTN New Town was released in December 2024. While the implementation programme of NTN New Town is being formulated under the P&E Study, the site formation works will likely commence soon after the completion of detailed design in next stage. Hence, subject to the land use planning in the P&E Study, the proposed use may need to be vacated for the site formation works.

致城市規劃委員會秘書：

專人送遞或郵遞：香港北角渣華道 333 號北角政府合署 15 樓

傳真：2877 0245 或 2522 8426

電郵：tpbpd@pland.gov.hk

To : Secretary, Town Planning Board

By hand or post : 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong

By Fax : 2877 0245 or 2522 8426

By e-mail : tpbpd@pland.gov.hk

有關的規劃申請編號 The application no. to which the comment relates


A/NE-MKT/63

意見詳情 (如有需要，請另頁說明)

Details of the Comment (use separate sheet if necessary)

「提意見人」姓名/名稱 Name of person/company making this comment 侯志强議員

簽署 Signature



日期 Date

2026.4.27

致城市規劃委員會秘書：

專人送遞或郵遞：香港北角渣華道 333 號北角政府合署 15 樓

傳真：2877 0245 或 2522 8426

電郵：tpbpd@pland.gov.hk

2

To : Secretary, Town Planning Board

By hand or post : 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong

By Fax : 2877 0245 or 2522 8426

By e-mail : tpbpd@pland.gov.hk

有關的規劃申請編號 The application no. to which the comment relates

A/NE-MKT/63

意見詳情 (如有需要，請另頁說明)

Details of the Comment (use separate sheet if necessary)

此地段申請實屬嚴重對區環境生態破壞
對附近空氣污染亦產生嚴重破壞增加
漢麻地路交通負荷 村民一致反對。

「提意見人」姓名/名稱 Name of person/company making this comment

杜諾子

簽署 Signature

杜諾子

日期 Date

4-5-2026

打鼓嶺分區事務居民村代表

杜諾子

3

致城市規劃委員會秘書：

專人送遞或郵遞：香港北角渣華道 333 號北角政府合署 15 樓

傳真：2877 0245 或 2522 8426

電郵：tpbpd@pland.gov.hk

To : Secretary, Town Planning Board

By hand or post : 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong

By Fax : 2877 0245 or 2522 8426

By e-mail : tpbpd@pland.gov.hk

有關的規劃申請編號 The application no. to which the comment relates

A/NE-MKT/63

意見詳情 (如有需要，請另頁說明)

Details of the Comment (use separate sheet if necessary)

反對。現在附近建倉太多，車輛出入，非常繁忙，
 對居民會做成不便及危險，有做成空氣污染。

「提意見人」姓名/名稱 Name of person/company making this comment 鄭錦富

簽署 Signature 鄭錦富 日期 Date 4-5-2026

tpbpd/PLAND

寄件者: [REDACTED]
寄件日期: 2026年05月11日星期一 0:38
收件者: tpbpd/PLAND
主旨: A/NE-MKT/63 DD 86 Man Kam To
類別: Internet Email

A/NE-MKT/63

Lots No. 98, 99, 101, 103 and Adjacent Government Land in D.D. 86 and Adjoining Government Land, Man Kam To

Site area: About 2,032sq.m

Zoning: "Agriculture"

Applied use: Warehouse / 2 Vehicle Parking / **Filling of Land**

Dear TPB Members,

Strong Objections. No record of previous approvals. While applications for brownfield close by have been approved. this has been upon review and in light of the relocation antra.

There is no justification to approve further penetration of brownfield into the district as it has not been designated for this purpose.

The application should be rejected.

Mary Mulvihill

Urgent Return receipt Expand Group Restricted Prevent Copy Confidential

5

tpbpd/PLAND

寄件者: [REDACTED]
寄件日期: 2026年05月08日星期五 13:30
收件者: tpbpd/PLAND
主旨: KFBG's comments on four planning applications
附件: 260508 s16 KTN 1230.pdf; 260508 s16 MKT 63.pdf; 260508 s16 TKL 838.pdf; 260508 s16 MKT 62.pdf
類別: Internet Email

Dear Sir/ Madam,

Attached please see our comments regarding four applications. There are four pdf files attached to this email. If you cannot see/ download/ open these files, please notify us through email.

Please do not disclose our email address.

Thank You and Best Regards,

Ecological Advisory Programme
Kadoorie Farm and Botanic Garden

Email Disclaimer:

The information contained in this e-mail (including any attachments) is confidential and is intended solely for the addressee. If you are not the intended recipient, please notify the sender immediately and delete this e-mail from your system. Any unauthorised use, disclosure, copying, printing, forwarding or dissemination of any part of this information is prohibited. KFBG does not accept responsibility and shall not be liable for the content of any e-mail transmitted by its staff for any reason other than bona fide official purposes. There is no warranty that this e-mail is error or virus free. You should not rely on any information that is not transmitted via secure technology.



嘉道理農場暨植物園公司
Kadoorie Farm & Botanic Garden Corporation

The Secretary,
Town Planning Board,
15/F, North Point Government Offices,
333, Java Road, North Point,
Hong Kong.
(Email: tpbpd@pland.gov.hk)

8th May, 2026.


By email only

Dear Sir/ Madam,

**Proposed Temporary Warehouse (Storage of Construction Materials) with Ancillary
Office and Associated Filling of Land for a Period of 3 Years
(A/NE-MKT/63)**

1. We refer to the captioned.
2. We urge the Board to first consult the relevant authorities to verify the current status of the site, including whether there are any ongoing unauthorised activities, uses, or enforcement cases associated with the application site. If any such issues are identified, we recommend that the Board carefully consider whether it is appropriate to approve the application.
3. Thank you for your attention.

Ecological Advisory Programme
Kadoorie Farm and Botanic Garden



Urgent Return receipt Expand Group Restricted Prevent Copy

6

tpbpd/PLAND

寄件者: [REDACTED]
寄件日期: 2026年04月30日星期四 14:38
收件者: tpbpd/PLAND
主旨: s16 A_NE-MKT_63 WWF 20260430
附件: s16_A_NE-MKT_63 20260430 WWF.pdf
類別: Internet Email

Dear Sir/Madame,

Attached please find our submission regarding the planning application A/NE-MKT/63.

Thank you for your attention.


Yours faithfully,
Mr. Tobi Lau
Senior Manager, HK Biodiversity and Conservation Policy
WWF-Hong Kong

Registered Name 註冊名稱: World Wide Fund For Nature Hong Kong 世界自然(香港)基金會 (Incorporated in Hong Kong with limited liability by guarantee 於香港註冊成立的擔保有限公司). This email (including any attachments) is intended for the use of the designated recipient(s) only, which may contain confidential, non-public, proprietary information, and/or be protected by the attorney-client or other privilege. Any unauthorized reading, distribution, copying, or other use of this communication is strictly prohibited and may be unlawful. Receipt by anyone other than the intended recipient(s) should not be deemed a waiver of any privilege or protection. If you are not the intended recipient or believe you have received this email in error, please notify the sender immediately and delete this email from your computer system. This email and any attachments are checked for viruses and other malicious software ("malware"). However, the sender does not warrant, represent, or guarantee in any way that this communication is free from malware or potentially damaging defects. The sender disclaims all liability for any errors, omissions, or damages arising out of or in connection with the use or reliance on the information contained in this email.



世界自然基金會
香港分會

WWF-Hong Kong



30 Apr 2026

Town Planning Board
15/F North Point Government Offices
333 Java Road
North Point
Hong Kong
(Email: tpbpd@pland.gov.hk)

By E-mail ONLY

Dear Chair and Board Members,

RE: Proposed Temporary Warehouse (Storage of Construction Materials) with Ancillary Office and Associated Filling of Land for a Period of 3 Years in an "AGR" zone in Lin Ma hang in Ta Kwu Ling (A/NE-MKT/63)

We would like to show concern to the captioned.

Suspected unlawful development within the application site

According to Google's aerial images taken in 2023 and 2024, the 2023's image indicates the application site remained intact and covered with vegetation (Fig 1). However, the 2024 aerial image shows that a structure has emerged within the application site. However, no planning application for the subject structure can be found to have been submitted or approved based on the records available on the Town Planning Board's portal. While we do not have updated land use status of the application site, it would be grateful if the Town Planning Board requests relevant government departments to investigate any illegal use and development emerged in relation with the application within the site. If that were the case, we would like to ask the Town Planning Board to reject the application so as not to legitimate such unlawful habitat destruction ahead of the town planning approval granted.

We would be grateful if our comment could be considered by the Town Planning Board.

together possible™

贊助人：中華人民共和國
香港特別行政區行政長官
李家超先生, 大紫荊勳章, SBS, PDSM
主席：白丹尼先生
行政總裁：黃碧蓮女士

核數師：富睿瑪澤會計師事務所有限公司
公司秘書：嘉信秘書服務有限公司
義務司庫：匯豐銀行
註冊慈善機構

Patron: The Honourable John Lee Ka-chiu, GBM, SBS, PDSM
The Chief Executive, Hong Kong Special Administrative Region
People's Republic of China
Chairman: Mr Daniel R Bradshaw
CEO: Ms Nicole Wong

Auditors: Forvis Mazars CPA Limited
Company Secretary:
McCabe Secretarial Services Limited
Honorary Treasurer: HSBC
Registered Charity
(Incorporated With Limited Liability)

註冊名稱 Registered Name: 世界自然(香港)基金會 World Wide Fund For Nature Hong Kong
(於香港註冊成立的擔保有限公司 Incorporated in Hong Kong with limited liability by guarantee)

Kind regards,



Mr. Tobi Lau
Senior Manager, HK Biodiversity and Conservation Policy
WWF Hong Kong
[Redacted]

Figure 1. Aerial view of application site taken in 2023 when the structure was not yet in existence



Image source: Google Earth (Accessed on 30 Apr 2026)

Figure 2. Aerial view of application site taken in 2024 when the structure was in place



Image source: Google Earth (Accessed on 30 Apr 2026)