

- All dimensions are in metres
 For Legends, please see MP01 (sheet 1 of 2.)

Legends:

r	<u></u>	
Legend	Name	Description
B	Garden Center, Kiosk, offices	Height: About 4.57m Area: 215 s.q.m
Р	Moveable Pergola	Size: 6mx12mx2units Height: About 4m Area: 144 s.q.m
B1	Moveable Storage	Size: 2.7mx6.8mx1unit Height: About 3m Area: 18.36 s.q.m
B2	Moveable Container Storage	Size: 2.44mx6.1mx3units Height: About 3m Area: 44.65 s.q.m
	Proposed Septic Tank & Soakaway Pit	About 2m deep, Area: 100 s.q.m. max.
LP	Look—out Platform	Perimeter: 51.2m Height: About 3m Area: 65.01 s.q.m Size:
С	Caravan 01-10	2.2mx7mx10units Height: About 2.5m Area: 154 s.q.m Size:
	Portable Toilet	1.2mx7m Height: About 2.6m Area: 8.4 s.q.m
	Sign	Size: 0.6mx5m Height: About 4m
	Gate	width of entrance x 1.8m high
MCB	Electric Box	Size: 1.05mx2.5mx1unit Height: About 2.5m Area: 2.63 s.q.m
СР	Parking	Size: 2.5mx5mx4units
	Lands Not Included	


Proposed Site is 3672 s.q.m and covered area is 603.92 s.q.m


Master Layout Plan

Application No. : A/SLC/155	Caravan Site on Lots 627 to 630	drawing no.:	MP02 (sheet 2 of 2)
design by : John Yu	632 to 637, 639 to 642, 647 to 650 710 to 712, 715RP, 716, 717, 718RP	Scale :	As shown
Check by: CY Hon	in DD316L PUI O Lantau Island HK	Date ·	30th December 2022

(來源:申請人於2022年12月30日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 30.12.2022)

繪圖 DRAWING 參考編號 REFERENCE No. A/SLC/173 A-1





(來源:申請人於2022年11月16日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 16.11.2022) 參考編號 REFERENCE No. A/SLC/173 繪圖 DRAWING A-2

0° 10m 20m Site Formation Plan SF01a (sheet 1 of 3) Caravan Site on lots 626(Part), 627(Part), 628 to A/SLC/155 630, 632, 633(Part), 634 to 637, 639 to 642, As shown John Yu 647 to 650, 710 to 712, 715RP, 716, 717 and 718RP in D.D.316L, PUI O, Lantau Island HK 8th Mar 2021 CY Hon

Notes:

- 1. All dimensions are in mm unless otherwise stated.
- 2. All surface shall be grassed unless otherwise stated.
- 3. details of the surface channels, catchpits and sandtrap shall refer to DSD's standard drawings.

Legends:


Legend	Name
+4.60	Proposed site formation level
IL +4.60	Invert level at +4.60mPD
proposed 225UC	Proposed underground pipe
proposed underground pipe 300	NA
	Proposed catchpits
sand trap	Proposed sandtrap
150UC	existing 150UC

Site Formation Plan


Application No. : A/SLC/155	Caravan Site on lots 627 to 630,
design by : John Yu	632 to 637, 639 to 642, 647 to 650 710 to 712, 715RP, 716, 717, 718RP
CY Hon	in D.D.316L, PUI O, Lantau Island HK

	drawing no.:	SF01	a	(sheet 3 of 3)
Scale :		As s	shov	vn
-	Date :	8th I	Mar	2021

(來源:申請人於2022年11月16日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 16.11.2022) 參考編號 REFERENCE No. A/SLC/173 繪圖 DRAWING A-3a



(來源:申請人於2022年11月16日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 16.11.2022) 參考編號 REFERENCE No. A/SLC/173 A-3b



Legends:

- All dimensions are in metres
 For Legends, please see MP01 (sheet 2 of 2.)
- A pumproom contracts of bricks with 2 hr FRP is added. The size shall be 2m x 5m x 2.8m high

Legend	Description			
0	2kg Dry Powder type fire extinguisher			
\otimes	4kg Dry Powder type fire e	4kg Dry Powder type fire extinguisher		
\bigcirc	2kg Co2 gas type fire extin	2kg Co2 gas type fire extinguisher		
E	Fire Blanket			
[HR]	F.S Hose Reel Set			
\Box	150mm Fire Alarm Bell			
	Break Glass Call Point			
	Visual Alarm Signal			
С	Caravan 01-10			
	Gate	width of entrance x 1.8m high		
MCB	Electric Box	Size: 2.7mx6.8mx1unit Height: About 3m Area: 18.36 s.q.m		
СР	Parking	Size: 2.5mx5mx4units		
- 100 + 1 100	Lands Not Included			

Proposed Site is 3672 s.q.m and covered area is 607.39 s.q.m

Fire Notes:

- $1. Sufficient \ emergency \ lighting \ shall \ be \ provided \ throughout \ the \ entire \ building \ in \ accordance \ with \ BS5266: Part \ 1 \ and \ BS \ EN1838.$
- 2.Sufficient directional and exit sign shall be provided in accordance with B5 5266: Part 1 and FSD Circulasr letter 5/2008.
- 3.Sufficient portable hand-operated approved appliance shall be provided as required by occupancy and as marked on plans.
- There shall be sufficient hose reel to ensure that every part of each builldind can be reached by a length of not more than 30m of hose reel tubing. The F.S water tank, F.S pump room and hose reel shall be clearly marked on plans.
- 5. Fire alarm system shall be provided throughout the entire building in accordance with BS 5839-1:2002 + A2:2008 and FSD Circular Letter 1/2009. One actuation point and one audio warning device to be located at each hose reel point. The actuation point should include facilities for fire pump start and audio/Visual warning device initiation.
- 6.Hose Reel pump(HR-P1,HR-P2,JP) and 1.no 4kg dry powder type fire extinguisher shall be provided at F.S pump Room.
- 7.Secondary Source of electrical supply should be provided.


Rev. B pumproom added

Rev. A a 2cu.m. FS tank added

Application No. : A/SLC/155	Caravan Site on Lots 626(Part), 627(Part), 628 to 630		ver. B (sheet 2 of 2)
design by : John Yu	632, 633(Part), 634 to 637, 639 to 642, 647 to 650 710 to 712, 715RP, 716, 717, 718RP	Scale :	As shown
Check by: CY Hon	PUI O Lantau Island HK	Date :	15th June 2020

(來源:申請人於2022年11月16日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 16.11.2022) 參考編號 REFERENCE No. A/SLC/173

繪 圖 **DRAWING** A-4




Notes:

- 1. All dimensions are in meters unless otherwise stated.
- 2. This drawing shall be read in conjunction with MP01.
- 3. The dimension of each loading/unloading space for PC/LGV is 2.5m x 5m.
- 4. There are 4 spaces for loading/unloading purposes.
- 5. The minimum clear headroom for pergola shall be 2m.
- 6. No vehicles is allowed to queue back to or reverse onto/from public road.

Justification:

The loading and unloading spaces are for the use of garden centre daily operation. The users of the temporary holiday camps are not allowed to use the loading/unloading space. They are advised to use public transports to reach us. The four loading/unloading spaces are reserved for future use, according to our experience, two spaces are more than enough at the moment as we provide delivery services.


Our purposes is to alleviate the road loading by private cars. The users of the temporary holiday camp shall use public transport.





Loading/Unloading Space

Application No. : A/SLC/155	Caravan Site on Lots 626(Part), 627(Part), 628 to 630	Drawing no.:	TO1 (sheet 2 of 2)
Design by : John Yu	632, 633(Part), 634 to 637, 639 to 642, 647 to 650 710 to 712, 715RP, 716, 717, 718RP	Scale :	As shown
Check by: CY Hon	PUI O Lantau Island HK	Date :	30 April 2020

(來源:申請人於2022年11月16日呈交) (SOURCE: SUBMITTED BY APPLICANT ON 16.11.2022) 參考編號 REFERENCE No. A/SLC/173 繪圖 DRAWING A-5







所根據的資料為地政總署於2022年2月26日 拍得的航攝照片編E151718C

EXTRACT PLAN PREPARED ON 3.1.2023 BASED ON AERIAL PHOTO No.E151718C TAKEN ON 26.2.2022 BY LANDS DEPARTMENT

擬議臨時度假營 (需營車度假營) (為期3年) 和挖土工程 (排污設施) 大嶼山貝澳丈量約份第316約地段第626號 (部分)、第627號 (部分)、第628號至第630號、第632號、第633號 (部分)、第634號至第637號、第639號至第642號、第639號至第650號、第710號至第712號,第715號的分段、第715號餘段、第716號、第717號及第718號段

PROPOSED TEMPORARY HOLIDAY CAMP (CARAVAN HOLIDAY CAMP)
FOR A PERIOD OF 3 YEARS AND EXCAVATION OF LAND (SEWAGE FACILITIES)
LOTS 626 (PART), 627 (PART), 628 TO 630, 632, 633 (PART), 634 TO 637, 639 TO 642, 647 TO 650,
710 TO 712, 715 S.B, 715 RP, 716, 717 AND 718 RP IN D.D. 316L, PUI O, LANTAU ISLAND

PLANNING DEPARTMENT



參考編號 REFERENCE No. A/SLC/173

圖 PLAN A-3



申請地點界線只作識別用 APPLICATION SITE BOUNDARY FOR IDENTIFICATION PURPOSE ONLY

本圖於2022年12月30日擬備,所根據的 資料為攝於2022年11月25日的實地照片 PLAN PREPARED ON 30.12.2022 BASED ON SITE PHOTOS TAKEN ON 25.11.2022

實地照片 SITE PHOTO

擬議臨時度假營(露營車度假營)(為期3年)和挖土工程(排污設施) 大嶼山貝澳丈量約份第316約地段第626號(部分)、第627號(部分)、第628號至第630號、第632號、 第633號(部分)、第634號至第637號、第639號至第642號、第647號至第650號、 第710號至第712號、 第715號B分段、第715號餘段、第716號、第717號及第718號餘段

PROPOSED TEMPORARY HOLIDAY CAMP (CARAVAN HOLIDAY CAMP) FOR A PERIOD OF 3 YEARS AND EXCAVATION OF LAND (SEWAGE FACILITIES) LOTS 626 (PART), 627 (PART), 628 TO 630, 632, 633 (PART), 634 TO 637, 639 TO 642, 647 TO 650, 710 TO 712, 715 S.B, 715 RP, 716, 717 AND 718 RP IN D.D. 316L, PUI O, LANTAU ISLAND

規劃署 PLANNING DEPARTMENT



參考編號 REFERENCE No.

圖 PLAN A/SLC/173 A-4a

申請地點 APPLICATION SITE



毗鄰停車場及 露天貯物 ADJACENT CARPARK AND OPEN STORAGE

ACCESS TO APPLICATION SITE

巴士站 BUS STOP





申請地點界線只作識別用 APPLICATION SITE BOUNDARY FOR IDENTIFICATION PURPOSE ONLY

本圖於2022年12月30日擬備,所根據的資料為 攝於2022年11月25日及12月22日的實地照片 PLAN PREPARED ON 30.12.2022 BASED ON SITE PHOTOS TAKEN ON 25.11.2022 & 22.12.2022

實地照片 SITE PHOTO

擬議臨時度假營(露營車度假營)(為期3年)和挖土工程(排污設施) 大嶼山貝澳丈量約份第316約地段第626號(部分)、第627號(部分)、 第628號至第630號:第632號、第633號(部分)、第634號至第637號、 第639號至第642號、第647號至第650號、第710號至第712號、 第715號B分段、第715號餘段、第716號、第717號及第718號餘段

PROPOSED TEMPORARY HOLIDAY CAMP (CARAVAN HOLIDAY CAMP)
FOR A PERIOD OF 3 YEARS AND EXCAVATION OF LAND (SEWAGE FACILITIES)
LOTS 626 (PART), 627 (PART), 628 TO 630, 632, 633 (PART), 634 TO 637
639 TO 642, 647 TO 650,710 TO 712, 715 S.B, 715 RP, 716, 717 AND 718 RP IN
D.D. 316L, PUI O, LANTAU ISLAND

規 劃 署 PLANNING DEPARTMENT



參考編號 REFERENCE No. A/SLC/173

圖 PLAN A-4b







涼 棚 內 部 INSIDE THE PERGOLA

申請地點界線只作識別用 APPLICATION SITE BOUNDARY FOR IDENTIFICATION PURPOSE ONLY

本圖於2022年12月30日擬備,所根據的 資料為攝於2022年11月25日的實地照片 PLAN PREPARED ON 30.12.2022 BASED ON SITE PHOTOS TAKEN ON 25.11.2022

實地照片 SITE PHOTO

擬議臨時度假營(露營車度假營)(為期3年)和挖土工程(排污設施) 大嶼山貝澳丈量約份第316約地段第626號(部分)、第627號(部分)、 第628號至第630號:第632號、第633號(部分)、第634號至第637號、 第639號至第642號、第647號至第650號、第710號至第712號、 第715號B分段、第715號餘段、第716號、第717號及第718號餘段

PROPOSED TEMPORARY HOLIDAY CAMP (CARAVAN HOLIDAY CAMP)
FOR A PERIOD OF 3 YEARS AND EXCAVATION OF LAND (SEWAGE FACILITIES)
LOTS 626 (PART), 627 (PART), 628 TO 630, 632, 633 (PART), 634 TO 637
639 TO 642, 647 TO 650,710 TO 712, 715 S.B, 715 RP, 716, 717 AND 718 RP IN
D.D. 316L, PUI O, LANTAU ISLAND

規 劃 署 PLANNING DEPARTMENT



參考編號 REFERENCE No. A/SLC/173

圖 PLAN A-4c