
----- UIS OF UH

に又日在 収到・城市規劃委員會 只分在收到所有必要的資料及文件**後**才正式確認收到

15/11/1/

This document is received on 3 C JUN 77.73.

The Town Planning Board will formally acknowledge the date of receipt of the application only upon receipt of all the required information and documents.



APPLICATION FOR PERMISSION UNDER SECTION 16 OF THE TOWN PLANNING ORDINANCE (CAP.131)

根據《城市規劃條例》(第131章) 第16條遞交的許可申請

Applicable to Proposal Only Involving Temporary Use/Development of Land and/or Building Not Exceeding 3 Years in Rural Areas or Renewal of Permission for such Temporary Use or Development*

適用於祇涉及位於鄉郊地區土地上及/或建築物內進行為期不超過三年的臨時用途/發展或該等臨時用途/發展的許可續期的建議*

*Form No. S16-I should be used for other Temporary Use/Development of Land and/or Building (e.g. temporary use/developments in the Urban Area) and Renewal of Permission for such Temporary Use or Development.
*其他土地上及/或建築物內的臨時用途/發展 (例如位於市區內的臨時用途或發展)及有關該等臨時用途/發展的許可續期,應使用表格第 S16-I 號。

Applicant who would like to publish the <u>notice of application</u> in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers: https://www.info.gov.hk/tpb/en/plan application/apply.html

申請人如欲在本地報章刊登<u>申請通知</u>,以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行土地擁有人所指定的其中一項合理步驟,請瀏覽以下網址有關在指定的報章刊登通知: https://www.info.gov.hk/tpb/tc/plan_application/apply.html

General Note and Annotation for the Form

填寫表格的一般指引及註解

- "Current land owner" means any person whose name is registered in the Land Registry as that of an owner of the land to which the application relates, as at 6 weeks before the application is made
 - 「現行土地擁有人」指在提出申請前六星期,其姓名或名稱已在土地註冊處註冊為該申請所關乎的 土地的擁有人的人
- & Please attach documentary proof 請夾附證明文件
- ^ Please insert number where appropriate 請在適當地方註明編號

Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」

Please use separate sheets if the space provided is insufficient 如所提供的空間不足,請另頁說明

Please insert a 「レ」 at the appropriate box 請在適當的方格内上加上「レ」號

For Official Use Only 請勿填寫此欄	Application No. 申請編號:	A/YU-KIN/937
	Date Received 收到日期	3 C JUN 7053

- 1. The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 申請人須把填妥的申請表格及其他支持申請的文件(倘有),送交香港北角渣華道 333 號北角政府合署 15 樓城市規劃委員會(下稱「委員會」)秘書收。
- 2. Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at http://www.info.gov.hk/tpb/. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories). 請先細閱《申請須知》的資料單張,然後填寫此表格。該份文件可從委員會的網頁下載(網址: http://www.info.gov.hk/tpb/),亦可向委員會秘書處(香港北角渣華道 333 號北角政府合署 15 樓-電話: 2231 4810 或 2231 4835)及規劃署的規劃資料查詢處(熱線: 2231 5000) (香港北角渣華道 333 號北角政府合署 17 樓及新界沙田上禾崙路 1 號沙田政府合署 14 樓)索取。
- 3. This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete.
 此表格可從委員會的網頁下戰,亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全,委員會可拒絕處理有關申請。

1.	Name of Applicant	申請人姓名/名稱
----	-------------------	----------

(☑Mr. 先生 /□Mrs. 夫人 /□Miss 小姐 /□Ms. 女士 /□Company 公司 /□Organisation 機構)

WONG Po Lim

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱(如適用)

(□Mr. 先生 /□Mrs. 夫人 /□Miss 小姐 /□Ms. 女士 / ☑ Company 公司 /□ Organisation 機構)

R-riches Property Consultants Limited 盈卓物業顧問有限公司

3.	Application Site 申請地點	
(a)	Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈量約份及地段號碼(如適用)	Lots 1222 S.B, 1224 S.C and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin, Yuen Long, New Territories
(b)	Site area and/or gross floor area involved 涉及的地盤面穳及/或總樓面面 稅	☑Site area 地盤面積 566 sq.m 平方米☑About 約 ☑Gross floor area 總樓面面積 435 sq.m 平方米☑About 約
(c)	Area of Government land included (if any) 所包括的政府土地面積(倘有)	N/A sq.m 平方米 □About 約

(d)	Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號						
(e)	Land use zone(s) involved "Agriculture" zone 涉及的土地用途地帶						
(f)	Vacant Current use(s) 現時用途 (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或計區設施,語在例則上顯示、形計明用途及熱機而面積)						
4.	"Current I and Owner" of A	pplication Site 申請地點的「現行土均	h 1904 7/= 1				
	· · · · · · · · · · · · · · · · · · ·	ppineation Site 中調地震的 塊11工具	51雅/月 八 」 ———————————————————————————————————				
The	applicant 申請人 -	lease proceed to Part 6 and attach documentary proof	a Carron analyin				
		青繼續填寫第 6 部分,並夾附業權證明文件)。	or ownership).				
	is one of the "current land owners"** 是其中一名「現行土地擁有人」**	(please attach documentary proof of ownership). (請夾附業權證明文件)。					
Ø	is not a "current land owner"". 並不是「現行土地擁有人」"。						
	The application site is entirely on Government land (please proceed to Part 6). 申請地點完全位於政府土地上(請繼續填寫第 6 部分)。						
5.	Statement on Owner's Conse	ent/Notification					
	就土地擁有人的同意/通	知土地擁有人的陳 述	•				
(a)	According to the record(s) of the Land Registry as at						
(b)	The applicant 申請人 -						
	has obtained consent(s) of	"current land owner(s)".					
	已取得 名「	現行上地擁有人」"的同意。					
	Details of consent of "current	land owner(s)" * obtained 取得「現行上地擁有人	」"问意的詳惜				
	No. of 'Current Land Owner(s)' 「現行土地擁有 人」數目 Lot number/address of premises as shown in the record of the Land (DD/MM/YYYY) 取得同意的日期 (日/月/年)						
	(Please use separate sheets if the sp	ace of any box above is insufficient. 如上列任何方格的空	間不足・請另頁說明)				

	Details of the "current land owner(s)" notified 已獲通知「現行土地擁有人」"的詳細資料							
	La	of 'Current nd Owner(s)' 現行土地擁 人」數目	Land Regist	ry where notification	nises as shown in ation(s) has/have 出通知的地段號		Date of notification given (DD/MM/YYYY) 通知日期(日/月/年)	
	(Plea	ise use separate s	heets if the space	e of any box above	ve is insufficient.	们上列任何方格的约	間不足・謝另頁説明)	
ď					give notification]該人發給通知。			
	Reas	sonable Steps to	Obtain Cons	ent of Owner(s)	取得上地擁有	人的同意所採取的	的合理步骤	
						有人」"郵遞要求同	(DD/MM/YYYY) ^{#&} 引意馨 ^{&}	
	Reas	sonable Steps to	Give Notific	ation to Owner(s) 向土地擁有	人發出通知所採耳	2的合理步驟	
					B 章就申請刊登-	(DD/MM/YY 次通知 ^{&}	YY) ^{&}	
	⊘			t position on or i	near application s	ite/premises on		
		於	(日)	/月/年)在申請均	」點/申請處所可	找附近的顯明位置	贴出關於該申請的通知	
	Ø	office(s) or rui 於	ral committee (日	on <u>07/06</u> /月/年)把通知	/2023 (DD/	MM/YYYY) ^{&}	committee(s)/managemen 長員會/互助委員會或管理	
		處,或有關的	列鄉事委員會的	c		·		
	Othe	ers 其他						
		others (please 其他(請指明						
	-							
	-	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · ·					
	-							
			•					

	· · · · · · · · · · · · · · · · · · ·				
6. Type(s) of Applicatio	n 申讀類》	别			
(A) Temporary Use/Develo	pment of Lan	d and/or Buildi	ng Not Exceedi	ng 3 Years in Rura	Areas
位於鄉郊地區主地上及	Tall 1. 41 . 12. 12. ("Talland	Chairman Table New York	The second of th	・ででは、これではないというできます。	
(For Renewal of Permissi				Areas; please proceed	litoPart (B))
(如屬位於鄉郊地區臨時)	用途/發展的規劃	唯一可模期。例如	(寫(B)部分).	是是於其他的關係	机种位置排制 計算
	Proposed T	remoorany Ware	house (Excludin	g Dangerous Goods	Godown)
(a) Proposed				ars and Associated F	
use(s)/development					
挺議用途/發展		·			
			proposal on a layou	i plan) (請用平面固說明	挺諁詳悅)
(b) Effective period of permission applied for	[rear(s) 年	***************************************		
申請的許可有效期	□ n	nonth(s) 個月			
(c) Development Schedule 對應	細節表				
Proposed uncovered land area	a 擬議露天上地	加爾	•••••	131	sq.m 幻 About 約
Proposed covered land area #	疑議有上蓋土 地	2面積	*******	435	sq.m ⊠About #J
Proposed number of building	s/structures 擬詩	戴建築物/構築物	勿数 目	2	
Proposed domestic floor area	摄議住用樓面	面積			
Proposed non-domestic floor	area 擬議非住	用樓而而積		435	sq.m ☑About 約
Proposed gross floor area 擬語	議總樓面面積			435	sq.m ⊠About #/j
					•
Proposed height and use(s) of dif	fferent floors of	huildings/structur	es (if applicable)	建築物/構築物的擬約	高度及不同概隔
Proposed height and use(s) of dif 的擬議用途 (如適用) (Please us		-			
Proposed height and use(s) of dif 的擬議用途 (如適用) (Please us structure use		ts if the space belo			
的擬議用途 (如適用) (Please us structure use 81 WAREHOUSE (EXCLUDING	se separate sheet	ts if the space belo	ow is insufficient)	(如以下空間不足,語 BUILDING	情另質說明)
的擬議用途 (如適用) (Please us STRUCTURE USE B1 WAREHOUSE (EXCLUDING I SITE OFFICE, WASHROOM	se separate sheet	ts if the space belo COVERED AREA 222 m ² (ABOUT)	OW is insufficient) GFA 222 m ² (ABOUT)	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY)	背另質說·明)
的擬議用途 (如適用) (Please us use use warehouse (excluding is	se separate sheet	ts if the space belo COVERED AREA 222 m ² (ABOUT) 213 m ² (ABOUT)	OW is insufficient) GFA 222 m ² (ABOUT) 213 m ² (ABOUT)	(如以下空間不足,記 BUILDING HEIGHT	背另質說明)
的接議用途(如適用)(Please us structure use	SE SEPARATE SHEET D G G ; TOTAL	ts if the space belo COVERED AREA 222 m ² (ABOUT) 213 m ² (ABOUT) 435 m ² (ABOUT)	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT)	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY)	背另質說·明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM BZ WAREHOUSE (EXCLUDING I	DGG; TOTAL spaces by types	ts if the space belo COVERED AREA 222 m ² (ABOUT) 213 m ² (ABOUT) 435 m ² (ABOUT)	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT)	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY)	背另質說明)
的接議用途(如適用)(Please us structure use 81	se separate sheet D G G ; D G G ; TOTAL spaces by types	ts if the space belo COVERED AREA 222 m ² (ABOUT) 213 m ² (ABOUT) 435 m ² (ABOUT)	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) (竹挺諒幽	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	情另質說·明)
的接議用途(如適用)(Please us structure use 81	se separate sheet D G G ; D G G ; TOTAL spaces by types E 車 単位	ts if the space belo COVERED AREA 222 m² (ABOUT) 213 m² (ABOUT) A35 m² (ABOUT) 不同種類停車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) Z的擬議數目	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	有另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM BZ) Proposed number of car parking Private Car Parking Spaces 私家 Motorcycle Parking Spaces 電單 Light Goods Vehicle Parking Sp	se separate sheet DGG; TOTAL spaces by types E車車位 E車車位 aces 輕型貨車	ts if the space belo COVERED AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 【竹撰議收目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTXI-STOREY) 8.23 m (ABOUTXI-STOREY)	背另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM Proposed number of car parking Private Car Parking Spaces 私家 Motorcycle Parking Spaces 10年 Light Goods Vehicle Parking Sp Medium Goods Vehicle Parking	se separate sheet DGG; TOTAL spaces by types E車車位 B車車位 aces 輕型貨車; Spaces 中型貨	ts if the space belo COVERED AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 【竹挺流收日	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	情另質說·明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM BZ) Proposed number of car parking Private Car Parking Spaces 私家 Motorcycle Parking Spaces 電單 Light Goods Vehicle Parking Sp	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車; Spaces 中型貨 paces 重型貨車	ts if the space belo COVERED AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) Z的擬議數目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTXI-STOREY) 8.23 m (ABOUTXI-STOREY)	有另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車; Spaces 中型貨 paces 重型貨車	ts if the space belo COVERED AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 【竹揉蔬收目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	背另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車; Spaces 中型貨 paces 重型貨車 請列明)	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 【竹揉蔬收目	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTXI-STOREY) 8.23 m (ABOUTXI-STOREY)	背另質說明)
的接議用途(如適用)(Please us structure use 81	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車; Spaces 中型貨 paces 重型貨車 請列明)	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) Z的擬議數目	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	有另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM BZ) Proposed number of car parking Private Car Parking Spaces 私家 Motorcycle Parking Spaces 電單 Light Goods Vehicle Parking Sp Medium Goods Vehicle Parking Sp Medium Goods Vehicle Parking Sp Others (Please Specify) 其他(清 Proposed number of loading/unlease Spaces 的土耳位	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車; Spaces 中型貨 paces 重型貨車 請列明)	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) L'仍接疏收目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	有另質說明)
的接議用途(如適用)(Please us structure use 81	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車: Spaces 中型貨 paces 重型貨車 請列明) pading spaces 上	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) L竹擬議數目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTXI-STOREY) 8.23 m (ABOUTXI-STOREY)	有另質說明)
的接議用途(如適用)(Please us structure use 81 WAREHOUSE (EXCLUDING I SITE OFFICE, WASHROOM B2 WAREHOUSE (EXCLUDING I Proposed number of car parking Spaces 私家 Motorcycle Parking Spaces 孩母 Light Goods Vehicle Parking Spaceium Goods Vehicle Parking Spaceium Goods Vehicle Parking Spacey	se separate sheet DGG; TOTAL spaces by types E車車位 aces 輕型貨車。 Spaces 中型貨 paces 重型負車 前列明) Dading spaces 上	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 【仍接流收目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	情另質說·明)
的接議用途(如適用)(Please us structure use 81	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 Aces 輕型貨車; Spaces 中型貨 paces 重型貨車 清列明) Dading spaces 上 型貨車車位 中型貨車車位	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) Z的擬議數目	(如以下空間不足, BUILDING HEIGHT B 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	有另質說明)
的接議用途(如適用)(Please us STRUCTURE USE 81 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2 WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM WAREHOUSE (EXCLUDING ISTE OFFICE, WASHROOM B2 W	se separate sheet DGG; DGG; TOTAL spaces by types E車車位 aces 輕型貨車: Spaces 中型貨 paces 重型貨車 請列明) Dading spaces 上 型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位 中型貨車車位	ts if the space belocovered AREA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) 不同種類停車位 中泊車位 中泊車位	OW is insufficient) GFA 222 m² (ABOUT) 213 m² (ABOUT) 435 m² (ABOUT) Z伯撰議數目	(如以下空間不足, BUILDING HEIGHT 8 23 m (ABOUTX1-STOREY) 8.23 m (ABOUTX1-STOREY)	有另質說明)

Proposed operating hours 擬議營運時間 Monday to Saturday from 09:00 to 19:00, no operation on Sunday and public holiday					
Yes 是 (d) Any vehicular access to the site/subject building? 是否有車路通往地盤/ 有關建築物?		ss to ing?	appropriate) 有一條現有車路。(請註明車路名稱(如適用)) Accessible from Mei Fung Road via a local access There is a proposed access. (please illustrate on plan and specify the widt 有一條擬議車路。(請在圖則顯示,並註明車路的闊度)		
		No	否 □	,	
(e)	Impacts of Developn	nent Propos	al 擬議發展計劃的影響		
		for not pro	sheets to indicate the proposed measures to minimise possible adverse impacts or gividing such measures. 如需要的話,請另頁註明可盡量減少可能出現不良影響)		
(i)	Does the	Yes 是	□ Please provide details 請提供詳情		
	development proposal involve alteration of existing building? 擬議發展計劃是 否包括現有建築 物的改動?	No 否			
		Yes 是	✓ (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stree diversion, the extent of filling of land/pond(s) and/or excavation of land) (請用地盤平面關顯示有關土地/池塘界線、以及河道改道、填轄、填土及/或挖土的細節及/範囲)		
	_		□ Diversion of stream 河道改道		
(ii)	Does the development proposal involve the operation on the		□ Filling of pond 填塘 Area of filling 填塘面積sq.m 平方米 □About 約 Depth of filling 填塘深度m 米 □About 約		
:	right? 擬議發展是否涉 及右列的工程?		☑ Filling of land 填土 Area of filling 填土面積 566 sq.m 平方米 ☑About 約 Depth of filling 填土厚度 .not more than 0.2. m 米 □About 約		
		No 否	□ Excavation of land 挖土 Area of excavation 挖土面積sq.m 平方米 □About 約 Depth of excavation 挖土深度m 米 □About 約		
				ᆜ	
(iii)	Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響?	On traffic On water On draina On slopes Affected t Landscape Tree Felli Visual Im	supply 對供水 Yes 會 □ No 不會 ☑ ge 對排水 Yes 會 □ No 不會 ☑		

Form No. S16-III 表格第 S16-III 號

diamete 談註明 幹直徑	state measure(s) to minimise the impact(s). For tree felling, please state the number, or at breast height and species of the affected trees (if possible)
(B) Renewal of Permission for the control of the c	Temporary.Use on Development in Rural Areas 腰的許可模期
(a) Application number to which the permission relates 與許可有關的申請編號	A//
(b) Date of approval 獲批給許可的日期	(DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期	(DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	
(c) Approval conditions 附帶條件	□ The permission does not have any approval condition 許可並沒有任何附帶條件 □ Applicant has complied with all the approval conditions 申請人已履行全部附帶條件 □ Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件: □ Reason(s) for non-compliance: 仍未履行的原因:
(f) Renewal period sought	(Please use separate sheets if the space above is insufficient) (如以上空間不足,請另頁說明) □ year(s) 年
要求的鑽則期間	□ month(s) 個月

7. Justifications 理由
The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary. 現請申請人提供申請理由及支持其申請的資料。如有需要,請另頁說明)。
Please refer to supplementary statement.
······································
······································
······································
· · · · · · · · · · · · · · · · · · ·

		Form No. S16-III 表格第 S16-III 號
8. Declarat	ion 聲明	
I hereby declare t本人謹此聲明,	hat the particulars given in this applic 本人就這宗申請提交的資料,據本	ation are correct and true to the best of my knowledge and belief. 人所知及所信,均勝真實無誤。
to the Board's we	ebsite for browsing and downloading t	materials submitted in this application and/or to upload such materials by the public free-of-charge at the Board's discretion. 有資料複製及/或上載至委員會網站,供公眾免費瀏覽或下載。
Signature 簽署	/M	□ Applicant 申請人 / ☑ Authorised Agent 獲授權代理人
	Michael WONG	
	Name in Block Letters 姚名(謂以正楷填寫)	Position (if applicable) 職位 (如適用)
Professional Qual 專業資格	lification(s)	d師學會 / □ HKIE 香港工程師學會 / 境師學會/ □ HKIUD 香港城市設計學會 判師
on behalf of 代表 R	-Riches Property Consultants Lim	ited (表於門)
☑ (Company 公司 / 🗍 Organisation N	ame and Chop (if applicable) 機構名稱及蓋章(如適用)
Date 日期	09/06/2023	(DD/MM/YYYY 日/月/年)
		Remark 備註
materials would a considers appropr 委員會會问公眾	Iso be uploaded to the Board's websi iate.	d's decision on the application would be disclosed to the public. Such te for browsing and free downloading by the public where the Board 員會對申請所作的決定。在委員會認為合適的情況下,有關申請。

Warning 警告

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance. 任何人在明知或故意的情況下,就這宗申請提出在任何要項上是虛假的陳述或資料,即屬違反《刑事罪行條例》。

Statement on Personal Data 個人資料的聲明

- 1. The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes: 委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門,以根據《城市規劃條例》及相關的城市規劃委員會規劃指引的規定作以下用途:
 - (a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and 處理這宗申請,包括公布這宗申請供公眾查閱,同時公布申請人的姓名供公眾查閱;以及
 - facilitating communication between the applicant and the Secretary of the Board/Government departments. 方便中請人與委員會秘書及政府部門之間進行聯絡。
- 2. The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above. 申請人就這宗申請提供的個人資料,或亦會向其他人土披露,以作上述第1段提及的用途。
- An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 根據《個人資料(私隱)條例》(第 486 章)的規定,申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料 應向委員會秘書提出有關要求,其地址為香港北角渣華道 333 號北角政府合署 15 樓。

Gist of Application 申請摘要						
(Please provide details in both English and Chinese <u>as far as possible</u> . This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and available at the Planning Enquiry Counters of the Planning Department for general information.) (請 <u>盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及於規劃署規劃資料查詢處供一般參閱。)</u>						
Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)					
Location/address						
位置/地址	Lots 1222 S.B, 1224 S.C and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin, Yuen Long, New Territories					
Site area 地盤面積	566 sq. m 平方米 ☑ About 約					
	(includes Government land of包括政府土地 N/A sq. m 平方米 □ About 約)					
Plan 圖則	Draft Kam Tin North Outline Zoning Plan No.: S/YL-KTN/10					
Zoning 地帶	"Agriculture" zone					
Type of Application 申請頻別	☑ Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區的臨時用途/發展為期					
	☑ Year(s) 年 <u>3</u> □ Month(s) 月					
	□ Renewal of Planning Approval for Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區臨時用途/發展的規劃許可續期為期					
	□ Year(s) 年 □ Month(s) 月					
Applied use/ development 申請用途/發展	Proposed Temporary Warehouse (Excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land					

(i)	Gross floor area and/or plot ratio		sq.m 平方米		Plot R	Plot Ratio 地積比率.	
	總樓面面積及/或地積比率	Domestic 住用	/	□ About 約 □ Not more than 不多於	/	□About 約 □Not more than 不多於	
		Non-domestic 非住用	435	☑ About 約 □ Not more than 不多於	0.77	☑About 約 □Not more than 不多於	
(ii)	No. of block 幢數	Domestic 住用		1			
		Non-domestic 非住用		2			
(iii)	Building height/No. of storeys 建築物高度/層數	Domestic 住用		1	□ (Not	m 米 more than 不多於)	
					□ (Not	Storeys(s) 層 more than 不多於)	
<u>.</u>		Non-domestic 非住用	8.:	23 (about)	☐ (Not	m 米 more than 不多於)	
				1	🗹 (Not	Storeys(s) 層 more than 不多於)	
(iv)	Site coverage 上蓋面積			77	%	図 About 約	
(v)	No. of parking spaces and loading / unloading spaces 停車位及上落客貨車位数目	Total no. of vehicle parking spaces 停車位總數 Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (講列明) Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位/停車處總數				1	
		Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 中型貨車位 Heavy Goods Vehicle Spaces 重型貨車車位 Others (Please Specify) 其他 (請列明)				1(LGV)	

	<u>Chinese</u> 中文	English 英文
Plans and Drawings 圖則及繪圖_		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖/布局設計圖		Ø
Block plan(s) 樓字位置圖		
Floor plan(s) 樓宇平面圖		
Sectional plan(s) 截視圖		
Elevation(s) 立視圖		
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片		
Master landscape plan(s)/Landscape plan(s) 園境設計總圖/園境設計圖		
Others (please specify) 其他(請註明)		· 🗹
Plan showing the zoning of the Site, Plan showing the land status of the Site, Location Pla	ın,	
Plan showing the filling of land area of the Site, Swept path analysis, As-built drainage pla	n, FSIs prop	osal
Reports 報告書		
Planning Statement/Justifications 規劃綱領/理據		☑
Environmental assessment (noise, air and/or water pollutions)		
環境評估(噪音、空氣及/或水的污染)		
Traffic impact assessment (on vehicles) 就車輛的交通影響評估		
Traffic impact assessment (on pedestrians) 就行人的交通影響評估		
Visual impact assessment 視覺影響評估		
Landscape impact assessment 景觀影響評估		
Tree Survey 樹木調查		
Geotechnical impact assessment 土力影響評估		□ .
Drainage impact assessment 排水影響評估		
Sewerage impact assessment 排污影響評估		
Risk Assessment 風險評估		
Others (please specify) 其他(請註明)		
• • • • • • • • • • • • • • • • • • • •		

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.

註: 上述申請摘要的資料是由申請人提供以方便市民大眾參考·對於所載資料在使用上的問題及文義上的歧異,城市規劃委員會概不負責。若有任何疑問,應查閱申請人提交的文件。

Supplementary Statement

1) Background

- 1.1 The applicant seeks planning permission from the Town Planning Board (the Board) to use Lots 1222 S.B, 1224 S.C and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin, Yuen Long, New Territories (the Site) for 'Proposed Temporary Warehouse (excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land' (proposed development) (Plan 1).
- 1.2 Due to the increasing demand for indoor storage space in recent years, the applicant would like to construct 2 single-storey structures at the Site for warehouses in order to support the local warehousing and storage industry.

2) Planning Context

- 2.1 The Site falls within an area zoned as "Agriculture" ("AGR") on the Draft Kam Tin North Outline Zoning Plan No.: S/YL-KTN/10 (Plan 2). According to the Notes of the OZP, 'warehouse' use is not a column one nor column two use within the "AGR" zone, which requires planning permission from the Board. Although the Site is zoned as "AGR" zone, the Site was subject to an approved S.16 application (Nos. A/YL-KTN/752) submitted by the same applicant for animal boarding establishment with no active agricultural activities. The surrounding area is also dominated by animal boarding establishments and warehouse premises, therefore, the applied use is considered not incompatible with the surrounding area.
- 2.2 Despite the fact that the applied use is not in line with the planning intention of the "AGR" zone, similar S.16 planning applications (Nos. A/YL-KTN/824, 852 and 898) for 'warehouse' use within the same "AGR" zone were previously approved by the Board. The latest application (No. A/YL-KTN/898), which is located approximately 500m southwest of the Site, was approved by the Board on a temporary basis in 2023. As the application is small in scale and only on a temporary basis, approval of the application would therefore not jeopardize the long term planning intention of the "AGR" zone. It would also better utilize deserted agricultural land in order to meet pressing demand for warehouse use.

3) Development Proposal

3.1 The Site occupied an area of 566 m² (about) of private land (Plan 3). The operation hours of



the Site are Monday to Saturday from 09:00 to 19:00. No operation on Sunday and public holiday. 2 single-storey structures are proposed at the Site for warehouse (excluding dangerous goods godown), site office and washroom with total GFA of 435 m² (about) (Plan 4). The Site would be able to accommodate not more than 4 staff. The ancillary site office is to provide indoor working space for administrative staff to maintain the operation of the proposed development. As the Site is for 'warehouse' use, no visitor is anticipated at the Site. Details of development parameters are shown at Table 1 below:

Table 1 - Major Development Parameters

Application Site Area	566 m² (about)	
Covered Area	435 m² (about)	
Uncovered Area	131 m² (about)	•
	·	-
Plot Ratio	0.77 (about)	
Site Coverage	77% (about)	
Number of Structure	2	
Total GFA	435 m² (about)	
- Domestic GFA	Not applicable	
- Non-Domestic GFA	435 m² (about)	
Building Height	8.23 m (about)	
No. of Storey	1	

- 3.2 The proposed warehouses are intended for storage of miscellaneous goods (i.e. packaged food, apparel, footwear, electronic goods, furniture etc). No dangerous goods and workshop activities will be stored/conducted at the Site at any time during the planning approval period.
- 3.3 The Site will be filled with concrete of not more than 0.2m in depth (new site level varies from +11.2mPD to +11.3mPD) for site formation of structure, L/UL space and circulation space (Plan 5). As heavy loading of structures and vehicles would compact the existing soiled ground and weaken the ground surface, concrete site formation is required to provide stronger ground reinforcement to stabilize the existing soiled ground and prevent erosion from surface run-off. Therefore, the filling of land area is considered necessary and has been kept to minimal for the operation of the proposed development. The applicant will reinstate the Site to an amenity area after the planning approval period.



3.4 The Site is accessible from Mei Fung Road via and a local access (Plan 1). 1 loading/unloading (L/UL) space is provided at the Site for staff. Details of L/UL space is shown at Table 2 below:

Table 2 - L/UL Provision

Type of Space	No. of Space
L/UL Space for Light Goods Vehicle	1
- 3.5m (W) x 7m (L)	1

3.5 Sufficient space is provided for vehicle to smoothly manoeuvre within the Site to ensure that no vehicle will turn back onto the local access (Plan 6). No medium or heavy goods vehicles exceeding 5.5 tonnes, including container tractors/trailers, as defined in the Road Traffic Ordinance are allowed to be parked/stored on or enter/exit the Site at any time during the planning approval period. As traffic generated and attracted by the proposed development as shown at Table 3 below is minimal, adverse traffic impact should not be anticipated.

Table 3 - Trip Generation and Attraction of the Proposed Development

Time Period	L	.GV	- 2-Way Total	
Time Period	· In	Out	2-way lotal	
Trips at <u>AM peak</u> per hour	1	0	1	
(09:00 – 10:00)	<u> </u>			
Trips at <u>PM peak</u> per hour	0	1	1	
(18:00 – 19:00)		1	-	
Traffic trip per hour	0.5	0.5	1	
(average, i.e. 10:00 - 18:00)	0.5	0.5	1	

3.6 The applicant will strictly follow the 'Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites' by the EPD to minimize all possible environmental impacts on the nearby sensitive receivers. The applicant will follow the Professional Persons Environmental Consultative Committee Practice Notes (ProPECCPNs) for sewage treatment at the Site. No dangerous goods will be stored at the Site at any time during the planning approval period.

4) Conclusion

4.1 The proposed development will not create significant nuisance to the surrounding area.

Adequate mitigation measures are provided by the applicant (i.e. submission of the as-built drainage plan and fire service installations proposal) in order to mitigate any adverse impact



Proposed Temporary Warehouse (excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land in "Agriculture" Zone, Various Lots in D.D. 107, Fung Kat Heung, Kam Tin, Yuen Long, New Territories.

arising from the proposed development (Appendices I and II).

4.2 In view of the above, the Board is hereby respectfully recommended to approve the subject application for 'Proposed Temporary Warehouse (excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Associated Filling of Land'.

R-riches Property Consultants Limited
June 2023



LIST OF PLANS


Plan 1	Location Plan
Plan 2	Plan Showing the Zoning of the Application Site
Plan 3	Plan Showing the Land Status of the Application Site
Plan 4	Layout Plan
Plan 5	Land Filling Area of the Application Site
Plan 6	Swept Path Analysis

APPENDICES


Appendix I	Fire Service Installations Proposal
Appendix II	As-Built Drainage Plan


















DEVELOPMENT PARAMETERS			STRUCTURE USE	USE	COVERED	GPA	ø	BUILDING
APPLICATION SITE AREA COVERED AREA JNCOVERED AREA	: 595 m² : 435 m² : 131 m²	(ABOUT) (ABOUT) (ABOUT)	Į.	WAREHOUSE (EXCLUDING D.G.G.) SITE OFFICE, WASHROOM	222 m² (ABOUT)		222 m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
PLOT RATIO	: 0.77	(ABOUT)	28	WAREHOUSE (EXCLUDING D.G.G.)	213 m² (ABOUT)		213 m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
SITE COVERAGE	. 77 %	(ABOUT)		TOTAL	L 435 m² (ABOUT)		435 m² (ABOUT)	
NO. OF STRUCTURE DOMESTIC GFA	:2 :NOT AP	2 Not Applicable						
NON-DOMESTIC GFA TOTAL GFA	. 435 F F F	(ABOUT)						
BUILDING MEIGHT NO. OF STOREY	.1 1.1 1.1	8.23 m (ABOUT) 1						

HELL TANT	R-Riches
Approprie	区

PROPOSED TEMPORARY
WAREHOUSE (EXCLUDING
DAMEROUS GOODS GOOWN)
WITH ANCILLARY FACILITIES
FOR A PERIOD OF 3 YEARS AND
ASSOCIATED FILLING OF LAND

VAROUS LOTS IN D.D. 107, FUNG KAT HELING, XAM TIN, YUEN LONG, NEW TERRITORIES

DAYOUT PLAN 1:300 @ A4 ALC: NO. ALEN ALEMBO BY

LEGEND

1.6.2023 5.41

APPLICATION SITE

STRUCTURE

LOADING / UNLOADING SPACE


NORESS / EGRESS


₹ <u>8</u>


PARKING AND LOADING / UNLOADING PROVISIONS
NO. OF LULI, SPACE FOR LIGHT GOODS VEHICLE :1
DIMENSION OF LULI, SPACE

222 m² (ABOUT)	213 m² (ABOUT)	435 m² (ABOUT)											
222 m* (ABOUT)	213 m² (ABOUT)	435 m ² [ABOUT]				-APPLICATION SITE	,80° K	°4	 r · ·	7 T. W	7		
		TOTAL				₹ .		1/		1			
WAREHOUSE (EXCLUDING D.G.G.) SITE OFFICE, WASHROOM	WAREHOUSE (EXCLUDING D.G.G.)						同	M. Committee of the com					
ā	28					`							
								`	INGRESS / EGRESS	half i noar	,		
									INGRES 73 m	3			
(ABOUT)	(ABOUT)	PLICABLE (ABOUT)	(ABOUT)	(ABOUT)									









A) .

DEVELOPMENT PARAMETERS		
APPLICATION SITE AREA COVERED AREA UNCOVERED AREA	: 566 m² : 435 m² : 131 m²	(ABOUT) (ABOUT) (ABOUT)
PLOT RATIO SITE COVERAGE	:0.77 :77 %	(ABOUT)
NO. OF STRUCTURE DOMESTIC GFA NON-DOMESTIC GFA TOTAL GFA	: 2 : NOT APPLICABLE : 435 m² (ABOUT) : 435 m² (ABOUT)	UCABLE (ABOUT) (ABOUT)
BUILDING HEIGHT NO. OF STOREY	: 8.23 m	(ABOUT)

:1 :7 m (U) x 3.5 m (W) PARKING AND LOADING / UM.OADING PROVISIONS
NO. OF LUIL SPACE FOR LIGHT GOODS VEHICLE
DIMENSION OF LUI. SPACE

STRUCTURE USE	USE	COVERED AREA	GFA	BULDING HEIGHT
18	WAREHOUSE (EXCLUDING D.G.G.) SITE OFFICE, WASHROOM	222 m² (ABOUT)	ZZZ m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
28	WAREHOUSE (EXCLUDING D.G.G.)	213 m² (ABOUT)	213 m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
		TOTAL 435 m² (ABOUT)	435 m ² (ABOUT)	



PROPOSED TEMPORARY
WAREHOUSE EXCLUDING
DANGEROUS GOODS GOODWN)
WITH AKRILLARY FACUTIES
FOR A PERIOD F3 YEARS AND
ASSOCIATED FILLING OF LAND

VARIOUS LOTS IN D.D. 107, FUNG KAT HEUNG, KAM TIN, YUEN LONG, NEW TERRITORIES

	1:300 @ A4	Counse gr	MN 1.6.2023	ACHED IN CAR	
_	<u> </u>	<u></u>		_	·

	DATE	1.6.2023	5	1140
)	all research	N#N	RAMED IN	APPENDER.

	8				188
ž	1.6.2023	5	114		
CAMPORT	N.	ALTHOUGH IN	49 00-03-65	PSIs PROPOSAL	APPENDIX I
		1		щ	

SUFFICIENT DIRECTIONAL AND EXIT SIGN SHALL BE PROVIDED IN ACCORDANCE WITH BS\$286° PART 1 AND FSD CIRCULAR LETTER \$2008.

N

SUFFICIENT EMERGENCY LIGHTING SHALL BE PROVIDED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH BSS266: PART1 AND BS EN1838.

FS NOTES:

2 x 5 KG DRY POWER TYPE FIRE EXTINGUISHER

2 x EMERGENCY LIGHT

2 x EXIT SIGN

I **I** &

FIRE SERVICE INSTALLATIONS

PORTABLE HAND-OPERATED APPROVED APPLIANCE SHALL BE PROVIDED AS REQUIRED BY OCCUPANCY. ACCESS IS PROVIDED FOR EMERGENCY VEHICLE TO REACH 30m OF ALL PART OF STRUCTURES.

LEGEND

APPLICATION SITE
STRUCTURE
LOADING / UMLOADING SPACE
NGRESS / EGRESS

APPLICATION SITE O STRUCTURE B2 € STRUCTURE B1 eg Em INGRESS / EGRESS 7.3 m (ABOUT)(W)



粉嶺、上水及元明東規劃處 新界荃灣青山公路 388 號 中染大廈 22 楼 2202 室



Planning Department

· Fanling, Sheung Shui & Yuen Long East District Planning Office Unit 2202, 22/F., CDW Building, 388 Castle Peak Road, Tsuen Wan, N.T.

來函檔號 Your Reference: DD107Lot1222S.B&VL

本容徴號 .

Our Reference: TPB/A/YL-KTN/752

軍話號碼

Tel. No.:

3168 4072

停其機號碼 Fax No.: 3168 4074 / 3168 4075

R-riches Property Consultants Ltd.

8 June 2022

Dear Sir/Madam.

Submission for Compliance with Approval Condition (e) - the Submission of a Drainage Proposal

Proposed Temporary Animal Boarding Establishment for a Period of 5 Years and Filling of Land in "Agriculture" Zone, Lots 1222 S.B. 1224 S.C and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin

(Application No. A/YL-KTN/752)

I refer to your submission dated 18.3.2022 for compliance with the captioned approval condition. Relevant department has been consulted on your submission. Your submission is considered:

> 团 Acceptable.

- Acceptable. Since the captioned condition requires both the submission and implementation of the proposal, it has not been fully complied with. Please proceed to implement the accepted proposal for full compliance with the approval condition.
- Not acceptable. The captioned condition has not been complied with. Please find detailed departmental comments.

Should you have any queries, please contact Mr. YIM Kwok Ho, Ivan (Tel: 2300 1257) of the Drainage Services Department directly.

Yours faithfully.

(Anthony LUK)

District Planning Officer/

Fanling, Sheung Shui & Yuen Long East Planning Department



Our Ref.: DD107Lot1222S.B&VL Your Ref.: TPB/A/YL-KTN/752

The Secretary
Town Planning Board
15/F, North Point Government office
333 Java Road
North Point, Hong Kong

顧問有限公司 **盈卓物業**

By Email

18 March 2022

Dear Sir,

Compliance with Approval Condition (e)

Proposed Temporary Animal Boarding Establishment for a period of 5 years and Land Filling in "Agriculture" Zone, Lots 1222 S.B, 1224 S.C and 1225 S.A in <u>D.D. 107, Fung Kat Heung, Kam Tin</u>

(S.16 Planning Application No. A/YL-KTN/752)

We are writing to submit a revised drainage proposal (Appendix I) for compliance with approval condition (e) of the subject application, i.e. the submission of drainage proposal. Your kind attention to the matter is much appreciated.

Should you require more information regarding the application, please contact our Ms. Grace WONG at or the undersigned at your convenience.

Yours faithfully,

For and on behalf of

R-riches Property Consultants Limited


Órpheus LEE

Planning and Development Consultant

cc DPO/FSYLE, PlanD

(Attn.: Ms. Larissa WONG

email: Ilkwong@pland.gov.hk)



Company: Project:

Date:

12/1/2022


AYYL-KTIN7752

Calculation for channels:

Catchment Area of site (A/YL-KTN/771)

	km^2		кш^2	
	шт/hr х 0.000548 km^2		тт/н х 0.000722 кт^2	
	mm/hr >	ाम्याम		
	250	250		
	×		×	
	0.25		0.95	
m^2 km^2	x 0.25 ; 22 m^3/s liter/min	m^2 km^2	x m^3/s liter/min	
548 0.000548	0.278 0.009522 <i>57</i> 1	722 0.000722	0.278 0.04767 2860	
II II	11 11 11	II II	11 11 11	
Grass-paved Area	Peak runoff in m^3/s	Hard-paved Area	Peak runoff in m^3/s	


Total Peak runoff in m^3/s = 0.057192 m^3/s = 3431 liter/min According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.



Catchment Area of site (A/YL-KTIN/769)

Grass-paved Area	ři	344	m^2							
	II.	0.000344	km^2							
Peak runoff in m^3/s	11	0.278	× 0.	0.25	×	250		×	mm/hr x 0.000344 km^2	km^2
	11 11	359	m^3/s liter/min							
Hard-paved Area	11 11	221 r 0.000221 k	m^2 km^2							
Peak runoff in m^3/s	11 11 11	0.278 0.014592 875	r m^3/s iter/min	0.95	, ×	250 ш	mm/hr	×	mm/hr х 0.000221 km^2	km^2
Total Peak runoff in m^3/s	D 11	0.020569 1	m^3/s liter/min							

According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.



Catchment Area of site (A/YL-KTN/775)

Grass-paved Area	17 11	303 0.000303	m^2 km^2							
Peak runoff in m^3/s	11 11 11	0.278 0.005265 316	с n^3/s iter/min	0.25	ĸ	250	mm/hr	×	ти/нг х 0.000303 кт/2	km^2
Hard-paved Area	II I I	264 0.000264	m^2 km^2	•	* •					
Peak runoff in m^3/s	11 11 11	0.278 0.017431 1046	r n^3/s iter/min	0.95	×	250	mm/hr	×	mm/hr 'x 0.000264 km^2	km^2
Total Peak runoff in m^3/s	11 II	0.022695 1362	m^3/s Liter/min							

According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.

NORTH .	, m	· ,	٠				•		Orando Me. PDA DÍ	PROPOSED TEMPORARY ANIMAL BOARDING ESTABLISHMENT FOR A PERIOD OF 5 YEARS AND LAND FILLING	LOT 1224 S,D & VL. IN D,D, 107, FUNG KAT HEUNG, KAM TIN	LAYOUT PLAN	1:300 200 7:5.2021	.]
BULDING HEIGHT	T) 3.5m (ABOUTXY-STOREY)	E.									ГЕСЕНО	APPLICATION SITE	STRUCTURE PARKING SPACE UAL SPACE OF THE	- 1
GFA	108h² (ABOUT)	108m² (ABOUT)	r						-				ments.	
COVERED AREA	108m² (ABOUT)	158m² (ABOUT)			<i>t</i> n	/	\wedge						A/YL-KTN/775 约文件。 's submitted doca	
350	ANIMAL BOARDING ESTABLISHMENT STORAGE OF PET GOODS	TOTAL			INGRESS / EGRESS 7m (ABOUT)				•				中語編號 Application No.: A/YL-KTN/775 此頁摘自申酶人提交的文件。 This page is extracted from amplicant's submitted documents.	בן אַ נְשְׁנִוּמְטְּוֹטְהְ יוֹאַ יוּאַ אַנְיִי
STRUCTURE					******	A WAY WAY WAY WAY WAY WAY WAY WAY WAY WA		19 E					中 開 English	9nd our
TIE TIE		,		·	APPLICATION SITE								: 2.5m (W) X 5m (L) : 1 : 3.5m (W) X 7m (L)	
RS OF THE APPLICATION	: 567m² (ABOUT) : 106m² (ABOUT)	: 45AFF (ABOUT) : 12% (ABOUT)	: 1 : NOT APPLICABLE : 106m² (ABOUT) : 3.5m (ABOUT) : 1										VEHICLE	
DEVELOPMENT PARAMETERS OF THE APPLICATION SITE	APPLICATION SITE AREA COVERED AREA		NO, OF STRUCTURE DOMESTIC GFA NOH-DOMESTIC GFA BUILDING HEGHT NO, OF STOREY				•		·			PARKUNG PROVISIONS	NO. OF PRIVATE CAR PARKING SPACE DIMENSION OF PARKING SPACE NO. OF LUIL SPACE FOR LIGHT GOODS VEHICLE DIMENSION OF UUL SPACE	· :

Catchment Area of site (A/YL-KTN/752)

Grass-paved Area	11 11	350 0.00035	m^2 km^2							·
Peak runoff in m^3/s	11 11 11	0.278 0.006081 365	.⊟	0.25	×	250		×	mun/hr x 0.00035	km^2
Hard-paved Area	11 11	216 0.000216	m^2 km^2							
Peak runoff in m^3/s		0.278 0.014261 856	x m^3/s Liter/min	0.95	×	250	mm/hr	×	тт/н х 0.000216 кт/2	km^2
Total Peak runoff in m^3/s	II 1I	0.020343 1221	m^3/s liter/min							

According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.

PROPOSED TEMPORARY
ANIMAL BOARDING
ESTABLISHMENT FOR A
PERIOD OF § YEARS AND
LAND FILING LOT 1222 S.B. AND VARIOUS LOTS IN D.D. 107, FUNG KAT HEUNG, KAM TIN 5.1.2021 \$ 5 LAND FILLING AREA

GRASS PAVER This page is extracted from applicant's submitted documents. 申請編號 Application No.: A/YL-KTN/752 LEGEND 此頁摘自申請人提交的文件。 -APPLICATION SITE INGRESS / EGRESS 6m (ABOUT) -STRUCTURE B1 : 11.3mPD (ABOUT) : CONCRETE : NOT MORE THAN 0.2m : 11.1mPD (ABOUT) SITE FORMATION OF STRUCTURE PROPOSED SITÉ LEVEL. MATERIAL OF FILLING DEPTH OF FILLING EXISTING SITE LEVEL 'NO LAND FILLING AT THIS PORTION OF THE SITE 1.216m² (38%/MBOUT) 1.6NOT MORE THAN 0.2m (MBOUT) 1.6NOTEET FOR THUCTURES CITCULATION AND PARSINS / LUL SPACES : 11.1mPD(ABOUT) : GRASS PAVER CIRCULATION AND PARKING / L'UL SPACE : 588ൺ (ABOUT) : 216ൺ (38%)(ABOUT) : 350m² (625¢)(ABOUT) EXISTING SITELEVEL SURFACE PAVED RATID OF THE APPLICATION SITE LUND FILLING AREA DEPTH OF LAND FILLING MATERIAL OF LAND FILLING PURPOSE OF LAND FILLING APPLICATION SITE AREA COVERED BY STRUCTURE GRASS PAVER AREA

Catchment Area of site (A/YL-KTN/814)

		n^2		
		0.000516 km ²		
		×		
		mm/hr		
		250		٠
		×		
		0.95		,
п^2	$km^{\Lambda}2$	×	m^3/s	liter/min
516	0.000516	0.278 x (0.034069	2044
П	II	11	13	II
Hard-paved Area		Peak runoff in m^3/s		

According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.


Catchment Area of site (A/YL-KTN/815)

	0.000584 km^2
	х ли/пп
	250
	×
	0.95
т^2 km^2	x m^3/s Liter/min
584 0.000584	0.278 0.038559 2314
11 11	11 11 11
Hard-paved Area	Peak runoff in m^3/s

According to (Figure 8.7 - Chart for the Rapid Design of Channels), For gradient 1:100, existing 225UC will be suitable.

Catchment Area of site (Lot 1223RP, 1224RP, 1226RP and 1230RP)

km^2	liter/min
x 0.000722	12358.212
mm/hr	11
250	11
×	л ^у 3/к
	0.2059702 m^3/s :
	4
0.278 0.012545 753) . II
11 11 11	1 300mm dia. Pip
Peak runoff in m^3/s	Final Discharge through 300mm dia. Pipe



Check 500mm dia. Pipes (1:100) by Colebrook-White Equation

	(Table 5, from DSD Sewerage Manual, concrete pipe)	0.196349541 ===>O.K.
	(Table 5,	m3/s / m/s
Î.		$= 0.2060 \\ = 1.048998$
$\frac{r}{D} + \frac{2.51v}{D\sqrt{(2gDs)}}$	mean velocity (m/s) gravitational acceleration (m/s2) internal pipe diameter (m) hydraulic pipeline roughness (m) kinematic viscosity of fluid (m2/s) hydraulic gradient	> Design velocity from = 0.2060 m3/s / catchment area = 1.048998 m/s
ks 3.7D	m/s2 m m2/s	s/m
s) log(_	9.81 0.5 0.00015 1.14E-06 0.005	1.7589
$V = -\sqrt{(8gb)s}$	иннини	Therefore, design V of pipe =
	where: V V D D KS V V S S	Theref

Therefore, 500UPVC (1:100) will be adopted for connection bewteen site and final discharge


PROPOSED TEMPORARY
ANIMAL BOARDING
ESTABLISHMENT FOR A PERIOD
OF 5 YEARS AND UNID FILLING VARIOUS LOTS IN D.D. 197, FUNG KAT HEUNG, KAM, YUEN LONG, NEW TERRITORIES ₹ § 72,12,2021 R-RICHES PROPERTY CONSULTANT LIMITED 2,12,2021 PAYED RATIO 1:300 @ AL PLAN PDS APPLICATION SITE

LAND FILLING AREA (SITE FORMATION)

LAND FILLING (CIRCULATION SPACE) This page is extracted from applicant's submitted documents. 申請編號 Application No.: A/YL-KTN/815 此頁摘自申請人提交的文件。 LEGEND : 10.3mPD (ABOUT) : CONCRETE : NOT MORE THAN 0.1m APPLICATION SITE : 10,2mPD (ABOUT) CIRCULATION AND PARKING / LIVIL SPACE PROPOSED SITE LEVEL MATERIAL OF FILLING DEPTH OF FILLING EXISTING SITE LEVEL : 10.4mPD (ABOUT) : CONCRETE : NOT MORE THAN 0.2m : 10.2mPD (ABOUT) SITE FORMATION OF STRUCTURE PROPOSED SITE LEVEL MATERIAL OF FILLING DEPTH OF FILLING NOT WORE THAN 0.2m (ABOUT)
CONCRETE
STRE FORMATION OF STRUCTURES
AND CIRCULATION SPACE EXISTING SITE LEVEL :541 m² (ABOUT) :108 m² (18%)(ABOUT) : 541 m² (19%)(ABOUT) PAVED RATIO OF THE APPLICATION SITE

DEPTH OF LAND FILLING MATERIAL OF LAND FILLING PURPOSE OF LAND FILLING

APPLICATION SITE AREA COVERED BY STRUCTURE LAND FILLING AREA



Catchment Area of site for existing 300mm dia, pipe

	mm/hr x 0.001114 km^2		
	250 mm		
	×		
	0.95		-
m^2 km^2	×	m^3/s	liter/min
1114 r 0.001114 k	0.278 x	0.073552	4413
11 11	П	11	11
Catchment Area	Peak runoff in m^3/s		

Check 300mm dia. Pipes (1:100) by Colebrook-White Equation

here:
$$V = -\sqrt{(8gDs) \log \left(\frac{\kappa s}{3.7D} + \frac{2.51V}{D\sqrt{(2gDs)}}\right)}$$
here:
$$= 9.81 \text{ m/s} \text{ gavitational acceleration (m/s2)}$$

$$= 0.00015 \text{ m} \text{ hydraulic pipeline roughness (m)}$$

$$= 0.0005 \text{ hydraulic gradient}$$


$$= 0.000686 \text{ m/s}$$


$$= 0.0070686 \text{ m/s}$$

$$= 1.2762 \text{ m/s} \text{ besign velocity from } = 0.0736 \text{ m/s}$$

$$= 0.0070686 \text{ m/s}$$

Therefore, 500UPVC (1:100) will be adopted for connection bewteen site and final discharge





ALTERNATIVE TOP SECTION FOR PRECAST CONCRETE COVERS / GRATINGS

NOTES:

- 1. ALL DIMENSIONS ARE IN MILLIMETRES.
- 2. ALL CONCRETE SHALL BE GRADE 20 /20.
- 3. CONCRETE SURFACE FINISH SHALL BE CLASS U2 OR F2 AS APPROPRIATE.
- 4. FOR DETAILS OF JOINT, REFER TO STD. DRG. NO. C2413.
- 5. CONCRETE TO BE COLOURED AS SPECIFIED.
- 6. UNLESS REQUESTED BY THE MAINTENANCE PARTY AND AS DIRECTED BY THE ENGINEER, CATCHPIT WITH TRAP IS NORMALLY NOT PREFERRED DUE TO PONDING PROBLEM.
- 7. UPON THE REQUEST FROM MAINTENANCE PARTY, DRAIN PIPES AT CATCHPIT BASE CAN BE USED BUT THIS IS FOR CATCHPITS LOCATED AT SLOPE TOE ONLY AND AS DIRECTED BY THE ENGINEER.
- FOR CATCHPITS CONSTRUCTED ON OR ADJACENT TO A FOOTPATH, STEEL GRATINGS (SEE DETAIL 'A' ON STD. DRG. NO. C2405) OR CONCRETE COVERS (SEE STD. DRG. NO. C2407) SHALL BE PROVIDED AS DIRECTED BY THE ENGINEER.
- 9. IF INSTRUCTED BY THE ENGINEER, HANDRAILING (SEE DETAIL 'G'
 ON STD. DRG. NO. C2405; EXCEPT ON THE UPSLOPE SIDE) IN LIEU OF
 STEEL GRATINGS OR CONCRETE COVERS CAN BE ACCEPTED AS AN ALTERNATIVE
 SAFETY MEASURE FOR CATCHPITS NOT ON A FOOTPATH NOR ADJACENT TO IT.
 TOP OF THE HANDRAILING SHALL BE 1 000 mm MIN. MEASURED FROM THE
 ADJACENT GROUND LEVEL.
- 10. MINIMUM INTERNAL CATCHPIT WIDTH SHALL BE 1 000 mm FOR CATCHPITS WITH A HEIGHT EXCEEDING 1 000 mm MEASURED FROM THE INVERT LEVEL TO THE ADJACENT GROUND LEVEL AND, STEP IRONS (SEE DSD STD. DRG, NO. DS1043) AT 300 ob STAGGERED SHALL BE PROVIDED. THICKNESS OF CATCHPIT WALL FOR INSTALLATION OF STEP IRONS SHALL BE INCREASED TO 150 mm.
- FOR RETROFITTING AN EXISTING CATCHPIT WITH STEEL GRATING, SEE DETAIL 'F' ON STD. DRG. NO. C2405.
- SUBJECT TO THE APPROVAL OF THE ENGINEER, OTHER MATERIALS CAN ALSO BE USED AS COVERS / GRATINGS.

-	FORMER DRG. NO. C2406.		Original Signed	
REF.	REVISION	l	SIGNATURE	DATE
Ć	DD DEVELOP	NGINEERI Ment de		ΙT
SCAL	E 1:20		NG NO.	;
DATE	JAN 1991	│ C24	106 /2	
V	/e Engineer Hong	Kong's De	velopment	

CATCHPIT WITH TRAP (SHEET 2 OF 2)

卓越工程 建設香港




Figure 8.10 - Typical Details of Catchpits




Figure 8.11 - Typical U-channel Details

i



Our Ref.

: DD107 Lot 1222 S.B & VL

Your Ref.

: TPB/A/YL-KTN/937

有限公司 **早物**業

The Secretary
Town Planning Board
15/F, North Point Government office
333 Java Road
North Point, Hong Kong

By Email

21 August 2023

Dear Sir,

1st Further Information

Proposed Temporary Warehouse (excluding Dangerous Goods Godown)
with Ancillary Facilities for a Period of 3 Years and Filling of Land in "Agriculture" Zone,
Various Lots in D.D. 107, Fung Kat Heung, Kam Tin, Yuen Long, New Territories

(S.16 Planning Application No. A/YL-KTN/937)

We are writing to submit Further Information to provide clarifications for the subject application, details are as follows:

- (i) Portion of the application site (the Site) has been filled with concrete of 0.1m in depth for circulation purpose (**Plan 1**). Further filling of land will be carried out to facilitate the proposed scheme by the applicant after planning permission has been obtained from the Town Planning Board; and
- (ii) A revised fire service installations proposal to support the application (Plan 2).

Should you require more information regarding the application, please contact our Mr.

Orpheus LEE the undersigned at your convenience. Thank you for your kind attention.

Yours faithfully,

For and on behalf of

R-riches Property Consultants Limited

Matthew NG

Planning and Development Manager

cc DPO/FSYLE, PlanD

(Attn.: Ms. Loree DUEN

email: llyduen@pland.gov.hk)









PROPOSED TEMPORARY WAREHOUSE (EXCLUDING DANGEROUS GOODOWN) WITH ANCILLARY FACILITIES FOR A PERIOD OF 3 YEARS AND ASSOCIATED FILLING OF LAND VARIOUS LOTS IN D.D. 107, FUNG KAT HEUNG, KAM TIN, YUEN LONG, NEW TERRITORIES R-Riches Property Consultents LEL. FILLING OF LAND AREA 1:300 @ A4 O. PLAN 1 Z LAND FILLING AREA (SITE FORMATION) LAND FILLING AREA (CIRCULATION) THE EXTRA 0.1m (DEPTH) OF LAND FILLING IS FOR SITE FORMATION OF STRUCTURES +11.2 PROPOSED SITE LEVEL APPLICATION SITE LEGEND +3.4 +11.3 : 566 m² NOT MORE THAN 0.2 m 11.12 mPD TO +11.3 mPD (ABOUT) CONCRETE SITE FORMATION OF STRUCTURES, AND CIRCULATION SPACE (ABOUT) (ABOUT) (ABOUT) (ABOUT) +11,3 PROPOSED FILLING OF LAND AT THE APPLICATION SITE : 566 m² : 435 m² APPLIED FILLING OF LAND AREA DEPTH OF LAND FILLING PROPOSED SITE LEVELS MATERIAL OF LAND FILLING USE APPLICATION SITE AREA COVERED BY STRUCTURE APPLICATION SITE **EXISTING FILLED AREA** 260 m² (ABOUT) OF THE APPLICATION SITE HAS ALREADY BEEN HARD-PAVED **EXISTING SITE LEVEL** APPLICATION SITE LEGEND +3.4 +11.1 PORTION OF THE APPLICATION SITE (260 m²) HAS BEEN FILLED WITH CONCRETE, WHILE THE REMAINING AREA (306 m²) IS CURRENTLY COVERED BY VEGETATION. (ABOUT) (ABOUT) (ABOUT) +11.2 : 260 m² : +11.1 mPD TO +11.2 mPD CURRENTLY COVERED -BY VEGETATION **EXISTING CONDITION OF THE APPLICATION SITE** SITE LEVELS ARE FOR REFERENCE ONLY. : 566 m² APPLICATION SITE AREA EXISTING FILLED AREA EXISTING SITE LEVELS APPLICATION SITE

VER. 002

21.8.2023

APPLICATION SITE AREA	: 566 m²	(ABOUT)
COVERED AREA	: 435 m ²	(ABOUT)
UNCOVERED AREA	: 131 m²	(ABOUT)
PLOT RATIO	: 0.77	(ABOUT)
SITE COVERAGE	% 22 :	(ABOUT)
NO. OF STRUCTURE	. 5	130
DOMESTIC GFA	: NOT APP	NOT APPLICABLE
NON-DOMESTIC GFA	: 435 m²	(ABOUT)
TOTAL GFA	: 435 m ²	(ABOUT)
BUILDING HEIGHT	: 8.23 m	(ABOUT)
NO. OF STOREY	-	

PARKING AND LOADING / UNLOADING PROVISIONS

NO. OF L'UL SPACE FOR LIGHT GOODS VEHICLE : 1 DIMENSION OF L'UL SPACE : 7 m (L) \times 3.5 m (W)

STRUCTURE USE	USE	COVERED	GFA	BUILDING HEIGHT
81	WAREHOUSE (EXCLUDING D.G.G.) SITE OFFICE, WASHROOM	222 m² (ABOUT)) 222 m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
82	WAREHOUSE (EXCLUDING D.G.G.)	213 m² (ABOUT)) 213 m² (ABOUT)	8.23 m (ABOUT)(1-STOREY)
		TOTAL 435 m² (ABOUT) 435 m² (ABOUT)	7 435 m² (ABOUT)	





R-Riches

PROPOSED TEMPORARY WAREHOUSE (EXCLUDING DANGEROUS GOODWN) WITH ANCILLARY FACILITIES FOR A PERSA AND ASSOCIATED FILLING OF LAND

VARIOUS LOTS IN D.D. 107, FUNG KAT HEUNG, KAM TIN, YUEN LONG, NEW TERRITORIES

1.6.2023 1:300 @ A4 MN

10.8.2023 APPLICATION SITE
STRUCTURE
LOADING / UNLOADING SPACE
INGRESS / EGRESS

LEGEND

ver. 002 FSIS PROPOSAL PLAN 2

APPLICATION SITE	6	STRUCTURE B2	
	STRUCTURE B1	STRUCI	
		A B	
		en less	
		INGRESS / EGRESS 7.3 m (ABOUT)(W)	

FIRE SERVICE INSTALLATIONS

- 2 x EMERGENCY LIGHT EXT C
 - 2 x EXIT SIGN
- 2 x 5 KG DRY POWER TYPE FIRE EXTINGUISHER

FS NOTES:

- SUFFICIENT EMERGENCY LIGHTING SHALL BE PROVIDED THROUGHOUT THE ENTIRE BUILDING IN ACCORDANCE WITH BESTGEL 2216. BS EN1838:2013 AND FSD CIRCULAR LETTER 4/2021.
- SUFFICIENT DIRECTIONAL AND EXIT SIGN SHALL BE PROVIDED IN ACCORDANCE WITH BS5266: PART 1 AND FSD CIRCULAR LETTER \$72008. 2
- PORTABLE HAND-OPERATED APPROVED APPLIANCE SHALL BE PROVIDED AS REQUIRED BY OCCUPANCY.
- ACCESS IS PROVIDED FOR EMERGENCY VEHICLE TO REACH 30m OF ALL PART OF STRUCTURES.

Previous Application

Approved Application

Application No.	Use/Development	Date of Consideration
A/YL-KTN/752	Proposed Temporary Animal Boarding	26.3.2021
,	Establishment for a period of 5 years and	,
	Filling of Land	·

Similar s.16 Applications within the same "AGR" Zone in the vicinity of the Site

Approved Applications

Application No.	Use/Development	Date of Consideration
A/YL-KTN/709	Renewal of Planning Approval for Temporary Warehouse for Musical Instruments, Posters, Documents and	12.6.2020
	Ancillary Caretaker's Office for a Period of '3 Years	٠.
A/YL-KTN/824	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) for a Period of 3 Years and Filling of Land	6.5.2022
A/YL-KTN/852	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) for a Period of 3 Years and Filling of Land	23.9.2022
A/YL-KTN/890	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) for a Period of 3 Years and Filling of Land	31.3.2023
A/YL-KTN/898	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) for a Period of 3 Years and Filling of Land	21.4.2023
A/YL-KTN/904	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Filling of Land	19.5.2023
A/YL-KTN/905	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) for a Period of 3 Years and Filling of Land	19.5.2023
A/YL-KTN/920	Proposed Temporary Warehouse (excluding Dangerous Goods Godown) with Ancillary Facilities for a Period of 3 Years and Filling of Land	28.7.2023



Government Departments' General Comments

1. Land Administration

Comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD):

- no adverse comment on the application;
- the application site (the Site) comprises Old Schedule Agricultural Lots held under the Block Government Lease, which contains the restriction that no structures are allowed to be erected without the prior approval of the Government; and
- within the Site, the private lots are currently covered by Short Term Waiver (STW) No. 5387 to permit structures erected thereon for the purpose of "Temporary Animal Boarding Establishment".

2. Traffic

Comments of the Commissioner for Transport (C for T):

• no adverse comment on the application from traffic engineering perspective.

Comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD):

• no objection to the application.

3. Drainage

Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- no objection in-principle to the application from the public drainage point of view; and
- should the application be approved, the applicant is required (i) to implement and maintain the accepted drainage proposal approved under Application No. A/YL-KTN/752 to the satisfaction of the Director of Drainage Services or of the Town Planning Board.

4. Fire Safety

Comments of the Director of Fire Services (D of FS):

• no objection in-principle to the application subject to fire service installations (FSIs) being provided to the satisfaction of his department.

5. Environment

Comments of the Director of Environmental Protection (DEP):

- no objection to the application; and
- there was no environmental complaint concerning the Site received in the past three years.

6. Landscape

Comments of the Chief Town Planner/Urban Design and Landscape, Planning Department (CTP/UD&L, PlanD):

- no objection to the application from landscape planning perspective; and
- based on the aerial photo of 2022, the Site is located in a rural landscape character comprising farmlands, vacant lands, temporary structures and scattered tree groups. The Site is vacant without significant landscape resources. Significant adverse impact on the landscape character and landscape resources arising from the proposed use is not anticipated.

7. Building Matters

Comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD):

• no objection to the application.

8. District Officer's Comments

Comments of the District Officer (Yuen Long), Home Affairs Department (DO(YL), HAD):

 his office has not received any locals' comment on the application and he has no comment on the application.

9. Other Departments

The following government departments have no objection to / no adverse comment / no comment on the application:

- Project Manager (West), Civil Engineering and Development Department (PM(W), CEDD);
- Director of Electrical and Mechanical Services (DEMS);
- Chief Engineer/Construction, Water Supplies Department (CE/C, WSD); and
- Commissioner of Police (C of P).

Recommended Advisory Clauses

- (a) prior planning permission should have been obtained before commencing the proposed use at the application site (the Site);
- (b) the permission is given to the proposed development under application. It does not condone any other development currently exists on the Site which are not covered by the application. Immediate action should be taken to discontinue such development not covered by the permission;
- (c) to resolve any land issues relating to the development with the concerned owner(s) of the Site;
- (d) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:
 - the Short Term Waiver (STW) holder(s) will need to apply to his office for modification of the STW conditions where appropriate. Besides, given the proposed use is temporary in nature, only application for regularization or erection of temporary structure(s) will be considered. Application(s) for any of the above will be considered by LandsD acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application is approved, it will be subject to such terms and conditions, including among others the payment of rent or fee, as may be imposed by the LandsD;
- (e) to note the comments of the Commissioner for Transport (C for T) that:
 - the Site is connected to the public road network via a section of a local access road which is not managed by Transport Department. The land status of the local access road should be checked with the LandsD. Moreover, the management and maintenance responsibilities of the local access road should be clarified with the relevant lands and maintenance authorities accordingly. Sufficient manoeuvring space shall be provided within the Site. No vehicle is allowed to queue back to or reverse onto / from public road at any time during the planning approval period;
- (f) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD) that:
 - his department shall not be responsible for the maintenance of any access connecting the Site and San Tam Road; and
 - adequate drainage measures should be provided to prevent surface water running from the Site to nearby public road and drains;
- (g) to note the comments of the Director of Fire Services (D of FS) that:
 - the applicant is reminded that if the proposed structures are required to comply with the Buildings Ordinance (Cap. 123), detailed fire service requirements will be formulated upon receipt of formal submission of general building plans;
- (h) to note the comments of the Director of Electrical and Mechanical Services (DEMS) that:

- in the interests of public safety and ensuring the continuity of electricity supply, the parties concerned with planning, designing, organizing and supervising any activity near the underground cable or overhead line under the mentioned works should approach the electricity supplier (i.e. CLP) for the requisition of cable plans (and overhead line alignment drawings, where applicable) to find out whether there is any underground cable and/or overhead line within and/or in the vicinity of the concerned site. The applicant is reminded to observe the Electricity Supply Lines (Protection) Regulation and the "Code of Practice on Working near Electricity Supply Lines" established under the Regulation when carrying out works in the vicinity of the electricity supply lines; and
- (i) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD).that:
 - the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively;
 - the Site does not abut on a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at building plan submission stage;
 - before any new building works (including containers / open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on application site, prior approval and consent of the Building Authority should be obtained, otherwise they are unauthorized building works (UBW) under the Buildings Ordinance (BO). An Authorized Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO;
 - for UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the application site under the BO;
 - any temporary shelters or converted containers for office, storage, washroom or other uses are considered as temporary buildings are subject to the control of Part VII of the B(P)R; and
 - detailed checking under the BO will be carried out at building plan submission stage.

☐ Urgent ☐ Return Receipt Requested ☐ Sign ☐ Encrypt ☐ Mark Subject Restricted ☐ Expand personal&pub
A/YL-KTN/937 DD 107 Fung Kat Heung 27/07/2023 03:49
From: To: tpbpd <tpbpd@pland.gov.hk> File Ref:</tpbpd@pland.gov.hk>
A/YL-KTN/937
Lots 1222 S.B, 1224 S.C, and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin
Site area : About 566m²
Zoning : "Agriculture"
Applied Use: Warehouse / 1 Vehicle Parking / Filling of Land

Dear TPB Members,

So 752 never fulfilled conditions because applicant never had any intention of providing this service and is now coming forward with the true intention of the application, BROWNFIELD STORAGE.

PlanD knows, Joe Public knows, so why are TPB members acting like innocent babes when it comes to the ABE applications.

IT IS HIGH TIME THAT THEY DEMAND A DATA FROM PLAND ON ABE APPLICATIONS AND HOW MANY HAVE NOT FULFILLED CONDITIONS BECAUSE THEY HAVE NO INTENTION OF PROVIDING THIS SERVICE ONCE THE LAND IS FILLED IN.

By approving this application members will demonstrate that they are playing an active part in this charade that is creating new brownfields when the public has been advised that the plan is to phase out this use.

Mary Mulvihili

From: To: tpbpd <tpbpd@pland.gov.hk>

Date: Tuesday, 23 February 2021 3:02 AM CST Subject: A/YL-KTN/752 DD 107 Fung Kat Heung

A/YL-KTN/752 Lots 1222 S.B, 1224 S.C, and 1225 S.A in D.D. 107, Fung Kat Heung, Kam Tin Site area : About 566m² Zoning : "Agriculture"

Applied Use: Animal Boarding Establishment / 3 Vehicle Parking / Filling of Land

/ 5 Years

Dear TPB Members,

In October 2019 there were 3 dodgy applications 682/3/4 for a mega ABE that included these lots. They were subsequently withdrawn. They were obviously a Destroy to Build.

Members should ask PlanD for details about the current state of the lots and what actively is currently being carried out there.

Mary Mulvihill