

2023年 10月 3 日

此文件在 收到。城市規劃委員會  
只有在收到所有必要的資料及文件後才正印及發出

Appendix I of RNTPC  
Paper No. A/YL-KTN/966

This document is received on 30 OCT 2023.  
The Town Planning Board will formally acknowledge  
the date of receipt of the application only upon receipt  
of all the required information and documents.

Form No. S16-III  
表格第 S16-III 號

**APPLICATION FOR PERMISSION  
UNDER SECTION 16 OF  
THE TOWN PLANNING ORDINANCE  
(CAP. 131)**

根據《城市規劃條例》(第131章)  
第16條遞交的許可申請

**Applicable to Proposal Only Involving Temporary Use/Development of Land  
and/or Building Not Exceeding 3 Years in Rural Areas or Regulated Areas,  
or Renewal of Permission for such Temporary Use or Development\***

**適用於祇涉及位於鄉郊地區或受規管地區土地上及/或建築物內進行  
為期不超過三年的臨時用途/發展或該等臨時用途/發展的許可續期的建議\***

*\*Form No. S16-I should be used for other Temporary Use/Development of Land and/or Building (e.g. temporary use/developments in the Urban Area) and Renewal of Permission for such Temporary Use or Development.*

*\*其他土地上及/或建築物內的臨時用途/發展 (例如位於市區內的臨時用途或發展) 及有關該等臨時用途/發展的許可續期，應使用表格第 S16-I 號。*

Applicant who would like to publish the notice of application in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers:  
[https://www.tpb.gov.hk/en/plan\\_application/apply.html](https://www.tpb.gov.hk/en/plan_application/apply.html)

申請人如欲在本地報章刊登申請通知，以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行土地擁有人所指定的其中一項合理步驟，請瀏覽以下網址有關在指定的報章刊登通知：  
[https://www.tpb.gov.hk/tc/plan\\_application/apply.html](https://www.tpb.gov.hk/tc/plan_application/apply.html)

**General Note and Annotation for the Form**

**填寫表格的一般指引及註解**

# "Current land owner" means any person whose name is registered in the Land Registry as that of an owner of the land to which the application relates, as at 6 weeks before the application is made

「現行土地擁有人」指在提出申請前六星期，其姓名或名稱已在土地註冊處註冊為該申請所關乎的土地的擁有人的人

& Please attach documentary proof 請夾附證明文件

^ Please insert number where appropriate 請在適當地地方註明編號

Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」

Please use separate sheets if the space provided is insufficient 如所提供的空間不足，請另頁說明

Please insert a 「✓」 at the appropriate box 請在適當的方格內上加上「✓」號

2302742

18/10 by courier.

Form No. S16-III 表格第 S16-III 號

For Official Use Only 請勿填寫此欄	Application No. 申請編號	A/YL-KTN/966
	Date Received 收到日期	30 OCT 2023

- The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.  
申請人須把填妥的申請表格及其他支持申請的文件 (倘有), 送交香港北角渣華道 333 號北角政府合署 15 樓城市規劃委員會 (下稱「委員會」) 秘書收。
- Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at <http://www.tpb.gov.hk/>. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories).  
請先細閱《申請須知》的資料單張, 然後填寫此表格。該份文件可從委員會的網頁下載 (網址: <http://www.tpb.gov.hk/>), 亦可向委員會秘書處 (香港北角渣華道 333 號北角政府合署 15 樓 - 電話: 2231 4810 或 2231 4835) 及規劃署的規劃資料查詢處 (熱線: 2231 5000) (香港北角渣華道 333 號北角政府合署 17 樓及新界沙田上禾輦路 1 號沙田政府合署 14 樓) 索取。
- This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete.  
此表格可從委員會的網頁下載, 亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全, 委員會可拒絕處理有關申請。

## 1. Name of Applicant 申請人姓名/名稱

(☐ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☒ Ms. 女士 / ☐ Company 公司 / ☐ Organisation 機構)

Wong Shui Ying 黃瑞英

## 2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱 (如適用)

(☐ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☐ Ms. 女士 / ☐ Company 公司 / ☐ Organisation 機構)

N/A

## 3. Application Site 申請地點

(a) Full address / location / demarcation district and lot number (if applicable)  
詳細地址/地點/丈量約份及地段號碼 (如適用)

Lot No. 666 B (Part) and 667 (Part) in D.D. 110 Kam Tin Road, Yuen Long.

(b) Site area and/or gross floor area involved  
涉及的地盤面積及/或總樓面面積

☒ Site area 地盤面積 436 sq.m 平方米 ☒ About 約  
☒ Gross floor area 總樓面面積 213.1 sq.m 平方米 ☒ About 約

(c) Area of Government land included (if any)  
所包括的政府土地面積 (倘有)

N/A sq.m 平方米 ☐ About 約



(d) Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號	S/YL - KTN / 10
(e) Land use zone(s) involved 涉及的土地用途地帶	Residential (Group D)
(f) Current use(s) 現時用途	Temporary Open Storage of Vehicles (Lorries, Vans & Private Cars) for Sales (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施，請在圖則上顯示，並註明用途及總樓面面積)

#### 4. "Current Land Owner" of Application Site 申請地點的「現行土地擁有人」

The applicant 申請人 -

- ☒ is the sole "current land owner"<sup>1,2</sup> (please proceed to Part 6 and attach documentary proof of ownership).  
是唯一的「現行土地擁有人」<sup>1,2</sup> (請繼續填寫第 6 部分，並夾附業權證明文件)。
- ☐ is one of the "current land owners"<sup>1,2</sup> (please attach documentary proof of ownership).  
是其中一名「現行土地擁有人」<sup>1,2</sup> (請夾附業權證明文件)。
- ☐ is not a "current land owner"<sup>1,2</sup>.  
並不是「現行土地擁有人」<sup>1,2</sup>。

- ☐ The application site is entirely on Government land (please proceed to Part 6).  
申請地點完全位於政府土地上 (請繼續填寫第 6 部分)。

#### 5. Statement on Owner's Consent/Notification

就土地擁有人的同意/通知土地擁有人的陳述

- (a) According to the record(s) of the Land Registry as at ..... (DD/MM/YYYY), this application involves a total of ..... "current land owner(s)".  
根據土地註冊處截至 ..... 年 ..... 月 ..... 日的記錄，這宗申請共牽涉 ..... 名「現行土地擁有人」。

(b) The applicant 申請人 -

- ☐ has obtained consent(s) of ..... "current land owner(s)".  
已取得 ..... 名「現行土地擁有人」的同意。

Details of consent of "current land owner(s)" <sup>1,2</sup> obtained 取得「現行土地擁有人」同意的詳情		
No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where consent(s) has/have been obtained 根據土地註冊處記錄已獲得同意的地段號碼/處所地址	Date of consent obtained (DD/MM/YYYY) 取得同意的日期 (日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上述任何方格的空間不足，請另頁說明)

- ☐ has notified ..... "current land owner(s)"<sup>#</sup>  
已通知 ..... 名「現行土地擁有人」<sup>#</sup>。

Details of the "current land owner(s)" <sup>#</sup> notified 已獲通知「現行土地擁有人」 <sup>#</sup> 的詳細資料		
No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where notification(s) has/have been given 根據土地註冊處記錄已發出通知的地段號碼／處所地址	Date of notification given (DD/MM/YYYY) 通知日期(日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上列任何方格的空間不足，請另頁說明)

- ☐ has taken reasonable steps to obtain consent of or give notification to owner(s):  
已採取合理步驟以取得土地擁有人的同意或向該人發給通知。詳情如下：

Reasonable Steps to Obtain Consent of Owner(s) 取得土地擁有人的同意所採取的合理步驟

- ☐ sent request for consent to the "current land owner(s)" on \_\_\_\_\_ (DD/MM/YYYY)<sup>#&</sup>  
於 \_\_\_\_\_ (日/月/年)向每一名「現行土地擁有人」<sup>#</sup>郵遞要求同意書<sup>&</sup>

Reasonable Steps to Give Notification to Owner(s) 向土地擁有人發出通知所採取的合理步驟

- ☐ published notices in local newspapers on \_\_\_\_\_ (DD/MM/YYYY)<sup>&</sup>  
於 \_\_\_\_\_ (日/月/年)在指定報章就申請刊登一次通知<sup>&</sup>
- ☐ posted notice in a prominent position on or near application site/premises on \_\_\_\_\_ (DD/MM/YYYY)<sup>&</sup>  
於 \_\_\_\_\_ (日/月/年)在申請地點／申請處所或附近的顯明位置貼出關於該申請的通知<sup>&</sup>
- ☐ sent notice to relevant owners' corporation(s)/owners' committee(s)/mutual aid committee(s)/management office(s) or rural committee on \_\_\_\_\_ (DD/MM/YYYY)<sup>&</sup>  
於 \_\_\_\_\_ (日/月/年)把通知寄往相關的業主立案法團／業主委員會／互助委員會或管理處，或有關的鄉事委員會<sup>&</sup>

Others 其他

- ☐ others (please specify)  
其他（請指明）

---



---



---



---

Note: May insert more than one 「✓」.

Information should be provided on the basis of each and every lot (if applicable) and premises (if any) in respect of the application.

註：可在多於一個方格內加上「✓」號

申請人須就申請涉及的每一地段（倘適用）及處所（倘有）分別提供資料

<b>6. Type(s) of Application 申請類別</b>	
<b>(A) Temporary Use/Development of Land and/or Building Not Exceeding 3 Years in Rural Areas or Regulated Areas</b> 位於鄉郊地區或受規管地區土地上及/或建築物內進行為期不超過三年的臨時用途/發展 <b>(For Renewal of Permission for Temporary Use or Development in Rural Areas or Regulated Areas, please proceed to Part (B))</b> (如屬位於鄉郊地區或受規管地區臨時用途/發展的規劃許可續期，請填寫(B)部分)	
(a) Proposed use(s)/development 擬議用途/發展	(Please illustrate the details of the proposal on a layout plan) (請用平面圖說明擬議詳情)
(b) Effective period of permission applied for 申請的許可有效期	<input type="checkbox"/> year(s) 年 ..... <input type="checkbox"/> month(s) 個月 .....
<b>(c) Development Schedule 發展細節表</b>	
Proposed uncovered land area 擬議露天土地面積	.....sq.m <input type="checkbox"/> About 約
Proposed covered land area 擬議有上蓋土地面積	.....sq.m <input type="checkbox"/> About 約
Proposed number of buildings/structures 擬議建築物/構築物數目	.....
Proposed domestic floor area 擬議住用樓面面積	.....sq.m <input type="checkbox"/> About 約
Proposed non-domestic floor area 擬議非住用樓面面積	.....sq.m <input type="checkbox"/> About 約
Proposed gross floor area 擬議總樓面面積	.....sq.m <input type="checkbox"/> About 約
Proposed height and use(s) of different floors of buildings/structures (if applicable) 建築物/構築物的擬議高度及不同樓層的擬議用途 (如適用) (Please use separate sheets if the space below is insufficient) (如以下空間不足，請另頁說明)	
..... ..... ..... .....	
<b>Proposed number of car parking spaces by types 不同種類停車位的擬議數目</b>	
Private Car Parking Spaces 私家車車位	.....
Motorcycle Parking Spaces 電單車車位	.....
Light Goods Vehicle Parking Spaces 輕型貨車泊車位	.....
Medium Goods Vehicle Parking Spaces 中型貨車泊車位	.....
Heavy Goods Vehicle Parking Spaces 重型貨車泊車位	.....
Others (Please Specify) 其他 (請列明)	.....
<b>Proposed number of loading/unloading spaces 上落客貨車位的擬議數目</b>	
Taxi Spaces 的士車位	.....
Coach Spaces 旅遊巴車位	.....
Light Goods Vehicle Spaces 輕型貨車車位	.....
Medium Goods Vehicle Spaces 中型貨車車位	.....
Heavy Goods Vehicle Spaces 重型貨車車位	.....
Others (Please Specify) 其他 (請列明)	.....



Proposed operating hours 擬議營運時間																																	
(d) Any vehicular access to the site/subject building? 是否有車路通往地盤／有關建築物？	Yes 是          No 否	<input type="checkbox"/> There is an existing access. (please indicate the street name, where appropriate) 有一條現有車路。(請註明車路名稱(如適用))																															
		<input type="checkbox"/> There is a proposed access. (please illustrate on plan and specify the width) 有一條擬議車路。(請在圖則顯示，並註明車路的闊度)																															
		<input type="checkbox"/>																															
(e) Impacts of Development Proposal 擬議發展計劃的影響 (If necessary, please use separate sheets to indicate the proposed measures to minimise possible adverse impacts or give justifications/reasons for not providing such measures. 如需要的話，請另頁註明可盡量減少可能出現不良影響的措施，否則請提供理據/理由。)																																	
(i) Does the development proposal involve alteration of existing building? 擬議發展計劃是否包括現有建築物的改動？	Yes 是          No 否	<input type="checkbox"/> Please provide details 請提供詳情 ..... ..... .....																															
(ii) Does the development proposal involve the operation on the right? 擬議發展是否涉及右列的工程？	Yes 是          No 否	<input type="checkbox"/> (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land) (請用地盤平面圖顯示有關土地／池塘界線，以及河道改道、填塘、填土及／或挖土的細節及／或範圍)																															
		<input type="checkbox"/> Diversion of stream 河道改道																															
		<input type="checkbox"/> Filling of pond 填塘 Area of filling 填塘面積 ..... sq.m 平方米 <input type="checkbox"/> About 約 Depth of filling 填塘深度 ..... m 米 <input type="checkbox"/> About 約																															
		<input type="checkbox"/> Filling of land 填土 Area of filling 填土面積 ..... sq.m 平方米 <input type="checkbox"/> About 約 Depth of filling 填土厚度 ..... m 米 <input type="checkbox"/> About 約																															
		<input type="checkbox"/> Excavation of land 挖土 Area of excavation 挖土面積 ..... sq.m 平方米 <input type="checkbox"/> About 約 Depth of excavation 挖土深度 ..... m 米 <input type="checkbox"/> About 約																															
		<input type="checkbox"/>																															
(iii) Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響？	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">On environment 對環境</td> <td style="width: 20%;">Yes 會 <input type="checkbox"/></td> <td style="width: 20%;">No 不會 <input type="checkbox"/></td> </tr> <tr> <td>On traffic 對交通</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>On water supply 對供水</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>On drainage 對排水</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>On slopes 對斜坡</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>Affected by slopes 受斜坡影響</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>Landscape Impact 構成景觀影響</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>Tree Felling 砍伐樹木</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>Visual Impact 構成視覺影響</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> <tr> <td>Others (Please Specify) 其他 (請列明)</td> <td>Yes 會 <input type="checkbox"/></td> <td>No 不會 <input type="checkbox"/></td> </tr> </table>			On environment 對環境	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	On traffic 對交通	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	On water supply 對供水	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	On drainage 對排水	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	On slopes 對斜坡	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	Affected by slopes 受斜坡影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	Landscape Impact 構成景觀影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	Tree Felling 砍伐樹木	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	Visual Impact 構成視覺影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>	Others (Please Specify) 其他 (請列明)	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>
On environment 對環境	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
On traffic 對交通	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
On water supply 對供水	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
On drainage 對排水	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
On slopes 對斜坡	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
Affected by slopes 受斜坡影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
Landscape Impact 構成景觀影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
Tree Felling 砍伐樹木	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
Visual Impact 構成視覺影響	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															
Others (Please Specify) 其他 (請列明)	Yes 會 <input type="checkbox"/>	No 不會 <input type="checkbox"/>																															

	<p>Please state measure(s) to minimise the impact(s). For tree felling, please state the number, diameter at breast height and species of the affected trees (if possible)</p> <p>請註明盡量減少影響的措施。如涉及砍伐樹木，請說明受影響樹木的數目、及胸高度的樹幹直徑及品種(倘可)</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>
--	--

**(B) Renewal of Permission for Temporary Use or Development in Rural Areas or Regulated Areas**  
 位於鄉郊地區或受規管地區臨時用途/發展的許可續期

(a) Application number to which the permission relates 與許可有關的申請編號	A/ YL - KTN / 742
(b) Date of approval 獲批給許可的日期	22 / 01 / 2021 (DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期	26 / 01 / 2024 (DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sales
(e) Approval conditions 附帶條件	<p><input type="checkbox"/> The permission does not have any approval condition 許可並沒有任何附帶條件</p> <p><input checked="" type="checkbox"/> Applicant has complied with all the approval conditions 申請人已履行全部附帶條件</p> <p><input type="checkbox"/> Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件:</p> <p>.....</p> <p>.....</p> <p>Reason(s) for non-compliance: 仍未履行的原因:</p> <p>.....</p> <p>.....</p> <p>(Please use separate sheets if the space above is insufficient) (如以上空間不足，請另頁說明)</p>
(f) Renewal period sought 要求的續期期間	<p><input checked="" type="checkbox"/> year(s) 年 3</p> <p><input type="checkbox"/> month(s) 個月</p>

## 7. Justifications 理由

The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary.  
 現請申請人提供申請理由及支持其申請的資料。如有需要，請另頁說明。

Please refer to Annex I

請參照附件 I。

Business hour: 9 a.m. to 7 p.m. (Monday to Saturday)  
 Close on Sunday & Public Holiday.

No vehicles exceeding 5.5 ton will be  
 parked / stored within the site at any time.

The number of vehicles come in or going out  
 of the site is not expected to be more than  
 10 times totally per day. The vehicles are  
 mainly parked at the site waiting for sales.




**8. Declaration 聲明**

I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief.  
本人謹此聲明，本人就這宗申請提交的資料，據本人所知及所信，均屬真實無誤。

I hereby grant a permission to the Board to copy all the materials submitted in this application and/or to upload such materials to the Board's website for browsing and downloading by the public free-of-charge at the Board's discretion.

本人現准許委員會酌情將本人就此申請所提交的所有資料複製及/或上載至委員會網站，供公眾免費瀏覽或下載。

Signature  
簽署

  
Wong Shui Ying

Name in Block Letters  
姓名（請以正楷填寫）

☒ Applicant 申請人 / ☐ Authorised Agent 獲授權代理人

Position (if applicable)  
職位（如適用）

Professional Qualification(s) ☐ Member 會員 / ☐ Fellow of 資深會員

專業資格

☐ HKIP 香港規劃師學會 / ☐ HKIA 香港建築師學會 /

☐ HKIS 香港測量師學會 / ☐ HKIE 香港工程師學會 /

☐ HKILA 香港園境師學會 / ☐ HKIUD 香港城市設計學會

☐ RPP 註冊專業規劃師

Others 其他

N/A.

on behalf of  
代表

☐ Company 公司 / ☐ Organisation Name and Chop (if applicable) 機構名稱及蓋章（如適用）

Date 日期

16 Oct 2023 (DD/MM/YYYY 日/月/年)

**Remark 備註**

The materials submitted in this application and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate.

委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下，有關申請資料亦會上載至委員會網頁供公眾免費瀏覽及下載。

**Warning 警告**

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance.

任何人在明知或故意的情況下，就這宗申請提出在任何要項上是虛假的陳述或資料，即屬違反《刑事罪行條例》。

**Statement on Personal Data 個人資料的聲明**

1. The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes:

委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門，以根據《城市規劃條例》及相關的城市規劃委員會規劃指引的規定作以下用途：

- (a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and  
處理這宗申請，包括公布這宗申請供公眾查閱，同時公布申請人的姓名供公眾查閱；以及  
(b) facilitating communication between the applicant and the Secretary of the Board/Government departments.  
方便申請人與委員會秘書及政府部門之間進行聯絡。

2. The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above.

申請人就這宗申請提供的個人資料，或亦會向其他人士披露，以作上述第 1 段提及的用途。

3. An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.

根據《個人資料(私隱)條例》(第 486 章)的規定，申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料，應向委員會秘書提出有關要求，其地址為香港北角渣華道 333 號北角政府合署 15 樓。

## Gist of Application 申請摘要

(Please provide details in both English and Chinese as far as possible. This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and available at the Planning Enquiry Counters of the Planning Department for general information.)

(請盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及於規劃署規劃資料查詢處供一般參閱。)

Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)	
Location/address 位置/地址:	Lot No. 666 B (Part) and 667 (Part) in D.D. 110 Kam Tin Road, Yuen Long	
Site area 地盤面積	436 (includes Government land of 包括政府土地	sq. m 平方米 <input checked="" type="checkbox"/> About 約 sq. m 平方米 <input type="checkbox"/> About 約)
Plan 圖則	S/YL - KTN/10	
Zoning 地帶	Residential (Group D)	
Type of Application 申請類別	<input type="checkbox"/> Temporary Use/Development in Rural Areas or Regulated Areas for a Period of 位於鄉郊地區或受規管地區的臨時用途/發展為期 <input type="checkbox"/> Year(s) 年 _____ <input type="checkbox"/> Month(s) 月 _____ <input checked="" type="checkbox"/> Renewal of Planning Approval for Temporary Use/Development in Rural Areas or Regulated Areas for a Period of 位於鄉郊地區或受規管地區臨時用途/發展的規劃許可續期為期 <input checked="" type="checkbox"/> Year(s) 年 <u>3</u> <input type="checkbox"/> Month(s) 月 _____	
Applied use/ development 申請用途/發展	Temporary Open Storage of Vehicles (Lorries, Vans & Private Cars) for Sales.	



(i) Gross floor area and/or plot ratio 總樓面面積及/或地積比率	Domestic 住用	sq.m 平方米 <input type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於	Plot Ratio 地積比率 <input type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於
	Non-domestic 非住用	213.1 <input checked="" type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於	<input type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於
(ii) No. of blocks 幢數	Domestic 住用		
	Non-domestic 非住用	4	
(iii) Building height/No. of storeys 建築物高度/層數	Domestic 住用	m 米 <input type="checkbox"/> (Not more than 不多於)	
		Storeys(s) 層 <input type="checkbox"/> (Not more than 不多於)	
	Non-domestic 非住用	3.84 m 米 <input checked="" type="checkbox"/> (Not more than 不多於)	
		1 Storeys(s) 層 <input type="checkbox"/> (Not more than 不多於)	
(iv) Site coverage 上蓋面積	50 % <input checked="" type="checkbox"/> About 約		
(v) No. of parking spaces and loading / unloading spaces 停車位及上落客貨車位數目	Total no. of vehicle parking spaces 停車位總數  Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 ✓ Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (請列明) _____ _____		6 parking spaces
	Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位/停車處總數  Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 中型貨車車位 Heavy Goods Vehicle Spaces 重型貨車車位 Others (Please Specify) 其他 (請列明) _____ _____		N/A.

**Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件**

	<u>Chinese</u> 中文	<u>English</u> 英文
<b><u>Plans and Drawings 圖則及繪圖</u></b>		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖／布局設計圖	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Block plan(s) 樓宇位置圖	<input type="checkbox"/>	<input type="checkbox"/>
Floor plan(s) 樓宇平面圖	<input type="checkbox"/>	<input type="checkbox"/>
Sectional plan(s) 截視圖	<input type="checkbox"/>	<input type="checkbox"/>
Elevation(s) 立視圖	<input type="checkbox"/>	<input type="checkbox"/>
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片	<input type="checkbox"/>	<input type="checkbox"/>
Master landscape plan(s)/Landscape plan(s) 園境設計總圖／園境設計圖	<input type="checkbox"/>	<input type="checkbox"/>
Others (please specify) 其他（請註明）	<input type="checkbox"/>	<input type="checkbox"/>
<hr/>		
<b><u>Reports 報告書</u></b>		
Planning Statement/Justifications 規劃綱領/理據	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Environmental assessment (noise, air and/or water pollutions) 環境評估（噪音、空氣及／或水的污染）	<input type="checkbox"/>	<input type="checkbox"/>
Traffic impact assessment (on vehicles) 就車輛的交通影響評估	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Traffic impact assessment (on pedestrians) 就行人的交通影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Visual impact assessment 視覺影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Landscape impact assessment 景觀影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Tree Survey 樹木調查	<input type="checkbox"/>	<input type="checkbox"/>
Geotechnical impact assessment 土力影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Drainage impact assessment 排水影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Sewerage impact assessment 排污影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Risk Assessment 風險評估	<input type="checkbox"/>	<input type="checkbox"/>
Others (please specify) 其他（請註明）	<input type="checkbox"/>	<input type="checkbox"/>
<hr/>		
Note: May insert more than one 「✓」. 註：可在多於一個方格內加上「✓」號		

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.

註：上述申請摘要的資料是由申請人提供以方便市民大眾參考。對於所載資料在使用上的問題及文義上的歧異，城市規劃委員會概不負責。若有任何疑問，應查閱申請人提交的文件。



Justifications for Application:


The present application seeks for renewal of permission for temporary use of **Lot No. 666B (Part) and 667 (Part) in D.D 110 at Kam Tin Road, near Shek Kong Camp in Yuen Long**. The reasons in support of the renewal are summarized as follows:

- The location is an area temporarily used as *open storage of vehicles (lorries, vans & private cars) for sale*. With long period of time serving to the community, it is a complement business together with lots of car yards and car dismantling business along the Kam Tin Road. Therefore, it utilizes the land in a more centralized and efficient way for those frequent visitors to the area;
- The site has about 222.9 m<sup>2</sup> uncovered land area and a total of 6 lorry parking spaces have been earmarked for the vehicles storage are. The vehicles will be transported to site or driven to the site during day time and they are likely to remain in the site for one or two weeks before successful sale of the vehicles. Therefore, the number of trips generated by the vehicles will be expected to be less than 10 times totally per day. No vehicle exceeding 5.5 tones will be parked /stored within the site at anytime.
- The land owner (applicant) has taken the expertise advices from your Department and adhered strictly to those recommendations/conditions in previous approved applications. No modification to the existing permanent structures was made. Minimum environment, domestic, traffic and drainage impacts were generated in preceding years.
- The parking spaces as shown on the master layout plain is for parking of lorries, vans and private cars for sales. No workshop would be provided within the application site.

In view of the justifications presented above, the honorable members of the Board are requested to approve the application for a period of 3 years.








Location and Zoning Plan  
 Extracted from Outline Zoning Plan No. S/YL-KTN/3  
 Scale 1:5000







# LOT INDEX PLAN



Plan produced by SMO, Lands Department.

SCALE 1:1000  
METRES 10 0 10 20 30 40 50 METRES

Locality : DD110

Lot Index Plan No. : MILIP14207

District Survey Office : MPC, HK

Date : 13 Dec 07

Reference No. : 6-NE-13A

© Copyright reserved - Hong Kong Government

SMO-P01

20071213155135 11

This plan is a copy of the lot index plan showing the approximate location of lot boundaries, including the temporary occupation of land under Government Land Allocations, Temporary Government Land Allocations, Short Term Tenancies and Government Land Licences. The temporary occupation of land may be created or terminated at short notice and should be confirmed with the District Lands Officer. The information shown on this plan **MUST** be verified by field survey. The lot index plan may be revised without prior notification as better or new boundary evidence becomes available.

本圖乃地政索引圖，顯示地段邊界的大概位置，包括根據政府撥地、新政府撥地、短期租約及政府土地租用牌照而臨時佔用土地的位置。臨時佔用土地的情況可隨時通知出現或終止，因此應向有關的分區地政專員核實。本圖所顯示的資料必須透過實地調查予以核實。當有更佳或新的地界證據時，地政索引圖可經修訂而不另行通知。











	高度(米)	面積(平方米)	用途
Structure 1 (enclosed)	3.84	~ 129.8	辦公室(1/4 部份) 其餘空置(3/4 部份)
Structure 2 (enclosed)	3.44	17.7	空置貯物室
Structure 3 (enclosed)	2.30	6.2	空置(前洗手間)
Structure 4 (tin-sheeted)	3.84	59.4	臨時上蓋作遮 風擋雨用途





☒Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

**Ying Yeung MO/PLAND**

---

寄件者: [REDACTED]  
寄件日期: [REDACTED]  
收件者: [REDACTED]  
主旨: Fw: A/YL-KTN/966  
附件: KTN\_966 08.12.2023 The drainage paths.doc; Fire Service installation proposal08\_12\_2023.pdf; FS251(I).pdf; FS-251(II).pdf  
  
重要性: 高

[REDACTED]

---

From: [REDACTED]  
Sent: [REDACTED]  
To: [REDACTED]  
Subject: FW: A/YL-KTN/966

---

From: [REDACTED]  
Sent: Friday, December 8, 2023 10:56 AM  
To: 'tpbpd@pland.gov.hk' <tpbpd@pland.gov.hk>  
Cc: [REDACTED]  
Subject: A/YL-KTN/966

Dear Sir/Madam,

Regarding the subjected application, please see below:

The present site Lot 666B(Part) and 667(Part) is in close proximity to another adjacent site Lots 667 (Part) in D.D.110 (A/YL-KTN/860 application approved on 25 November 2022) without physical boundary.

Ms Wong Shui Ying owns the two sites. These two sites have been rented and used for the sole purpose of *temporary open storage of light goods vehicles for sale* for many years.

Although these two sites fall into separated application numbers, we treat them as a single entity for the design and implementation of drainage and fire service installation.

Please see the attached Fire Service installation proposal. The recent FS 251(I) & (II) regarding the fire extinguishers and the proposed and implemented fire service installation.

☒Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy


Thanks and regards,

[Redacted]



S.F.H.

(e) Portable name-operated approved appliances shall be provided as included on plans.



<input checked="" type="checkbox"/>	HR	1.50 mm DIA. HOSE REEL WITH FIRE ALARM BELL AND BREAK GLASS UNIT (EXISTING)
-------------------------------------	----	---

[illegible]



## FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS

消防(裝置及設備)規例

(Regulation 9(1))

(第九條(1)款)

## CERTIFICATE OF FIRE SERVICE INSTALLATION AND EQUIPMENT

消防裝置及設備證書

FSD Ref.:

消防處編號

Serial Number

Name of Client 顧客姓名

Wong Shui Ying

Address 地址

Lots 666 S.8 (Part) in D.D.110, Kam Tin Road, Yuen Long, NT



Type of Building 樓宇類型:

☐ Industrial 工業☐ Commercial 商業☐ Domestic 住宅☒ Composite 綜合☐ Licensed premises 持牌處所☐ Institutional 社團

## Part 1 Annual Maintenance ONLY

## 第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款, 擁有裝置在任何處所內的任何消防裝置或設備的人, 須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)
24	9L Water F.E. (3 nos.)	G/F	Conforms with FSD requirements	27/09/2023	26/09/2024
24	9L Foam F.E. (3 nos.)	G/F	Conforms with FSD requirements (Defect see part 3)	27/09/2023	26/09/2024

## Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)

## Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述
24	9L Foam F.E.	消防泵房外, 近街車房, Office外車房	Over 5 years - 3 nos.	Pressure Test / Replace
24	2KG CO2 F.E.	消防泵房, Office外車房	Over 5 years - 2 nos.	Pressure Test / Replace

Remark 備註

I/We hereby certify that the above installations/equipment have been tested and found to be in efficient working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗, 證明性能良好, 符合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置及設備之檢查測試及保養守則的規格, 損壞事項列於第三部。

如證書涉及年檢事項, 應張貼於大廈或處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

Authorized

Signature:

受權人簽署

Name:

姓名

CHAN HUNG WUT, DAVID

FSD/RC No.:

消防處註冊號碼

Company Name:

公司名稱

CHAN Hung-wut, David

Telephone:

聯絡電話

Date:

日期

05/10/2023

For FSD use only

Inspected

Key-in

Verified



Serial Number

Name of Client 顧客姓名






Wong Shui Ying

**Part 1 Annual Maintenance ONLY**


第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款，擁有裝置在任何處所內的任何消防裝置或設備的人，須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)
24	2KG CO2 F.E. (2 nos.)	G/F	Conforms with FSD requirements (Defect see part 3)	27/09/2023	26/09/2024











Serial Number



Name of Client 顧客姓名

Wong Shui Ying





## FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS

消防(裝置及設備)規例

(Regulation 9(1))

(第九條(1)款)

## CERTIFICATE OF FIRE SERVICE INSTALLATION AND EQUIPMENT

消防裝置及設備證書

FSD Ref.:   
消防處編號

Serial Number

Name of Client 顧客姓名

Wong Shui Ying

Address 地址

Lot 667 (Part) in D.D.110, Kam Tin Road, Yuen Long, NT

Type of Building 樓宇類型: ☐ Industrial 工業 ☐ Commercial 商業 ☐ Domestic 住宅 ☒ Composite 綜合 ☐ Licensed premises 持牌處所 ☐ Institutional 社團

## Part 1 Annual Maintenance ONLY

## 第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款，擁有裝置在任何處所內的任何消防裝置或設備的人，須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)
24	9L Foam F.E. (1 no.)	G/F	Conforms with FSD requirements	27/09/2023	26/09/2024
24	5KG CO2 F.E. (1 no.)	G/F	Conforms with FSD requirements	27/09/2023	26/09/2024

## Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)

## Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述

Remark 備註

I/We hereby certify that the above installations/equipment have been tested and found to be in efficient working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗，證明性能良好，符合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置及設備之檢查測試及保養守則的規格，損壞事項列於第三部。

如證書涉及年檢事項，應張貼於大廈或處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

Authorized

Signature:

受權人簽署

Name:

姓名

CHAN HUNG WUT, DAVID

FSD/RC No.:

消防處註冊號碼

Company Name:

公司名稱

CHAN Hung-wut,  
David

Telephone:

聯絡電話

Date:

日期

05/10/2023

For FSD  
use only

Inspected

Key-in

Verified











Serial Number



Name of Client 顧客姓名

Wong Shui Ying



## FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS

消防(裝置及設備)規例

(Regulation 9(1))

(第九條(1)款)

## CERTIFICATE OF FIRE SERVICE INSTALLATION AND EQUIPMENT

消防裝置及設備證書

FSD Ref.:

消防處編號

Serial Number

Name of Client 顧客姓名

Wong Shui Ying

Address 地址

Lots 666 S.B (Part) and 667 (Part) in D.D. 110, Kam Tin Road, Yuen Long, NT

Type of Building 樓宇類型: ☐ Industrial 工業 ☐ Commercial 商業 ☐ Domestic 住宅 ☒ Composite 綜合 ☐ Licensed premises 持牌處所 ☐ Institutional 社團

## Part 1 Annual Maintenance ONLY

## 第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)次, 擁有裝置在任何處所內的任何消防裝置或設備的人, 須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)
11	Emergency Lighting (7 nos.)	G/F	Conforms with FSD requirements (Defect see part 3)	27/09/2023	26/09/2024
12	Exit Sign (7 nos.)	G/F	Conforms with FSD requirements	27/09/2023	26/09/2024

## Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)

## Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述
11	Emergency Lighting	消防泵房, 近街車房	Damage - 2 nos.	Repair / Replace
16	Fire Hydrant/Hose Reel System	缸放水, 泵出入水 x4, 閘掣	Lack - Chain with Padlock - 6 sets.	Install

Remark 備註

I/We hereby certify that the above installations/equipment have been tested and found to be in efficient working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗, 證明性能良好, 符合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置及設備之檢查測試及保養守則的規格, 損壞事項列於第三部。

如證書涉及年檢事項, 應張貼於大廈或  
處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

Authorized

Signature:

受權人簽署

Name:

姓名

LEUNG KAM HING

FSD/RC No.:

消防處註冊號碼

Company Name:

公司名稱

Tung Hing Lung Fire Fighting  
Equipment & Engineering Co.  
Ltd.

Telephone:

聯絡電話

Date:

日期

05/10/2023

For FSD  
use only

Inspected

Key-In

Verified





Serial Number

Name of Client 顧客姓名






Wong Shui Ying

**Part 1 Annual Maintenance ONLY**

第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款，擁有裝置在任何處所內的任何消防裝置或設備的人，須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)
13	Fire Alarm System (MFA) (1 lot.)	G/F	Conforms with FSD requirements	27/09/2023	26/09/2024
16	Fire Hydrant/Hose Reel System (1 lot.)	G/F	Conforms with FSD requirements (Defect see part 3)	27/09/2023	26/09/2024



Serial Number








Name of Client 顧客姓名

Wong Shui Ying

Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述
16	Fire Hydrant/Hose Reel System	泵出入水 x4, 閘掣	Lack - Normally Open Plate - 5 nos.	Install
16	Fire Hydrant/Hose Reel System	缸放水	Lack - Normally Closed Plate - 1 no.	Install











Serial Number



Name of Client 顧客姓名

Wong Shui Ying





## FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS

消防(裝置及設備)規例

(Regulation 9(1))

(第九條(1)款)

## CERTIFICATE OF FIRE SERVICE INSTALLATION AND EQUIPMENT

消防裝置及設備證書

FSD Ref.:   
消防處編號

Serial Number

Name of Client 顧客姓名

Wong Shui Ying

Address 地址

Lots 666 S.B (Part) in D.D.110, Kam Tin Road, Yuen Long, NT

Type of Building 樓宇類型: ☐ Industrial 工業 ☐ Commercial 商業 ☐ Domestic 住宅 ☒ Composite 綜合 ☐ Licensed premises 持牌處所 ☐ Institutional 社團

## Part 1 Annual Maintenance ONLY

第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款, 所有裝置在任何處所內的任何消防裝置或設備的人, 須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)

## Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)
24	9L Foam F.E.	消防泵房外, 近街車房, Office外車房	Replaced - 3 nos.	Conforms with FSD requirements	30/11/2023
24	2KG CO2 F.E.	消防泵房, Office外車房	Replaced - 2 nos.	Conforms with FSD requirements	30/11/2023

## Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述

Remark 備註

Defect of FS251 30764 231776

I/We hereby certify that the above installations/equipment have been tested and found to be in efficient working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗, 證明性能良好, 符合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置及設備之檢查測試及保養守則的規格, 損壞事項列於第三部。

如證書涉及年檢事項, 應張貼於大廈或處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

Authorized

Signature:

受權人簽署

Name:

姓名

CHAN HUNG WUT, DAVID

FSD/RC No.:

消防處註冊號碼

Company Name:

公司名稱

CHAN Hung-wut,  
David

Telephone:

聯絡電話

Date:

日期

04/12/2023

For FSD  
use only


Inspected

Key-In

Verified











Serial Number



Name of Client 顧客姓名

Wong Shui Ying



## FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS

消防(裝置及設備)規例

(Regulation 9(1))

(第九條(1)款)

## CERTIFICATE OF FIRE SERVICE INSTALLATION AND EQUIPMENT

消防裝置及設備證書

FSD Ref.:

消防處編號

Serial Number

Name of Client 顧客姓名

Wong Shui Ying

Address 地址

Lots 666 S.B (Part) and 667 (Part) in D.D. 110, Kam Tin Road, Yuen Long, NT

Type of Building 樓宇類型: ☐ Industrial 工業 ☐ Commercial 商業 ☐ Domestic 住宅 ☒ Composite 綜合 ☐ Licensed premises 持牌處所 ☐ Institutional 社團

## Part 1 Annual Maintenance ONLY

第一部 只適用於年檢事項

In accordance with Regulation 8(b) of the Fire Service (Installations and Equipment) Regulations, the owner of any fire service installation or equipment which is installed in any premises shall have such fire service installation or equipment inspected by a registered contractor at least once in every 12 months. 根據消防(裝置及設備)規例第八條(b)款，凡有裝置在任何處所內的任何消防裝置或設備的人，須每12個月由一名註冊承辦商檢查該等消防裝置或設備至少一次。

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)	Next Due Date 下次到期日 (DD/MM/YYYY)

## Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)
11	Emergency Lighting	消防泵房, 近街車房	Replaced - 2 nos.	Conforms with FSD requirements	30/11/2023
16	Fire Hydrant/Hose Reel System	缸放水, 泵出入水 x4, 閘掣	Installed - Chain with Padlock - 6 sets.	Conforms with FSD requirements	30/11/2023

## Part 3 第三部 Defects 損壞事項

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Outstanding Defects 未修缺點	Comment on Defects 缺點評述

Remark 備註

Defect of FS251-10361 231841

I/We hereby certify that the above installations/equipment have been tested and found to be in efficient working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗，證明性能良好，符合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置及設備之檢查測試及保養守則的規格，損壞事項列於第三部。

如證書涉及年檢事項，應張貼於大廈或處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

Authorized

Signature:

受權人簽署

Name:

姓名

LEUNG KAM HING

FSD/RC No.:

消防處註冊號碼

Company Name:

公司名稱

Tung Hing Lung Fire Fighting Equipment &amp; Engineering Co. Ltd.

Telephone:

聯絡電話

Date:

日期

04/12/2023



For FSD use only

Inspected

Key-in

Verified





Serial Number






6

Name of Client 顧客姓名


Wong Shui Ying

Part 2 第二部 Installation / Modification / Repair / Inspection works 裝置/改裝/修理/檢查工作

Code 編碼 (1-35)	Type of FSI 裝置類型	Location(s)位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀況評述	Completion Date 完成日期 (DD/MM/YYYY)
16	Fire Hydrant/Hose Reel System	泵出入水 x4, 閘掣	Installed - Normally Open Plate - 5 nos.	Conforms with FSD requirements	30/11/2023
16	Fire Hydrant/Hose Reel System	缸放水	Installed - Normally Closed Plate - 1 no.	Conforms with FSD requirements	30/11/2023











Serial Number



Name of Client 顧客姓名

Wong Shui Ying



**Lot 666B(Part) and 667(Part) in D.D. 110, Kam Tin Road, Yuen Long**  
**(TPB/A/YL-KTN/966)**

The present site Lots 666 S.B (Part) and 667 (Part) is in close proximity to another adjacent site Lot 667 (Part) in D.D.110 (A/YL-KTN/860) application approved on 25 November 2022) without physical boundary (Fig 1). Ms Wong Shui Ying owns the two sites. These two sites have been rented and used for the sole purpose of *temporary open storage of light goods vehicles for sale* for many years. Although these two sites fall into separated application numbers, we treat them as a single entity for the design and implementation of draining and fire service installation.

**Existing draining facilities**

Since the two sites as mentioned above are in close proximity, they share the same draining facilities.

The site is located at a platform level slightly higher than the adjacent river channel to the north of the site and therefore it is not subjected to any risk of flooding. The run-off from the site is relatively small and can easily be diverted to Kam Tim Road and a drainage ditch at the north-western corner of the site.

The site has been operated for almost 25 years with the proposed land usage (i.e. open storage of light vehicles for sale). Flooding was never encountered in the period of rainy seasons (including hosting of rainstorm warning signals) and typhoon attacks.

Therefore, the site should not result in any drainage problem for the locality. The draining facilities that previously approved have been properly maintained throughout. A detailed plan is attached herein for your information (Fig 2).

Sincerely Yours,

Mr. [REDACTED]  
[REDACTED]  
for

Land Owner: Wong Shui Ying  
8 December 2023

**Lot 666B(Part) and 667(Part) in D.D. 110, Kam Tin Road, Yuen Long**  
**(TPB/A/YL-KTN/966)**

The Ground Floor Plan with details of draining facilities is included. You may refer the photos ID taken recently (on 21/9/2022) below to the corresponding photos enclosed.

The drainage paths / facilities are highlighted in the ground floor plan

<b>Photos I.D.</b>	<b>Description</b>
<b>1, 1a and 1b</b>	Site facing the Kam Tin Road. Between the high- and low- raise buildings there are drainage facilities
<b>2, 3, 4 and 4a</b>	Drainage facilities to draining ditch
<b>5 and 5a</b>	Large drainage
<b>6</b>	North-eastern of the site. To draining ditch
<b>7</b>	Draining facilities along the Kam Tin Road, opposite to the site








Photo 1



Photo 1a



Photo 1b




Photo 2



Photo 3



Photo 4






Photo 4a



Photo 5



Photo 5a



Photo 6




Photo 7

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

**Ying Yeung MO/PLAND**

---

寄件者: [REDACTED]  
寄件日期: 2023年12月12日星期二 11:33  
收件者: Ying Yeung MO/PLAND  
副本: Andrea Wing Yin YAN/PLAND; Olivia Lam Yan NG/PLAND; Yen PY LEUNG/PLAND  
主旨: RE: Departmental Comments - A/YL-KTN/966  
附件: YL\_KTN\_966.docx  
  
類別: Internet Email

Dear Sir/Madam,

Attached please find our response to Transport Department's comments.

Thanks and regards,

woody

---

**From:** Ying Yeung MO/PLAND [mailto:yymo@pland.gov.hk]

**Sent:** Tuesday, December 12, 2023 11:06 AM

**To:** [REDACTED]

**Cc:** Andrea Wing Yin YAN/PLAND <awyyan@pland.gov.hk>; Olivia Lam Yan NG/PLAND <olyng@pland.gov.hk>; Yen PY LEUNG/PLAND <pyleung@pland.gov.hk>

**Subject:** Departmental Comments - A/YL-KTN/966

Dear Ms. Wong,

Regarding your captioned s.16 application, please find the attached departmental comments from the relevant departments for your information and/or any necessary action.

*[See attachment "Dept\_comments to applicant\_231212.pdf"]*

Best regards,  
Y. MO  
for FS&YLE DPO, PlanD  
Tel.:3168 4047



Ref.: TPB/A/YL-KTN/966

Dear Sir/Madam,

**Lots 666 S.B (Part) and 667 (Part) in D.D. 110, Kam Tin Road, Yuen Long (TPB/A/YL-KTN/966)**

Regarding your email dated 12 Dec 2023, below is our response to the comment from Transport Department.

The vehicles will be transported to site or driven to the site during day time (9a.m. to 7p.m.) and they are likely to remain in the site for one or two weeks before successful sale of the vehicles. Therefore, the number of trips generated by the vehicles will be relatively small, estimated less than 10 trips a day. So it should not have any impact to the traffic on Kam Tin Road.

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

**Ying Yeung MO/PLAND**

---

寄件者: [REDACTED]  
寄件日期: 2023年12月12日星期二 15:48  
收件者: Ying Yeung MO/PLAND  
副本: Andrea Wing Yin YAN/PLAND; Olivia Lam Yan NG/PLAND; Yen PY LEUNG/PLAND  
主旨: RE: Departmental Comments - A/YL-KTN/966  
附件: YL\_KTN\_966 (further information).docx

郵件標幟: 待處理  
標幟狀態: 已標幟

類別: Internet Email

Dear Sir,

Attached please find our further response to Transport Department's comments.

Thanks and regards,

woody

---

**From:** Ying Yeung MO/PLAND [mailto:yymo@pland.gov.hk]

**Sent:** Tuesday, December 12, 2023 11:06 AM

**To:** [REDACTED]

**Cc:** Andrea Wing Yin YAN/PLAND <awyyan@pland.gov.hk>; Olivia Lam Yan NG/PLAND <olyng@pland.gov.hk>; Yen PY LEUNG/PLAND <pyleung@pland.gov.hk>

**Subject:** Departmental Comments - A/YL-KTN/966

Dear Ms. Wong,

Regarding your captioned s.16 application, please find the attached departmental comments from the relevant departments for your information and/or any necessary action.

[See attachment "Dept\_comments to applicant\_231212.pdf"]

Best regards,

Y. MO

for FS&YLE DPO, PlanD

Tel.:3168 4047

Ref.: TPB/A/YL-KTN/966

Dear Sir/Madam,

**Lots 666 S.B (Part) and 667 (Part) in D.D. 110, Kam Tin Road, Yuen Long (TPB/A/YL-KTN/966)**

Regarding your email dated 12 Dec 2023, below is our further response to the comment from Transport Department.

The present site Lot 666B(Part) and 667(Part) is in close proximity to another adjacent site Lots 667 (Part) in D.D.110 (A/YL-KTN/860) application approved on 25 November 2022) without **physical boundary**.

Ms Wong Shui Ying owns the two sites. These two sites have been rented and used for the sole purpose of *temporary open storage of light goods vehicles for sale* for many years. All the vehicle going in & out of the site using the entrance gate built at Lots 667 (Part) in D.D.110.

The adjacent site (Lots 667 (Part) in D.D.110) is about 595 square metre in area and a total of 12 lorry parking spaces have been earmarked for the vehicles storage are (12 parking space require only about 290 square metre). An entrance gate of adequate size has been provided at southwest corner of the site.

☐Urgent ☐Return receipt ☐Expand Group ☐Restricted ☐Prevent Copy

**Ying Yeung MO/PLAND**

---

寄件者: [REDACTED]  
寄件日期: 2023年12月12日星期二 17:26  
收件者: Ying Yeung MO/PLAND  
副本: Andrea Wing Yin YAN/PLAND; Olivia Lam Yan NG/PLAND; Yen PY LEUNG/PLAND  
主旨: RE: Departmental Comments - A/YL-KTN/966  
  
類別: Internet Email

Dear Sir/Madam,

In response to Fire Services Department's comments, I hereby to confirm that there is no change in the layout and proposed uses as compared with the previous application.

Thanks and regards,

woody

---

**From:** Ying Yeung MO/PLAND [mailto:yymo@pland.gov.hk]  
**Sent:** Tuesday, December 12, 2023 4:31 PM  
**To:** [REDACTED]  
**Cc:** Andrea Wing Yin YAN/PLAND <awyyan@pland.gov.hk>; Olivia Lam Yan NG/PLAND <olyng@pland.gov.hk>; Yen PY LEUNG/PLAND <pyleung@pland.gov.hk>  
**Subject:** Departmental Comments - A/YL-KTN/966

Dear Woody,

Regarding your captioned s.16 application, please find the attached departmental comments from the relevant departments for your information and/or any necessary action.

*[See attachment "Dept\_comments to applicant\_231212\_3.pdf"]*

Best regards,  
Y. MO  
for FS&YLE DPO, PlanD  
Tel.:3168 4047





**Relevant Extracts of Town Planning Board Guidelines on  
Application for Open Storage and Port Back-up Uses  
(TPB PG-No.13G)**

1. On 14.4.2023, the Town Planning Board Guidelines for Application for Open Storage and Port Back-up Uses under Section 16 of the Town Planning Ordinance (TPB PG-No. 13G) were promulgated, which set out the following criteria for the various categories of area:
  - (a) Category 1 areas: favourable consideration will normally be given to applications within these areas, subject to no major adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions. Technical assessments should be submitted if the proposed uses may cause significant environmental and traffic concerns;
  - (b) Category 2 areas: planning permission could be granted on a temporary basis up to a maximum period of 3 years, subject to no adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions. Technical assessments, where appropriate, should be submitted to demonstrate that the proposed uses would not have adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas;
  - (c) Category 3 areas: applications would normally not be favourably considered unless the applications are on sites with previous planning approvals (irrespective of whether the application is submitted by the applicant of previous approval or a different applicant). Sympathetic consideration may be given if genuine efforts have been demonstrated in compliance with approval conditions of the previous planning applications and/or relevant technical assessments/proposals have been included in the fresh applications, if required, to demonstrate that the proposed uses would not generate adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas. Planning permission could be granted on a temporary basis up to a maximum period of 3 years, subject to no adverse departmental comments and local objections, or the concerns of the departments and local residents can be addressed through the implementation of approval conditions; and
  - (d) Category 4 areas: applications would normally be rejected except under exceptional circumstances. For applications on sites with previous planning approvals (irrespective of whether the application is submitted by the applicant of previous approval or a different applicant), and subject to no adverse departmental comments and local objections, sympathetic consideration may be given if genuine efforts have been demonstrated in compliance with approval conditions of the previous planning applications and/or relevant technical assessments/proposals have been included in the fresh applications, if required, to demonstrate that the proposed uses would not generate adverse drainage, traffic, visual, landscaping and environmental impacts on the surrounding areas. The intention is however to encourage the phasing out of such non-conforming uses as early as possible. A maximum period of 3 years may be allowed for an applicant to identify suitable sites for relocation. Application for renewal of approval will be assessed on its individual merits.

2. In assessing applications for open storage and port back-up uses, the other major relevant assessment criteria are also summarized as follows:
- (a) port back-up sites and those types of open storage uses generating adverse noise, air pollution, visual intrusion and frequent heavy vehicle traffic should not be located adjacent to sensitive receivers such as residential dwellings, hospitals, schools and other community facilities;
  - (b) port back-up uses are major generators of traffic, with container trailer/tractor parks generating the highest traffic per unit area. In general, port back-up sites should have good access to the strategic road network, or be accessed by means of purpose built roads;
  - (c) adequate screening of sites through landscaping and/or fencing should be considered where sites are located adjacent to public roads or are visible from surrounding residential areas;
  - (d) there is a general presumption against conversion of active or good quality agricultural land and fish ponds to other uses on an ad-hoc basis. For flood prone areas or sites which would obstruct natural drainage channels and overland flow, advice should be sought; and
  - (e) for applications involving sites with previous planning approvals, should there be no evidence to demonstrate that the applicants have made any genuine effort to comply with the approval conditions of the previous planning applications, planning permission may be refused notwithstanding other criteria set out in the Guidelines are complied with.

**Relevant Extracts of Town Planning Board Guidelines  
on Renewal of Planning Approval and Extension of Time for Compliance with  
Planning Conditions for Temporary Use or Development  
(TPB PG-No. 34D)**

1. The criteria for assessing applications for renewal of planning approval include:
  - (a) whether there has been any material change in planning circumstances since the previous temporary approval was granted (such as a change in the planning policy/land-use zoning for the area) or a change in the land uses of the surrounding areas;
  - (b) whether there are any adverse planning implications arising from the renewal of the planning approval (such as pre-emption of planned permanent development);
  - (c) whether the planning conditions under previous approval have been complied with to the satisfaction of relevant government departments within the specified time limits;
  - (d) whether the approval period sought is reasonable; and
  - (e) any other relevant considerations.
2. Under normal circumstances, the approval period for renewal should not be longer than the original validity period of the temporary approval. In general, the Board is unlikely to grant an approval period exceeding three years unless there are strong justifications and the period is allowed for under the relevant statutory plans. Depending on the circumstances of each case, the Board could determine the appropriate approval period, which may be shorter than the time under request.





**Previous s.16 Applications covering the Application Site**

**Approved Applications**

	<b>Application No.</b>	<b>Proposed Use(s)</b>	<b>Date of Consideration (RNTPC/TPB)</b>
1	A/YL-KTN/175	Temporary Car Accessories Retail Shop & Ancillary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	25.7.2003
2	A/YL-KTN/250	Renewal of Planning Approval for Temporary Car Accessories Retail Shop and Ancillary Open Storage of Light Goods Vehicles for Sale under Application No. A/YL-KTN/175 for a Period of 3 Years	16.6.2006 [revoked on 16.12.2006]
3	A/YL-KTN/275	Temporary Car Accessories Retail Shop and Ancillary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	11.5.2007 [revoked on 11.2.2008]
4	A/YL-KTN/289	Temporary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	22.2.2008 [revoked on 22.8.2008]
5	A/YL-KTN/312	Temporary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	7.11.2008
6	A/YL-KTN/367	Temporary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	16.12.2011
7	A/YL-KTN/456	Temporary Open Storage of Light Goods Vehicles for Sale for a Period of 3 Years	16.1.2015
8	A/YL-KTN/580	Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sale for a Period of 3 Years	26.1.2018
9	A/YL-KTN/742	Renewal of Planning Approval for Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sale for a Period of 3 Years	22.1.2021

**Similar s.16 Applications within/straddling the same “R(D)” Zone in the vicinity of the Site in the past 5 years**

**Approved Applications**

	<b>Application No.</b>	<b>Proposed Use(s)</b>	<b>Date of Consideration (RNTPC/TPB)</b>
1	A/YL-KTN/601	Renewal of Planning Approval for Temporary "Open Storage of Construction Machinery, Private Vehicles and Vehicle Parts" for a Period of 3 Years	1.6.2018
2	A/YL-KTN/635	Renewal of Planning Approval for Temporary "Open Storage of Private Vehicles and Vehicle Parts" for a Period of 3 Years	16.11.2018 [revoked on 21.4.2021]
3	A/YL-KTN/631	Temporary Open Storage of Private Cars for a Period of 3 Years	8.3.2019
4	A/YL-KTN/677	Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sale for a Period of 3 Years	15.11.2019
5	A/YL-KTN/762	Renewal of Planning Approval for Temporary Open Storage of Construction Machinery, Private Vehicles and Vehicle Parts for a Period of 3 Years	14.5.2021
6	A/YL-KTN/810	Renewal of Planning Approval for Temporary Open Storage of Private Cars for a Period of 3 Years	28.1.2022
7	A/YL-KTN/792	Temporary Open Storage of Private Vehicles and Vehicle Parts for a Period of 3 Years	15.7.2022 [revoked on 26.8.2022]
8	A/YL-KTN/860	Renewal of Planning Approval for Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sale for a Period of 3 Years	11.11.2022

**Government Departments' General Comments**

**1. Land Administration**

Comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD):

- no adverse comment on the application;
- the application site (the Site) comprises an Old Schedule Agricultural Lot held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government; and
- within the Site, Lot No. 666 S.B in D.D. 110 is covered by Short Term Waiver (STW) No. 1946 for the purpose of Ratten Furniture Shop and Lot No. 667 in D.D. 110 is covered by STW No. 4478 for the purpose of Temporary Open Storage of Vehicles (Lorries, Vans and Private Cars) for Sale.

**2. Traffic**

Comments of the Commissioner for Transport (C for T):

- no adverse comment on the application from traffic engineering perspective.

Comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD):

- no adverse comment on the application from highways maintenance perspective.

**3. Drainage**

Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- no objection in-principle to the application.

**4. Environment**

Comments of the Director of Environmental Protection (DEP):

- no objection to the application; and
- there was no substantiated environmental complaint concerning the Site received in the past three years.

**5. Fire Safety**

Comments of the Director of Fire Services (D of FS):

- no objection in-principle to the application subject to the existing fire service installations (FSIs) implemented on the Site being maintained in an efficient working order at all times.

**6. Landscape**

Comments of the Chief Town Planner/Urban Design and Landscape, Planning Department (CTP/UD&L, PlanD):

- the Site falls within “Residential (Group D)” zone, which is non-landscape sensitive zoning and no significant landscape impact arising from the proposed development is anticipated.

**7. Building Matters**

Comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD):

- there is no record of approval by the Building Authority for the structures existing at the Site and BD is not in a position to offer comments on their suitability for the use related to the application.

**8. District Officer’s Comments**

Comments of the District Officer (Yuen Long), Home Affairs Department (DO/YL, HAD):

- his office has not received any local’s comment on the application and he has no particular comment on the application.

**9. Other Departments**

The following government departments have no objection to / no adverse comment / no comment on the application:

- the Project Manager (West), Civil Engineering and Development Department (PM(W), CEDD);
- the Chief Engineer/Construction, Water Supplies Department (CE/C, WSD);
- the Director of Electrical and Mechanical Services (DEMS); and
- the Commissioner of Police (C of P).

**Recommended Advisory Clauses**

- (a) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:
- the Short Term Wavier (STW) holder(s) will need to apply to his office for modification of the STW conditions where appropriate, if any. Besides, given the applied use is temporary in nature, only application for regularisation or erection of temporary structure(s) will be considered. Applications for any of the above will be considered by the LandsD acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application will be approved. If such application is approved, it will be subject to such terms and conditions, including among others the payment of rent or fee, as may be imposed by the LandsD;
- (b) to note the comments of the Commissioner for Transport (C for T) that:
- the application site (the Site) is connected to the public road network via a section of a local access road which is not managed by Transport Department. The land status of the local access road should be checked with LandsD. Moreover, the management and maintenance responsibilities of the local access road should be clarified with the relevant lands and maintenance authorities accordingly. Sufficient manoeuvring space shall be provided within the Site. No vehicle is allowed to queue back to or reverse onto/from public road at any time during the planning approval period;
- (c) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD) that:
- the applicant should ensure a run in/out is constructed in accordance with the latest version of HyD Standard Drawings no. H1113 and H1114, or H5133, H6134 and H5135, whichever set is appropriate to match with the existing adjacent pavement; and
  - adequate drainage measures should be provided to prevent surface water running from the Site to the nearby public road and drains;
- (d) to note the comments of the Chief Engineer/Mainland North of Drainage Services Department (CE/MN, DSD) that:
- the applicant is reminded to maintain all the drainage facilities on site in good condition and ensure that the proposed development would neither obstruct overland flow nor adversely affect existing natural streams, village drains, ditches and the adjacent areas, etc. The applicant is required to rectify the drainage system at their own expense to the satisfaction of the government parties concerned if they are found to be inadequate or ineffective during operation;
- (e) to note the comments of the Director of Environmental Protection (DEP) that:
- the applicant is advised to follow the relevant mitigation measures and requirements in the revised "Code of Practice on Handling the Environmental Aspects of Temporary uses and Open Storage Sites" issued by DEP;





- (f) to note the comments of the Director of Fire Services (D of FS) that:
- if the proposed structures are required to comply with the Buildings Ordinance (Cap.123), detailed fire services requirements will be formulated upon receipt of formal submission of general building plans;
- (g) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD) that:
- if the existing structures (not being a New Territories Exempted House) are erected on leased land without the approval of the BD, they are unauthorised building works (UBW) under the Buildings Ordinance (BO) and should not be designated for any proposed use under the application;
  - for UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with BD's enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO;
  - before any new building works (including containers/open sheds as temporary buildings and land filling) are to be carried out on Site, prior approval and consent of the BD should be obtained, otherwise they are UBW. An Authorised Person (AP) should be appointed as the co-ordinator for the proposed building works in accordance with the BO;
  - the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations respectively; and
  - if the Site does not abut on a specified street of less than 4.5m wide, its permitted development intensity shall be determined under Regulation 19(3) of the Building (Planning) Regulation at the building plan submission stage;
- (h) to note the comments of the Director of Electrical and Mechanical Services (DEMS) that:
- in the interests of public safety and ensuring the continuity of electricity supply, the parties concerned with planning, designing, organizing and supervising any activity near the underground cable or overhead line should approach the electricity supplier (i.e. CLP Power) for the requisition of cable plans (and overhead line alignment drawings, where applicable) to find out whether there is any underground cable and/or overhead line within and/or in the vicinity of the Site. They should also be reminded to observe the Electricity Supply Lines (Protection) Regulation and the "Code of Practice on Working near Electricity Supply Lines" established under the Regulation when carrying out works in the vicinity of the electricity supply lines.

