
此文仟在<u>2022年8月</u>1300到。城市規劃委員會 只會在收到所有必要的資料及文件後才正式確認收到 Appendix I of RNTPC Paper No. A/YL-LFS/442



Form No. S16-III 表格第 S16-II. 就

For Official Use Only	Application No. 申請編號	A14L-CES/ 442
For Official Use Only 請勿填寫此欄	Date Received 收到日期	1-5-AUG-2022

- The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.
 申請人須把填妥的申請表格及其他支持申請的文件(倘有),送交香港北角渣華道 333 號北角政府合署 15 拟城市 規劃委員會(下稱「委員會」)秘書收。
- 2. Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at <u>http://www.info.gov.hk/ipb/</u>. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories).

請先細閱《申請須知》的資料單張,然後填寫此表格。該份文件可從委員會的網頁下載(網址: http://www.info.gov.luk/tpb/),亦可向委員會秘書處(香港北角渣華道 333 號北角政府合署 15 樓 - 電話:2231 4810 或 2231 4835)及規劃署的規劃資料查詢處(熱線: 2231 5000) (香港北角渣華道 333 號北角政府合署 17 樓及新界沙 田上禾輩路 1 號沙田政府合署 14 樓)索取。

3. This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete. 此表格可從委員會的網頁下載,亦可向委員會秘魯處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全,委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

(☑Mr. 先生/□Mrs. 夫人/□Miss 小组/□Ms. 女士/□Company 公司/□Organisation 機構)

KONG Chun Ying (江振英)

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱(如適用)

(口Mr. 先生 /口Miss. 夫人 /口Miss 小姐 /口Ms. 女士 / 口Company 公司 /口 Organisation 機構)

Metro Planning & Development Company Limited (都市規劃及發展傾間有限公司)

3.	Application Site 申請地點	
(a)	Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈髽約份及 地段號碼(如適用)	Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.
(b)	Site area and/or gross floor area involved 涉及的地盤面積及/或總樓面面 積	☑Site area 地盤面積 1,110 sq.m 平方米☑About 約 Not more than ☑Gross floor area 總樓面面積 464 sq.m 平方米□About 約
(c)	Area of Government land included (if any) 所包括的政府土地面積(倘有)	Nil

Parts 1, 2 and 3 第1、第2及第3部分

<u>Form No. S16-III 表格第 S16-III 號</u>

(d)	、 Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號	Approved Lau Fau Shan & Tsim Bei Tsui Outli No. S/YL-LFS/11	ne Zoning Plan	
(e)	Land use zone(s) involved 涉及的生地用途地帶			
		Warehouse for storage of construction material	S	
(J)	Current use(s) 現時用途	(If there are any Government, institution or community] plan and specify the use and gross floor area) (如有任何政府、機構或社區設施,請在圖則上顯示,	•	
4.	"Current Land Owner" of A	pplication Site 申請地點的「現行土地		
		http://www.sue中朗地知道,现11工地		
The Z	applicant 申請人 – is the sole "current land owner" ^{#&} (p 是唯一的『現行上地擁有人』 ^{#&} (i	lease proceed to Part 6 and attach documentary proof c 请繼續填寫第 6 部分,並夾附業權證明文件)。	of ownership).	
	is one of the "current land owners" ^{# &} (please attach documentary proof of ownership). 是其中一名「現行土地擁有人」 [#] * (請夾附業權證明文件)。			
Ü	is not a "current land owner" [#] . 並不是「現行土地擁有人」 [#] 。			
	The application site is entirely on Government land (please proceed to Part 6). 申請地點完全位於政府土地上(請繼續填寫第6部分)→			
5.	Statement on Owner's Cons 就土地擁有人的同意/通			
(a)	involves a total of			
(b)	The applicant 申請人 -	· · · · · · · · · · · · · · · · · · ·		
	—	"current land owner(s)" [#] . 「現行土地擁有人」 [#] 的同意 »	. ·	
1	Details of consent of "curren	t land owner(s)" [#] obtained 取得「現行土地擁有人」	」同意的詳情	
	Land Owner(s) Land Reg	per/address of premises as shown in the record of the istry where consent(s) has/have been obtained 註冊處記錄已獲得同意的地段號碼/處所地址	Date of consent obtained (DD/MM/YYYY) 取得同意的日期 (円/月/年)	
	(Please use separate sheets if the	space of any box above is insufficient. 如上列任何方格的经	2間不足, 請另頁說明)	

3 Parts 3 (Cont'd), 4 and 5 第3 (續)、第4及第5部分

Form No. S16-III 表格第 S16-III 號

Ľ.	tails of the "current land owner(s)" [#] notified 已獲通知「現行土地擁有人」 [#]	的評細資料 Date of notification
Г	. of Current ad Owner(s), 現行土地擁 人」數目	given (DD/MM/YYYY) 通知日期(日/月/年)
(Plea	ise use separate sheets if the space of any box above is insufficient. 如上列任何方格的空	間不足,請另頁說明)
	aken reasonable steps to obtain consent of or give notification to owner(s): 取合理步驟以取得土地擁有人的同意或向該人發給通知。詳情如下:	
Rea	sonable Steps to Obtain Consent of Owner(s) 取得土地擁有人的同意所採取的	
	sent request for consent to the "current land owner(s)" on	_ (DD/MM/YYYY) [#]]意書 [#]
<u>Réa</u>	sonable Steps to Give Notification to Owner(s) 向十地擁有人發出通知所採用	
	published notices in local newspapers on(DD/MM/YY 於(日/月/年)在指定報章就申請刊登一次通知 [《]	YY) ^{&}
	posted notice in a prominent position on or near application site/premises on (DD/MM/YYYY) ^{&}	
	於(日/月/年)在申請地賠/申請處所或附近的顯明位置	贴出關於該申請的短
	sent notice to relevant owners' corporation(s)/owners' committee(s)/mutual aid office(s) or rural committee on(DD/MM/YYYY) ^{&} 於(日/月/年)把通知寄往相關的業主立案法團/素主委 處:或有關的鄉事委員會 ^{&}	
<u>Oth</u>	ers 其他	
	others (please specify) 其他(誚指明)	
· .		
•		

.

6.	Type(s) of Application	申請類別	
	位於鄉郊地區主地上及/ GorRenewal of Permissio	或建築物內進行為期不超過 n for Temporary Use or Develop	Not Exceeding 3 Years in Rural Areas 年的臨時用途/發展 ment in Rural Areas, please proceed to Part (B)) (B)部分)
1	Proposed use(s)/development 擬識用途/發展	Temporary Warehouse for St Years	orage of Construction Materials for a Period of 3
	Effective period of	(Please illustrate the details of the pr ☑ year(s) 年	oposal on a layout plan) (將用平面圖說明擬說詳情) 3
	permission applied for 申請的許可有效期	口 month(s) 個月	
(c)	Development Schedule 發展約	H節表	646
	Proposed uncovered land area Proposed covered land area 務	建藏有上蓋土地面積	646
Proposed number of buildings/structures 擬識建築物/構築物數目			
Proposed non-domestic floor area 擬議非住用樓面面積 Proposed gross floor area 擬議總樓面面積 Not more than 464 Not more than 464 			Not more than 464
的 的 Str	疑識用途 (如適用) (Please us ructure 1 & 2: Warehouse f	se separate sheets if the space below or storage of construction mate xceeding 3m, 1 storey), Structu	s (if applicable) 建築物/構築物的擬議高度及不同樓屬 w is insufficient) (如以下空間不足,請另頁說明) rials (Not exceeding 6.5m, 1 storey), re 4: Toilet (Not exceeding 3m, 1 storey)
Pro	oposed number of car parking	spaces by types 不同種類停車位	
Me Lij Me He	ivate Car Parking Spaces 私家 otorcycle Parking Spaces 電算 ght Goods Vehicle Parking Sp edium Goods Vehicle Parking eavy Goods Vehicle Parking S thers (Plcase Specify) 其他(型車車位 paces 輕型貨車泊車位 Spaces 中型貨車泊車位 paces 重型貨車泊車位	1 space of 5m x 2.5m Nil Nil Nil Nil Nil NA
Pr	oposed number of loading/un	loading spaces 上落客貨車位的擬	識數目
Co Li M H	nxi Spaces 的土車位 mach Spaces 旅遊巴車位 ight Goods Vehicle Spaces 軺 iedium Goods Vehicle Spaces eavy Goods Vehicle Spaces thers (Please Specify) 其他(中型貨車車位 重型貨車車位	Nil 1 space of 7m x 3.5m Nil Nil NA
		· · · · · · · · · · · · · · · · · · ·	

Part 6 第6部分

.

Form No. S16-III 表格第 S16-III 號

	posed operating hours 0a.m. to 7:00p.m. fro			Saturdays. No operation wil	l be held on Sundays and	public holidays.
····						
(ð)	 (d) Any vehicular access to the site/subject building? 是否有車路通往地盤/ 有關建築物? 		es 是 o 否	appropriate) 有一條現有車路。(詞語 Vehicular access leading f □ There is a proposed ac width)		plan and specify the
(1)	T		- 1			·····
(c)	(If necessary, please give justifications/res 響的措施・否則請注	opment Proposal 擬議發展計劃的影響 ase use separate sheets to indicate the proposed measures to minimise possible adverse impacts or streasons for not providing such measures. 如需要的話,請另頁表示可盡量減少可能出現不良影 請提供理據/理由。)				
<i>(</i> i)	Does the development proposal involve alteration of existing building? 擬議發展計劃是 否包括現有建築 物的改動?	Yes 是 No 否	۲۹ □ 		詳 情	
(ii)	Does the development proposal involve the operation on the right? 擬議發展是否涉 及右列的工程?	Yes 是 No 否	diw (講 武)	ease indicate on site plan the bound receivent of filling of land/poor 用地盤平面圖顯示有關土地/池塘 範疇) Diversion of stream 河道改建 Filling of pond 填塘 Area of filling 填塘面積 Depth of filling 填塘深度 Filling of land 填土 Area of filling 填土面積 Depth of filling 填土面積	nd(s) and/or excavation of land) 界線,以及河道改道、項班、導 。 	 ▲ L及/或挖土的细節及/ ▲ LAbout 約 ■ About 約
(iii)	Would the development proposal cause any adverse impacts? 擬議發展計劃會 否造成不良影 響?	On envir On traffic On water On drains On slope: Affected Landscap Tree Fell Visual In	2 對交道 supply uge 對斜切 by slope linpac ing 砍棍	重 對供水 非水 皮 cs 受斜坡影響 at 構成景觀影響	Yes 會 Yes 會	No 不不不不 No 不不不不 No 不不不不 No 不不不 No 不不不 No 不不 No 不 No

6

.

Please state measure(s) to minimise the impact(s). For tree felling, please state the number, diameter at breast height and species of the affected trees (if possible) 講註明盡量減少影響的措施。如涉及砍伐樹木,講說明受影響樹木的數目、及胸高度的樹幹直徑及品種(倘可)

(B): Renewal of Permission for 位於鄉郊地區臨時用途/發	Temporary Use or Development in Rui al Areas 展的許可續期
(a) Application number to which the permission relates 與許可有關的申請編號	A//
(b) Date of approval 獲批給許可的日期	(DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期	(DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	
	The commission does not have any any state of the second s
	The permission does not have any approval condition 許可並沒有任何附帶條件
	 Applicant has complied with all the approval conditions 申請人已履行全部附帶條件
	 Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件:
(e) Approval conditions 附帶條件	
	Reason(s) for non-compliance: 仍未履行的原因:
	(Please use separate sheets if the space above is insufficient) (如以上空間不足, 諸另頁說明)
(f) Renewal period sought	□ year(s) 年
要求的續期期間	[] month(s) 個月

Part 6 (Cont'd) 第6部分(續)

Form No. S16-III 表格第 S16-III 號

٦

7. Justifications 理由
The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary. 現請申請人提供申謝理由及支持其申請的資料。如有需要,請另頁說明〉。
 The proposed development is a warehouse. It is intended to store construction materials such as marble and sanitary wares which is small in nature. The scale of the development is small and similar to the approved planning permission No. A/YL-LFS/410.
3. The proposed development does not involve fallen of trees.
 4. The proposed development is a temporary use for a period of 3 years which would not jeopardize the long term planning intention of the current zoning. 5. The proposed development is not incompatible with the surrounding environment including warehouses to the immediate north which is approved by Town Planning Board. 6. Similar warehouse nearby such as A/YL-LFS/410 were granted with planning permission. Similar preferential treatment should be granted to the current application. 7. The proposed development would not be operated during seneitive hours (i.e. from 7:00p.m. to 9:00a.m.) next moming. 8. Minimal traffic impact.
9. No open storage and workshop activities will be carried out at the application site at all times.
 Insignificant environmental and noise impacts because the applied use is housed within an enclosed structures and the static nature of the proposed development. Insignificant drainage impact as proven in the submitted drainage proposal.
· · · · · · · · · · · · · · · · · · · ·
- <u>,</u>
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
·

Part 7 第7部分_

,

8. Declaration 聲明
I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief. 本人謹此聲明,本人就這宗申請提交的資料,據本人所知及所信,均屬真實無誤。
I hereby grant a permission to the Board to copy all the materials submitted in an application to the Board and/or to upload such materials to the Board's website for browsing and downloading by the public free-of-charge at the Board's discretion. 本人現准許委員會酌情將本人就此申請所提交的所有資料複製及/或上載至委員會網站,供公眾免費瀏覽或下戰。 Signature 簽署
.Patrick Tsui Consultant
Name in Block Letters Position (if applicable) 姓名(請以正楷填寫) 職位 (如適用)
Professional Qualification(s) 專業資格 HKIP 香港規劃師學會 / HKIP 香港規劃師學會 / HKIE 香港工程師學會 / HKIE 香港工程師學會 / HKILA 香港國境師學會 / HKIUD 香港城市設計學會 / Chers 其他
代表 ☑ Company 公司 / □ Organisation Name and Chop (if applicable) 機構名稱及蓋章(如適用)
Date 日期 16/6/2022 (DD/MM/YYYY 日/月/年)

<u>Remark 備註</u>

The materials submitted in an application to the Board and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate.

委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下,有關申請 資料亦會上賦至委員會網頁供公眾免費瀏覽及下職。

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance. 任何人在明知或故意的情況下,就這宗申請提出在任何要項上是虛假的陳述或資料,即屬違反《刑事罪行條例》。

Statement on Personal Data 個人資料的聲明

 The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes:

委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門,以根據《城市規劃條例》及相關的城市規 割委員會規劃指引的規定作以下用途:

- (a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and
 - 處理這宗申請,包括公布這宗申請供公眾查閱,同時公布申請人的姓名供公眾查閱;以及
- (b) facilitating communication between the applicant and the Secretary of the Board/Government departments. 方便申請人與委員會秘書及政府部門之間進行聯絡。
- The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above.
 申請人就這宗申請提供的個人資料,或亦會向其他人士披露,以作上述第1段提及的用途。
- 3. An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F. North Point Government Offices, 333 Java Road, North Point, Hong Kong. 根據《個人資料(私隱)條例》(第486章)的規定,申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料,應向委員會秘醫提出有關要求,其地址為香港北角渣華道 333 號北角政府合署 15 樓。

Part 8 第8 部分

Gist of Application 申請摘要

 (Please provide details in both English and Chinese <u>as far as possible</u>. This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and deposited at the Planning Enquiry Counters of the Planning Department for general information.)

 (請盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及 下載及存放於規劃署規劃資料查詢處以供一般參閱。)

 Application No.

 申請編號

 Location/address

 Location/address

 Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.

Site area 地盤面積	1,110 sq. m 平方米 🛛 About 約
	(includes Government land of 包括政府土地 Nil sq. m 平方米 □ About 約)
Plan 圖則	Approved Lau Fau Shan & Tsim Bei Tsui Outline Zoning Plan No. S/YL-LFS/11
Zoning 地帶	'Recreation' ("REC")
Type of Application 申請類別	 ☑ Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區的臨時用途/發展為期 ☑ Year(s) 年 3 □ Month(s) 月
	 Renewal of Planning Approval for Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區臨時用涂/發展的規劃許可續期為期

	□ Year(s) 年 □ Month(s) 月
Applied use/ development 申請用途/發展	Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years

For Form No. S.16-III 供表格第S.16-III號用

(i)	Gross floor area		sq.r	n 平方米	Plot Ra	tio 地積比率
	and/or plot ratio 總樓面面積及/或 地積比率	Domestic 住用	NA	□ ·About 約 □ Not more than 不多於	NA	□About約 □Not more than 不多於
		Non-domestic 非住用	464	□ About 約 ☑ Not more than 不多於	0.418	☑About 約 □Not more than 不多於
(ii)	No. of block 幢數	Domestic 住用	NA			
		Non-domestic 非住用	4		, ·	
(iii)	Building height/No. of storeys 建築物高度/層數	Domestic 住用	NA		🗆 (Not	m 米 more than 不多於)
			NA	,	🗆 (Not	Storeys(s) 層 more than 不多於)
		Non-domestic 非住用	6.5		🖾 (Not	m 米 more than 不多於)
			1		🗆 (Not	Storeys(s) 層 more than 不多於)
(iv)	Site coverage 上蓋面積			····· · · · · · · · · · · · · · · · ·	41.8 %	Ø About 約
(v)	No. of parking spaces and loading / unloading spaces 停車位及上落客貨 車位數目	Total no. of vehicle parking spaces 停車位總數 Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Medium Goods Vehicle Parking Spaces 車型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (請列明) NA Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位/停車處總數 Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 輕型貨車車位 Nedium Goods Vehicle Spaces 重型貨車車位 Medium Goods Vehicle Spaces 重型貨車車位 Nedium Goods Vehicle Spaces 重型貨車車位 Neticle Spaces 重型貨車車位 Na		1 1 0 0 0 0 0 1 0 0 1 0 0 0 1 0 0		

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件		
	<u>Chinese</u> 中文	<u>English</u> 英文
	十人	大人
Plans and Drawings 圖則及繪圖	m	
Master layout plan(s)/Layout plan(s) 總綱發展藍圖/布局設計圖		
Block plan(s) 樓宇位置圖		
Floor plan(s) 棋字平面圖		
Sectional plan(s) 截視圖 Elevation(s) 立視圖		
Photomontage(s) 站兒園 Photomontage(s) showing the proposed development 顯示擬議發展的合成照片		
Master landscape plan(s)/Landscape plan(s) 國境設計總圖/國境設計圖		
Others (please specify) 其他(請註明)		N
Proposed drainage plan, site plan and location plan		_
	-	
Reports 報告書	-	
Planning.Statement/Justifications 規劃綱領/理據		Г
Environmental assessment (noise, air and/or water pollutions)		
環境評估(嗓音、空氣及/或水的污染)		
Traffic impact assessment (on vchicles) 就車輛的交通影響評估		
Traffic impact assessment (on pedestrians) 就行人的交通影響評估		
Visual impact assessment 視覺影響評估		
Landscape impact assessment 景觀影響評估		
Tree Survey 樹木調查		Ē
Geotechnical impact assessment 土力影響評估		
Drainage impact assessment 排水影響評估	D,	
Sewerage impact assessment 排污影響評估	<u>Ĺ</u>	
Risk Assessment 風險評估		
Others (please specify) 其他(請註明)	Ü	
Drainage proposal and estimated traffic generation	•	1. 191 A. 19
and the second be direction of the second be and the second be	-	
Note: Mayinsert more than one 「シ」. 註: 可在多於一個方格肉加上「シ」號		

. •• , •

 r_{t}

2

÷

Note: The information in the Gist of Application above is provided by the applicant for casy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant. 註: 上述申讀摘要的資料是由申請入提供以方便市民大眾參考。對於所做資料在使用上的問題及文義上的歧異,城市規劃委員會標不質贊。若須任何疑問,應查閱申請人提交的文件。

· ...

i

į

; ;

Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years

at

Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.

Annex 1 Drainage Assessment

A. Site particulars

- 1.1.1 The site possesses an area of about 1,110m². The surface of the site has been hard paved.
- 1.1.2 The application site will be occupied by a warehouse for storage construction materials including marble and sanitary ware.

B. Level and gradient of the subject site & proposed surface channel

- 1.1.3 The subject site has been hard paved and occupied an area of approximately 1,110m². It has a gradient sloping from north to south from about +14.8mPD to +14.0mPD.
- 1.1.4 In order to follow the topography of the application site, the proposed surface channel will be constructed following the gradient of the site. As demonstrated in the calculation in Annex 1.3 hereunder, 450mm surface U-channel will be capable to drain surface runoff accrued at the subject site and the same passing through the site from adjacent area.

C. Catchment area of the proposed drainage provision at the subject site

- 1.1.5 With regard to the location of the existing drain and the topography surrounding the application site, the land to the south of the site is found higher than the application site. The land to the south, west and east of the site is found lower than the application site or about the same as the level of the application site (Figure 4) The land to the south is occupied by a warehouse approved by Town Planning Board (TPB Ref.: A/YL-LFS/368) of which drainage facilities has been provided.
- 1.1.6 As such, an external catchment is identified has been identified in Figure 4.
 - D. Particulars of the existing drainage facilities to accept the surface runoff collected at the application site
- 1.1.7 There is an existing natural drain to the north of the application site. The said existing drainage dissipates the surface runoff to Deep Bay.

1.2 <u>Runoff Estimation & Proposed Drainage Facilities</u>

A. Proposed drainage facilities

- 1.2.1 Subject to the above calculations, it is determined that 450mm surface U-channel which is made of concrete along the site periphery is adequate to intercept storm water passing through and generated at the application site (Figure 4).
- 1.2.2 The collected surface runoff will be conveyed to existing open drain to the north of the site. (Figure 4)
- 1.2.3 All the proposed drainage facilities, including the section of surface channel proposed in between of the subject site to the open drain, will be provided and maintained at the applicant's own expense. Also, sand trap and U-channel will be cleaned at regular interval to avoid the accumulation of rubbish/debris which would affect the dissipation of storm water.
- 1.2.4 The provision of the proposed surface U-channel will follow the gradient of the application site. <u>All the proposed drainage facilities will be constructed and maintained at the expense of the applicant.</u>
- 1.2.5 All proposed works at the site periphery would not obstruct the flow of surface runoff from the adjacent areas, the provision of trees and surface U-channel at site boundary is detailed hereunder:
- (a) No leveling work will be carried at the site periphery. The level of the site periphery will be maintained during and after the works. As such, the works at the site periphery would not either alter or obstructed the flow of surface runoff from adjacent areas.
- (b) Openings will be provided at the toe of hoarding so as to allow unobstructed flow of surface runoff from adjacent area.
- 1.2.6 The applicant is conscientious in preparing this drainage proposal. Also, he is willing to provide necessary drainage facilities to minimize the drainage impact accrued by the proposed development. The acceptance of this drainage proposal will give positive recognition to the applicant's efforts.

Annex 1.3 Drainage Calculation for the Proposed Provision of Drainage Facilities at Subject Site

1. Runoff Estimation

1.1 Rational method is adopted for estimating the designed run-off

L

$$Q = k \times i \times A/3,600$$

Assuming that:

- i. The area of the entire catchment is approximately 2,700m²; (Figure 4)
- ii. The catchment is predominant paved, it is assumed that the value of run-off co-efficient (k) is taken as 1.

Difference in Land Datum = 38.6m - 14.0m = 24.6m

= 106m

: Average fall = 24.6m in 1.06m or 1m in 4.31m

According to the Brandsby-Williams Equation adopted from the "Stormwater Drainage Manual – Planning, Design and Management" published by the Drainage Services Department (DSD),

Time of Concentration (t_c) = 0.14465 [L/(H^{0.2} ×A^{0.1})]

$$t_c = 0.14465 [106/ (23.21^{0.2} × 2,700^{0.1})]$$

 $t_c = 3.71 \text{ minutes}$

With reference to the Intensity-Duration-Frequency Curves provided in the abovementioned manual, the mean rainfall intensity (i) for 1 in 50 recurrent flooding period is found to be 300 mm/hr

By Rational Method, $Q = 1 \times 300 \times 2,700 / 3,600$

 \therefore Q = 225 l/s = 13;500 l/min

enter su interfession d'éléction more

In accordance with the Chart or the Rapid Design of Channels in "Geotechnical Manual for Slopes", for an approximate gradient of about 1:50 and 1:160 along the site periphery of the site, 450mm surface U-channel is considered adequate to dissipate all the stormwater accrued by the application site and the adjacent land.

Annex 2 Estimated Traffic Generation

- 2.1 The ingress/egress of the application site is abutting a local vehicular track leading to Deep Bay Road. (Figure 4)
- 2.2 Only 5.5 tonnes light goods vehicle is required to deliver construction materials (marble and sanitary ware) to and from the application site.
- 2.3 The average and peak trip rates generated from and attracted to the site are shown below.

Type of	Average Traffic	Average Traffic	Traffic .	Traffic
vehicle	Generation Rate	Attraction Rate	Generation Rate	Attraction Rate
	(pcu/hr)	(pcu/hr)	at <u>Peak Hours</u>	at <u>Peak Hours</u>
			(pcu/hr)	(pcu/hr)
Light goods vehicle	0.3	0.3	0	0
Private car	0.2	0.2	1	1
Total	0.5	0.5	1	1


Note 1: The opening hour of the proposed development is restricted to 9:00 a.m. to 7:00 p.m. from Mondays to Sundays.

Note 2: The pcu of private car and light goods vehicle is taken as 1 and 1.5 respectively; and

Note 3: Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.


2.4 In association with the proposed use, adequate space for manoeuvring and loading/unloading are available within the application site. By virtue of the fact that the application site is directly linked with Yuen Long Highway via Deep Bay Road and Lau Fau Shan Road and the traffic generated by the proposed development is insignificant, the proposed development being applied would not aggravate the traffic condition even though Deep Bay Road is not wide enough for 2 ways traffic. Similar warehouse has also been approved by Town Planning Board recently such as A/YL-LFS/368 & 410.

Proposed Temporary Warehouse in D.D. 129, Lau Fau Shan, Yuen Long, N.T. June 2022




.

····



Structure 3 Site office GFA: Not exceeding 40m² Height: Not exceeding 3m No. of storey: 1 Structure 4 Toilet ,1 loading/unloading space of 7m x 3.5m for light goods vehicle GFA: Not exceeding 4m² Height: Not exceeding 3m-No. of storey: 1 \mathbb{X} 7m wide 1 parking space of Ingress/Egress 5m x 2.5m for private car 13m diameter manoeuvring circle Structure 1 Structure 2 Warehouse for storage of Warehouse for storage of construction materials GFA: Not exceeding 210m² construction materials GFA: Not exceeding 210m² Height: Not exceeding 6.5m No. of storey: 1 Height: Not exceeding 6.5m No. of storey: 1 Drawing Tille 圖目: Remarks (@tt:: Project 項目名稱: Proposed Layout Plan Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T. Drawing No. 图號: Scale 社例: Figure 3 1:1000

いた ないのとう ちょう



Total: 6 pages

Date: 19 August 2022

TPB Ref.: A/YL-LFS/442

By Email

Town Planning Board 15/F, North Point Government Offices 333, Java Road North Point Hong Kong (Attn: The Secretary)

Dear Sir,

Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.

We write to confirm that the site area of the application site is about $1,048m^2$. We have updated page 2, 5, 10 & 11 of the S.16-III application form for your further processing of the captioned application.

We have updated the proposed operation hours in the Annex 2 to align with the proposed operation hours as shown in the page 6 of the S.16-III application form. The proposed parking space for private car is intended to serve the staff to the site office (Structure 3) at the captioned site.

Should you have any enquiries, please feel free to contact our Mr. Patrick Tsui at at your convenience.



c.c. Tuen Mun and Yuen Long West District Planning Office (Attn: Miss Angel CHEUNG) – By Email

For Official Use Only	Application No. 申請編號	
請勿填寫此欄	Date Received 收到日期	

- 1. The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 申請人須把填妥的申請表格及其他支持申請的文件 (倘有),送交香港北角渣華道 333 號北角政府合署 15 樓城市 規劃委員會(下稱「委員會」)秘書收。
- 2. Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at http://www.info.gov.hk/tpb/. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories).

請先細閱《申請須知》的資料單張,然後填寫此表格。該份文件可從委員會的網頁下載(網址: http://www.info.gov.hk/tpb/),亦可向委員會秘書處(香港北角渣華道333號北角政府合署15樓 – 電話:22314810 或22314835)及規劃署的規劃資料查詢處(熱線:22315000)(香港北角渣華道333號北角政府合署17樓及新界沙 田上禾輋路1號沙田政府合署14樓)索取。

3. This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete. 此表格可從委員會的網頁下載,亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全,委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

(☑ Mr. 先生 / □ Mrs. 夫人 / □ Miss 小姐 / □ Ms. 女士 / □ Company 公司 / □ Organisation 機構)

KONG Chun Ying (江振英)

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱(如適用)

(□Mr. 先生 /□Mrs. 夫人 /□Miss 小姐 /□Ms. 女士 / ☑ Company 公司 /□Organisation 機構)

Metro Planning & Development Company Limited (都市規劃及發展顧問有限公司)

3. Application Site 申請地點

(a)	Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈量約份及 地段號碼(如適用)	Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.
(b)	Site area and/or gross floor area involved 涉及的地盤面積及/或總樓面面 積	☑Site area 地盤面積 <u>1,048</u> sq.m 平方米☑About 約 Not more than ☑Gross floor area 總樓面面積 <u>464</u> sq.m 平方米□About 約
(c)	Area of Government land included (if any) 所包括的政府土地面積(倘有)	Nil sq.m 平方米 口About 約

6. Type(s) of Applicatio	n 申請類別			
(A) Temporary Use/Develo	pment of Land and/or Build	ing Not Exceeding 3 Years in Rural Areas		
	/或建築物內進行為期不超近			
	(For Renewal of Permission for Temporary Use or Development in Rural Areas, please proceed to Part (B))			
(如屬位於鄉郊地區臨時用途/發展的規劃許可續期,請填寫(B)部分)				
	Temporary Warehouse for Years	Storage of Construction Materials for a Period of 3		
(a) Proposed				
use(s)/development				
擬議用途/發展				
	2 200 - 201 - 201	proposal on a layout plan) (請用平面圖說明擬議詳情)		
(b) Effective period of permission applied for	☑ year(s) 年			
申請的許可有效期	□ month(s) 個月			
(c) Development Schedule 發展	細節表			
Proposed uncovered land are		584sq.m ☑About 約		
*				
Proposed covered land area		464 sq.m ☑About 約		
Proposed number of building	s/structures 擬議建築物/構築	勿 数 日 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		
Proposed domestic floor area	擬議住用樓面面積			
Proposed non-domestic floor	area 擬議非住用樓面面積	Not more than 464		
Proposed gross floor area 擬	義總樓面面積	Not more than 464		
		tres (if applicable) 建築物/構築物的擬議高度及不同樓層 low is insufficient) (如以下空間不足,請另頁說明)		
Structure 1 & 2: Warehouse f	or storage of construction mat	terials (Not exceeding 6.5m, 1 storey),		
•••••••••••••••••••••••••••••••••••••••		ture 4: Toilet (Not exceeding 3m, 1 storey)		
•••••••••••••••••••••••••••••••••••••••				
Proposed number of car parking	snaces by types 不同種類停車	分的探議動日		
		1 space of 5m x 2.5m		
Private Car Parking Spaces 私家				
Motorcycle Parking Spaces 電罩		<u>Nil</u> Nil		
Light Goods Vehicle Parking Sp Medium Goods Vehicle Parking		Nil		
Heavy Goods Vehicle Parking S		Nil		
Others (Please Specify) 其他 (語		NA		
Proposed number of loading/unloading spaces 上落客貨車位的擬議數目				
Taxi Spaces 的士車位		Nil		
Coach Spaces 旅遊巴車位		Nil		
Light Goods Vehicle Spaces 輕	型貨車車位	1 space of 7m x 3.5m		
Medium Goods Vehicle Spaces		Nil		
Heavy Goods Vehicle Spaces		Nil		
Others (Please Specify) 其他 (語	請列明)	NA		

Gist of Applica	Gist of Application 申請摘要				
consultees, uploaded deposited at the Plan (請 <u>盡量</u> 以英文及中	Please provide details in both English and Chinese <u>as far as possible</u> . This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and deposited at the Planning Enquiry Counters of the Planning Department for general information.) (請盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及存放於規劃署規劃資料查詢處以供一般參閱。)				
Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)				
Location/address 位置/地址	Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.				
Site area 地盤面積	1,048 sq. m 平方米 ☑ About 約				
	(includes Government land of 包括政府土地 Nil sq. m 平方米 □ About 約)				
Plan 圖則	Approved Lau Fau Shan & Tsim Bei Tsui Outline Zoning Plan No. S/YL-LFS/11				
Zoning 地帶	'Recreation' ("REC")				
Type of Application 申請類別	 ☑ Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區的臨時用途/發展為期 ☑ Year(s) 年 □ Month(s) 月 □ Renewal of Planning Approval for Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區臨時用途/發展的規劃許可續期為期 □ Year(s) 年 □ Month(s) 月 				
Applied use/ development 申請用途/發展	Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years				

(i)	Gross floor area		sq.r	n 平方米	Plot Ra	atio 地積比率
	and/or plot ratio 總樓面面積及/或 地積比率	Domestic 住用	NA	□ About 約 □ Not more than 不多於	NA	□About 約 □Not more than 不多於
		Non-domestic 非住用	464	 □ About 約 ☑ Not more than 不多於 	0.443	☑About 約 □Not more than 不多於
(ii)	No. of block 幢數	Domestic 住用	NA			
		Non-domestic 非住用	4			
(iii)	Building height/No. of storeys 建築物高度/層數	Domestic 住用	NA		□ (Not a	m 米 more than 不多於)
			NA		□ (Not i	Storeys(s) 層 more than 不多於)
		Non-domestic 非住用	6.5		☑ (Not 1	m 米 more than 不多於)
			1		□ (Not s	Storeys(s) 層 more than 不多於)
(iv)	Site coverage 上蓋面積		I	44.2	27 %	☑ About 約
(v)	No. of parking spaces and loading / unloading spaces 停車位及上落客貨 車位數目	Total no. of vehicle parking spaces 停車位總數 1 Private Car Parking Spaces 私家車車位 1 Motorcycle Parking Spaces 電單車車位 0 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 0 Medium Goods Vehicle Parking Spaces 車型貨車泊車位 0 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 0 Others (Please Specify) 其他 (請列明) 0 NA 1 Total no. of vehicle loading/unloading bays/lay-bys 1 Lizht Goods Vehicle Spaces 輕型貨車車位 0 Coach Spaces 旅遊巴車位 0 Light Goods Vehicle Spaces 輕型貨車車位 0 Heavy Goods Vehicle Spaces 重型貨車車位 0 NA 0		1 0 0 0 0 0 1 0		

Annex 2 Estimated Traffic Generation

- 2.1 The ingress/egress of the application site is abutting a local vehicular track leading to Deep Bay Road. (Figure 4)
- 2.2 Only 5.5 tonnes light goods vehicle is required to deliver construction materials (marble and sanitary ware) to and from the application site.
- 2.3 The average and peak trip rates generated from and attracted to the site are shown below.

Type of	Average Traffic	Average Traffic	Traffic	Traffic
vehicle	Generation Rate	Attraction Rate	Generation Rate	Attraction Rate
	(pcu/hr)	(pcu/hr)	at Peak Hours	at Peak Hours
			(pcu/hr)	(pcu/hr)
Light goods vehicle	0.3	0.3	0	0
Private car	0.2	0.2	1	1
Total	0.5	0.5	1	1

Note 1: The opening hour of the proposed development is restricted to 9:00 a.m. to 7:00 p.m. from Mondays to Saturdays. No operation will be held on Sundays and public holidays.

Note 2: The pcu of private car and light goods vehicle is taken as 1 and 1.5 respectively; and

Note 3: Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.

2.4 In association with the proposed use, adequate space for manoeuvring and loading/unloading are available within the application site. By virtue of the fact that the application site is directly linked with Yuen Long Highway via Deep Bay Road and Lau Fau Shan Road and the traffic generated by the proposed development is insignificant, the proposed development being applied would not aggravate the traffic condition even though Deep Bay Road is not wide enough for 2 ways traffic. Similar warehouse has also been approved by Town Planning Board recently such as A/YL-LFS/368 & 410.

Total: 30 pages

Date: 19 September 2022

TPB Ref.: A/YL-LFS/442

By EMail

Town Planning Board 15/F, North Point Government Offices 333, Java Road North Point Hong Kong (Attn: The Secretary)

Dear Sir,


Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.

Our response to the comments of the Transport Department is as follows:

Transport Department's comments	Applicant's response
Please provide photos to show the	Photos in the attachment show the
construction materials to be stored in the	building materials (tiles and sanitary
site	ware) to be stored at the site.

Our response to the comments of the Geotechnical Engineering Office (GEO) is as follows:

GEO's comments	Applicant's response
A man-made slope feature no.	Please see the GPRR in the attachment.
2SW-C/C117, which may affect or be	We confirm that Structure 1 will be at
affected by the proposed development, is	least 6m away from the slope toe.
found adjacent the application site. The	
applicant is required to submit a	
Geotechnical Planning Review Report	
(GPRR) in support of the planning	
application. The essential contents of a	
GPRR are given in the attached GEO	
Advice Note.	





c.c. Tuen Mun and Yuen Long West District Planning Office (Attn: Mr. Keith WONG) – By Email

Photo 1



Photo 2

GEOTECHNICAL PLANNING REVIEW REPORT

for PLANNING APPLICATION

at LOTS NOS. 1684 (PART), 1685 (PART) AND 1686 (PART) IN D.D. 129, LAU FAU SHAN, YUEN LONG, NEW TERRITORIES

CONTENTS

- 1. INTRODUCTION
- 2. PROPOSED DEVELOPMENT
- 3. THE SITE
- 4. PROPOSED WORKS
- 5. CONCLUSION

APPENDIX ASLOPEINFORMATIONOBTAINEDFROMSLOPEINFORMATION SYSTEM (SIS)APPENDIX BSLOPEINFORMATIONOBTAINEDFROMSLOPEMAINTENANCERESPONSIBILITYINFORMATIONSYSTEM (SMRIS)APPENDIX CGEOLOGICAL MAP

- APPENDIX D SITE LAYOUT PLAN AND SECTION
- APPENDIX E PROPOSED LAYOUT PLAN

1. INTRODUCTION

This is the geotechnical planning review report for the application for Lots 1684 (Part), 1685(Part) and 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, New Territories.

This report is to identify that the proposed development is geotechnical feasible and will not cause any instability to the adjoining lots and vice versa.

2. PROPOSED DEVELOPMENT

This application is to erect the temporary warehouses for storage of construction materials for a period of 3 years.

3. THE SITE

3.1 General

The site is located at the toe of Feature No. 2SW-C/C117. The level of the application site is about +14.60mPD and the site area is about $1048m^2$.

3.2 Existing Geotechnical Feature

According to the information obtained from the Hong Kong Slope Safety (HKSS) website – Slope Information System (SIS), there is a registered feature of 2SW-C/C117 located in the vicinity of the proposed application site. The layout plan and the feature information obtained from SIS is enclosed in Appendix A.

Feature 2SW-C/C117

Based on the information obtained from the SIS, this feature is an U-shaped located at the south and east side of the proposed site. The feature is a vegetated cut slope with about 6.0m high and a gradient of 60°. In accordance with the record obtained from Slope Maintenance Responsibility Information System (SMRIS) from the website of Lands Department, the maintenance responsibility of the feature is summarized as below:

Sub-division No.	Maintenance Party
1	DD129 Lot 2812DRP
2	DD129 Lot 1684
3	DD129 Lot 1685
4	DD129 Lot 1686
5	DD129 Lot 1687

The application site is located at toe of the sub-division No.2 to 4 which maintained by DD129 Lot 1684, DD129 Lot 1685 and DD129 Lot 1686, the SMRIS report is enclosed in Appendix B.

3.3 Site Geology

Desk study is carried out for identification of the site geology and the following documents are viewed:

3.3.1 1:20000 scale geological map

Based on the 1:20,000 scale map, "San Tin" Sheet 2, Solid and Superficial Geology, Series HGM20 published by the Geotechnical Engineering Office (Edition I – 1989), the site is underlain by fine-grained granite from Jurassic-Cretaceous of Mesozoic. The Geological Map is enclosed in Appendix C.

3.3.2 Past Instability and Natural Terrain Hazards

There is no relevant past landslide and ENTLI record was found.

3.4 Adjoining Structures

A single storey temporary structure is located at northern side of the proposed development and the proposed development is located at the toe of Feature No. 2SW-C/C117. The layout plan and the sections are enclosed in Appendix D.

4. PROPOSED WORKS

The proposed planning application has 4 nos. of single storey structures which included 2 nos. of single storey of warehouse for storage of construction materials, 1 no. of single storey of site office and 1 no. of single storey of toilet at the toe level of Feature No. 2SW-C/C117. No excavation lateral support, foundation and site formation works will be carried out. The proposed layout plan is enclosed in Appendix E.

5. CONCLUSION

The proposed planning application involves the construction of single storey of warehouses only and they will be located at the toe of the geotechnical feature (2SW-C/C117) and no excavation lateral support, foundation and site formation works is proposed for the application site, it is therefore, the proposed facilities will not be affected by potential landslide debris and no additional loading and adverse effect will be imposed to the adjacent ground and the geotechnical feature. Hence, it is envisaged that the proposed planning application is geotechnical feasible.

APPENDIX A

SLOPE INFORMATION OBTAINED FROM SLOPE INFORMATION SYSTEM (SIS)



BASIC INFORMATION

Location: AROUND PERIMETER OF DRILLTEC COMPANY YARD, NEAR LAU FAU SHAN, YUEN LONG

Date of Formation:	pre-1977	
Date of Construction/ Modification:		
Approximate Coordinates:	Easting : 817095	Northing : 836487

CONSEQUENCE-TO-LIFE CATEGORY

Facility at Crest:	Undeveloped green belt
Distance of Facility from Crest (m): Facility at Toe:	0 Non-dangerous goods storage site
Distance of Facility from Toe (m):	0
Consequence-to-life Category:	3
Remarks:	N/A

SLOPE PART

(1) Max. Height (m): 6 Length (m): 170 Average Angle (deg): 66

WALL PART

N/A



MAINTENANCE RESPONSIBILITY

Private Feature	Party: DD129 Lot2812DF	RP Agent: N/A
Private Feature	Party: DD129 Lot1684	Agent: N/A
Private Feature	Party: DD129 Lot1685	Agent: N/A
Private Feature	Party: DD129 Lot1686	Agent: N/A
Private Feature	Party: DD129 Lot1687	Agent: N/A

DETAILS OF SLOPE / RETAINING WALL

Date of Inspection:	26-02-1998
Data Source:	SIRST
Slope Part Drainage:	N/A

Wall Part Drainage: N/A

SLOPE PART

Slope Part (1) Other Cover: 0 Surface Protection (%): Vegetated: 70 Chunam: O Shotcrete: O Bare: 30 Material Description: Material type: Soil Geology: Decomposed granite Berm: No. of Berms: N/A Min. Berm Width (m): N/A Weepholes: Size (mm): N/A Spacing (m): N/A



WALL PART

N/A


SERVICES

N/A

RECORD RETRIEVED FROM SIS ON 14/09/2022 17:39



STAGE 1 STUDY REPORT





Sign of Seepage:	Slope : No signs of seepage Wall : N/A
Criterion A satisfied:	N
Sign of Distress:	Slope : Reasonable (near crest) Wall : N/A
Criterion D satisfied:	N
Non-routine maintenance required:	N
Note:	N/A
Masonry wall/Masonry facing:	N
Note:	N/A
Consequence category (for critical section):	3
Observations:	N/A
Emergency Action Required:	N
Action By:	N/A

ACTION TO INITIATE PREVENTIVE WORKS

Criterion A/Criterion D:	N/A
Action By:	N/A
Further Study:	Y
Action By:	Mixed

OTHER EXTERNAL ACTION

Check / repair Services:	Ν
Action By:	N/A
Non-routine Maintenance:	Ν
Action By:	N/A




<u>PHOTO</u>



25W-4C117

GENERAL VIEW



RECORD RETRIEVED FROM SIS ON 14/09/2022 17:39

APPENDIX B

SLOPE INFORMATION OBTAINED FROM SLOPE MAINTENANCE RESPONSIBILITY INFORMATION SYSTEM (SMRIS)

(2SW-C/C117)



List of Slope Maintenance Responsibility Area(s)

1	2SW-C/C117		Sub-Division	1	
	Location	WITHIN LOT2812D, 168	4, 1685, 1686, 1687 IN DD129		
	Responsible Lot/Party	DD129 Lot2812DRP	Maintenance Agent	Not Applicable	
	Remarks	Not Applicable	I		
2	2SW-C/C117		Sub-Division	2	
	Location	WITHIN LOT2812D, 168	4, 1685, 1686, 1687 IN DD129		
	Responsible Lot/Party	DD129 Lot1684	Maintenance Agent	Not Applicable	
	Remarks	Not Applicable			
3	2SW-C/C117		Sub-Division	3	
	Location	WITHIN LOT2812D, 168	4, 1685, 1686, 1687 IN DD129	685, 1686, 1687 IN DD129	
	Responsible Lot/Party	DD129 Lot1685	Maintenance Agent	Not Applicable	
	Remarks	Not Applicable			
4	2SW-C/C117		Sub-Division	4	
	Location	WITHIN LOT2812D, 168	4, 1685, 1686, 1687 IN DD129		
	Responsible Lot/Party	DD129 Lot1686	Maintenance Agent	Not Applicable	
	Remarks	Not Applicable			
5	2SW-C/C117		Sub-Division	5	
	Location	WITHIN LOT2812D, 168	4, 1685, 1686, 1687 IN DD129		
	Responsible Lot/Party	DD129 Lot1687	Maintenance Agent	Not Applicable	
	Remarks Not Applicable				


- End of Report -

Notes:

(i) The location plan in Annex is for identification purposes of slope(s) only.

(ii) The slope(s) as listed in the Slope Maintenance Responsibility Report may not be shown on the location plan in Annex.

The use of this report and plan is subject to the terms and conditions set out under the respective Disclaimers, Copyright Notice and Privacy Policy displayed on the Slope Maintenance Responsibility Information System webpage at http://www.slope.landsd.gov.hk/smris/disclaimer. The contents of this report and plan, including but not limited to all text, graphics, drawings, diagrams and compilation of data or other materials are protected by copyright. The users of this report and plan acknowledge that the Government of the Hong Kong Special Administrative Region is the owner of all copyright works contained in this report and plan. Any reproduction, adaptation, distribution, dissemination or making available of any copyright works contained in this report and plan to the public is strictly prohibited unless prior written authorization is obtained from the Lands Department.




The use of this report and plan is subject to the terms and conditions set out under the respective Disclaimers, Copyright Notice and Privacy Policy displayed on the Slope Maintenance Responsibility Information System webpage at http://www.slope.landsd.gov.hk/smris/disclaimer. The contents of this report and plan, including but not limited to all text, graphics, drawings, diagrams and compilation of data or other materials are protected by copyright. The users of this report and plan acknowledge that the Government of the Hong Kong Special Administrative Region is the owner of all copyright works contained in this report and plan. Any reproduction, adaptation, distribution, dissemination or making available of any copyright works contained in this report and plan to the public is strictly prohibited unless prior written authorization is obtained from the Lands Department.

APPENDIX C


GEOLOGICAL MAP

		HONG KONG GEOLO 香港地質	
		SAN TIN	
		Nams and ottanore.	
•		Sheet 2 D AND SUPERFICIAL GEOLOG	税用税 CV 基型和表土地質周
M en P top teds sout dtr	OLI	Series HGM20	31 率石和农工地頁圖 組別
		Scale 1:20000	比例
RFICIA	AL DEP	OSITS 表土沉積	The Ter Mo Shan Formation Is the sole representation Bay Volcanic Group within the distinct. This Formation consists of labilithering coarse ash crystal full with
		GENETIC CLASSIFICATION 成因類型 OR NAMED DIVISIONS 或地層名稱	主要 PRINCIPAL 物質成份 MATERIALS
of time-		Fill; sanitary fill (Qfs) 損土	塡泥和廢物 ─────Natural earth and wast∉ 分選性良好至中等的Clay/silt, sand and gravel
	entional nd the s	Alluvium ····································	Add L (タン・サード) Cidy sin, dank and grave 粘土、粉砂、砂和除石 well-sorted to semi-sorter 粘土質粉砂或砂 Clayey silt or sanc
先 ENE	a max	Beach deposits ···················海灘沉積 Qb	₩ Sanc
全新統 HOLOCENE	ſ	Raised beach deposits ········· 高位海灘沉積 Qrb	砂····································
	NOI	ОНН	主要爲深灰色海相泥(未分)Undivided, mainly
	抗口 HANG HANG P	ms	海相砂,部份粉砂質 ····································
N L N	(tamorphosad tuli occor in parallel zones within officed	
- 全新約 TOCEN		Debris flow deposits ············· 坡積、洪積物 Qd	未分遲的砂、陰至漂躁、Unsorted sand, gravel, cobbles 基質為粘土 / 粉砂 and boulders; clay/silt matrix
更新 - 全新統 PLEISTOCENE AND HOLOCENE		al and San Tin plains, and the sea-bed of Hau	Guatemary superficial doposite form the Tin Shur W
	(Terraced alluvium ······· 踏地冲碛物 Qpa	分選性良好至中等的 Clay/silt, gravelly sandy
統 DCENE		Debris flow deposits ···································	礫質、砂質粘土/粉砂 well-sorted to semi-sortec 未分選 · 夾中礫和漂礫的 Silt/sand, gravelly, clayey with 礫質、粘土質粉砂/砂 cobbles and boulders; unsortec
	Szok		
更新 PLEISTO	赤鰕角箱 CHEK LAP KOF FORMATION	QCK	紅色、黃色和灰色的粘土、 Undivided; red, yellow and grey 粉砂、砂和礫石(未分)
	(38(
GEO	LOGY	基岩地質	
	SEDI	MENTARY AND VOLCANIC ROCKS 沉積	岩和火山岩
SN	ſ	NAMED ROCK DIVISIONS 地層單位名稱	主要岩石類型/特徵 PRINCIPAL ROCK TYPES/CHARACTERS
上白堊統 UPPER CRETACEOUS	{	Kat O Formation ····································	角碟岩夾碟岩和粗粒砂岩 ······Breccia with conglomerate and coarse-grained sandstone
CRE			
上 朱羅統 UPPER JURASSIC	e BAY GROUP	Tai Mo Shan Formation,大幅山組(未分) JTM	粗火山灰晶肩凝灰岩
上 徐羅統 ER JURAS	新米 WICSE	undivided S	租火山灰晶扇装灰岩 ····································
UPPE	將 將 KEPULSE VOLCANIC G	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
SUC	$\left[\right]$	Lok Ma Chau Formation,	Metasandstone with 變質砂岩夾變質礫岩和千枚岩 ······· metaconglomerate and phyllite
洗 NIFERO	ROUP	undivided 落馬洲組 (未分) Yuen Long Formation, Mai Po Member 米埔段	千枚岩,變質粉砂岩夾 Phyllite, metasiltstone with 變質砂岩和石墨片岩 metasandstone and graphite schist
下石炭統 CARBONI	幣田群 TIN GROUP	undivided 元朗組(未分)	大理者 Marble Marble And
下石炭統 LOWER CARBONIFEROUS	SAN	en de calendar de la celebra de la celebr	要質碟岩 ······Metaconglomerate
ſŌ		97 例示了。如何的是你的公司的,我们 你能能的得到关系也不是你的。"	石墨片岩 ······ Graphite schist
	MAJC	PR INTRUSIVE IGNEOUS ROCKS 主要信	表入火成岩
朱羅 - 白堊紀 JURASSIC- CRETACEOUS		Megacrystic 具大斑晶的 ●●●●●	細粒花崗岩,0.0 6 一 2 毫米 Fine-grained granite, 0.06-2 mm
朱羅- JUR/ CRETA	R 10	gfm	中細粒花崗岩 ······ Fine- to medium-grained granite




APPENDIX D

SITE LAYOUT PLAN AND SECTION



SITE LAYOUT PLAN





APPENDIX E

PROPOSED LAYOUT PLAN

N A		
Height: No. of s Structure 4 Toilet GFA: Not exe	ice lot exceeding 40m ² Not exceeding 3m storey: 1 ceeding 4m ² exceeding 3m : 1 ace of or private car <i>Structure 2</i> Warehouse for storag construction materials CEA: Not exceeding 3	210m ²
Project 項目名稱: Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.	Drawing Title 圖目: Proposed Layout Plan Drawing No. 圖號:	Remarks 備註:
	Figure 3	Scale 比例: 1:1000

Total: 5 pages

Date: 13 October 2022

TPB Ref.: A/YL-LFS/442

By EMail

Town Planning Board 15/F, North Point Government Offices 333, Java Road North Point Hong Kong (Attn: The Secretary)

Dear Sir,

Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.

Our response to the further comments of the Geotechnical Engineering Office (GEO) is found in the attachment. Structure 1 will be shifted to the north for 1m as shown in the updated layout plan (Figure 3).

Should you have any enquiries, please feel free to contact our Mr. Patrick Tsui at at your convenience.

Yours faithfully,

Patrick Tsui


c.c. Tuen Mun and Yuen Long West District Planning Office (Attn: Mr. Keith WONG) – By Email

R to C for Comment from the Geotechnical Engineering Office

Section 4. According to the proposed site layout plan in Appendix D, the northeastern part of the application site (i.e. the proposed location of the "7m wide Ingress/Egress") would encroach onto Feature No. 2SW-C/C117. The proposed site layout appears to be contradicting to the statement "No excavation lateral support, foundation and site formation works will be carried out". in Section 4 of the GPRR. Please ask the applicant to clarify and revise the GPRR as necessary. Section 5. Please ask the applicant to provide justifications to the statement "the proposed facilities will not be affected by potential landslide debris" with consideration of the travel angle of potential landslide debris in accordance with GEO Technical Guidance Note No. 15.	The revised Section A-A with the shadow angle is enclosed for further comment.
Please remind the applicant of the requirements of making necessary submission(s), including any necessary stability assessments on existing/proposed geotechnical features within or in the vicinity of the application site, to the Buildings Department for approval as required under the provisions of the Buildings Ordinance.	Noted.







Sitemap

1/1


Facts and Figures

Slope Information System

User Manual

Application for information from the Government Catalogue of Slopes and Retaining Walls Disclaimer

https://hkss.cedd.gov.hk/hkss/en/facts-and-figures/slope-information-system/sis/index.html





N A		
Height: No. of s Structure 4 Toilet GFA: Not exe	ice lot exceeding 40m ² Not exceeding 3m storey: 1 ceeding 4m ² exceeding 3m :: 1 ace of or private car <i>Structure 2</i> Warehouse for storag construction materials CEA: Not exceeding 3m	210m ²
Project 項目名稱: Proposed Temporary Warehouse for Storage of Construction Materials for a Period of 3 Years at Lots 1684 (Part), 1685 (Part) & 1686 (Part) in D.D. 129, Lau Fau Shan, Yuen Long, N.T.	Drawing Title 圖目: Proposed Layout Plan Drawing No. 圖號:	Remarks 備註:
	Figure 3	Scale 比例: 1:1000

Previous s.16 Application covering the Application Site

Rejected Application

	Application No.	<u>Proposed Use</u>	<u>Zoning</u>	Date of Consideration (RNTPC/TPB)	Rejection <u>Reasons</u>
1	A/YL-LFS/99	Temporary Warehouse and Open	REC	4.7.2003	(1) & (2)
		Storage of Construction Materials		(on Review)	
		for a Period of 3 Years			

Rejection Reasons

- 1. Not in line with the planning intention.
- 2. Setting undesirable precedent.

Similar s.16 Applications within the same "Green Belt" Zone on the Lau Fau Shan and Tsim Bei Tsui Outline Zoning Plan in the past 5 years

Approved Applications

	Application No.	Proposed Use(s)/ Development(s)	Zoning(s)	Date of Consideration
		<u> </u>		(RNTPC)
1	A/YL-LFS/320	Temporary Warehouse for Storage of	REC	6.7.2018
		Documents (3 years)		(Revoked on
				6.10.2020)
2	A/YL-LFS/321	Proposed Temporary Warehouse for Storage	REC	6.7.2018
		of Plastic and Retail of Plastic Pellet		(Revoked on
		(3 years)		6.12.2020)
3	A/YL-LFS/361	Renewal of Planning Approval for	REC	12.6.2020
		Temporary Warehouse for Storage of		
		Animal Feed (3 years)		
4	A/YL-LFS/368	Temporary Warehouse for Storage of	REC	4.9.2020
		Construction Materials (3 years)		
5	A/YL-LFS/392	Temporary Warehouse for Storage of Plastic	REC 14.5.2021	
		and Retail of Plastic Pellet (3 years)		
6	A/YL-LFS/410	Proposed Temporary Warehouse for Storage	REC	29.10.2021
		of Hardware Accessories (3 years)		
7	A/YL-LFS/438	Proposed Temporary Warehouse for Storage	REC	9.9.2022
		of Vehicle Parts and Construction Materials		
		(3 Years)		
8	A/YL-LFS/441	Proposed Temporary Warehouse for Storage	REC	23.9.2022
		of Building Materials (3 Years)		

Rejected Application

	Application No.	Proposed Use	Zoning	Date of Consideration (RNTPC)	Rejection Reasons
1	A/YL-LFS/332	Proposed Temporary Warehouse for Storage of Scrap Metal (3 years)	REC	1.2.2019	(1), (2) & (3)

Rejection Reasons

- 1. Not in line with the planning intention.
- 2. Insufficient information to demonstrate no adverse traffic impact.
- 3. Undesirable precedent.

Government Departments' General Comments

1. Land Administration

Comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD):

- (a) He has no adverse comment on the application.
- (b) There is no proposal for recreational development approved/under processing by his office.

2. <u>Environment</u>

Comments of the Director of Environmental Protection (DEP):

- (a) He has no objection to the application as the applied use does not involve operation of heavy vehicles.
- (b) There is no substantiated environmental complaint pertaining to the Site received in the past 3 years.

3. Landscaping

Comments of the Chief Town Planner/Urban Design and Landscape, Planning Department (CTP/UD&L, PlanD):

- (a) She has no comment from landscape planning perspective.
- (b) The Site is situated in area of miscellaneous rural fringe predominated by temporary structures, open storages, graveyards and scattered tree groups. The Site is hard paved and occupied by existing structures without any existing vegetation. Similar applications for temporary warehouse were approved within the same "REC" zone. The applied use is considered not incompatible to the landscape character of the surrounding area.

4. Drainage

Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- (a) He has no objection in principle to the application from drainage point of view.
- (b) Should the Board consider that the application is acceptable from planning point of view, a condition should be stipulated requiring the applicant to submit a revised drainage proposal, to implement and maintain the proposed drainage facilities to the satisfaction of his department.

5. Fire Safety

Comments of the Director of Fire Services (D of FS):

He has no objection in principle to the proposal subject to fire service installations (FSIs) being provided to his satisfaction.

6. District Officer's Comments

Comments of the District Officer/Yuen Long, Home Affairs Department (DO/YL, HAD):

His office has not received any feedback from locals.

7. <u>Other Departments' Comments</u>

The following Government departments have no comment on the application:

- (a) Antiquities and Monuments Office, Development Bureau (AMO, DEVB);
- (b) Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD);
- (c) Chief Engineer/Construction, Water Supplies Department (CE/C, WSD);
- (d) Chief Engineer/Land Works, Civil Engineering and Development Department (CE/LW, CEDD);
- (e) Head of Geotechnical Engineering Office, CEDD (H(GEO), CEDD);
- (f) Project Manager (West), CEDD (PM(W), CEDD);
- (g) Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD);
- (h) Commissioner for Transport (C for T);
- (i) Commissioner of Police (C of P); and
- (j) Director of Agriculture, Fisheries and Conservation (DAFC).

Recommended Advisory Clauses

- (a) the planning permission is given to the development/use under application. It does not condone any other development/use (i.e. parking of container vehicles) which currently exists on the Site but not covered by the application. Immediate action should be taken to discontinue such development/use not covered by the permission;
- (b) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:-
 - (i) the Site comprises an Old Schedule Agricultural Lot held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government; and
 - (ii) the lot owner of the lot will need to immediately apply to LandsD for permitting the structures to be erected or to regularise any irregularities on site, if any. Besides, given the proposed use is temporary in nature, only application for regularisation or erection of temporary structure(s) will be considered. Application(s) for any of the above will be considered by LandsD acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application(s) is approved, it will be subject to such terms and conditions, including among others the payment of rent and fee, as may be imposed by LandsD;
- (c) to note the comments of the Commissioner for Transport (C for T) that the local track leading to the Site is not under Transport Department's purview. The applicant shall obtain consent of the owners/managing departments of the local track for using it as the vehicular access to the Site;
- (d) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD) that adequate drainage measures shall be provided to prevent surface water running from the Site to the nearby public roads and drains. The access road connecting the Site with the roundabout of Deep Bay Road is not and will not be maintained by HyD. HyD should not be responsible for maintaining any access connecting the Site with the roundabout of Deep Bay Road;
- (e) to note the comments of the Director of Environmental Protection (DEP) to follow the relevant mitigation measures and requirements in the revised "Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites" to minimise any potential environmental nuisance;
- (f) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD) on the submitted drainage proposal that:
 - (i) please indicate clearly the full alignment of the discharge path from the Site all the way down to the ultimate discharge point (e.g. a well-established stream course/public drainage system);
 - (ii) the existing watercourse, to which the applicant proposed to discharge the stormwater from the Site was not maintained by DSD. The applicant should identify the owner of the existing drainage facilities and obtain consent from the owner prior to commencement of the proposed works. In the case that it is a local

village drains, District Officer/Yuen Long should be consulted;

- (iii) further to (ii) above, since there is no record of the said discharge path, please provide site photos to demonstrate its presence and existing condition;
- (iv) to indicate the dimension of the discharge pipe on drainage plan and demonstrate with hydraulic calculation the proposed discharge pipe has sufficient capacity to convey the surface runoff to the proposed discharge point;
- (v) consideration should be given to provide grating for the surface channels;
- (vi) consideration should be given to provide catchpit at the turning points of the U-channels;
- (vii) the cover levels and invert levels of the proposed U-channels, catchpits/sand traps should be shown on the drainage plan;
- (viii) cross sections showing the existing and proposed ground levels of the Site with respect to adjacent areas should be provided;
- (ix) standard details should be provided to indicate the sectional details of the proposed U-channel and the catchpit/sand trap;
- (x) the development should neither obstruct overland flow nor adversely affect existing natural streams, village drains, ditches and the adjacent areas, etc.; and
- (xi) the applicant should consult DLO/YL of LandsD and seek consent from the relevant owners for any drainage works to be carried out outside his lot boundary before commencement of the drainage works;
- (g) to note the comments of the Director of Fire Services (D of FS) that in consideration of the design/nature of the proposal, fire service installations (FSIs) are anticipated to be required. The applicant shall submit relevant layout plans incorporated with the proposed FSIs to the Fire Services Department for approval. The layout plans should be drawn to scale and depicted with dimensions and nature of occupancy. The location of where the proposed FSIs to be installed should be clearly marked on the layout plans;
- (h) to note the comments of Antiquities and Monuments Office, Development Bureau (AMO, DEVB) that the applicant is required to inform AMO immediately when any antiquities or supposed antiquities under the Antiquities and Monuments Ordinance (Cap. 53) are discovered in the course of works;
- (i) to note the comments of Head of Geotechnical Engineering Office, Civil Engineering and Development Department (H(GEO), CEDD) that the applicant is reminded to make necessary submission(s), including any necessary stability assessments on existing/proposed geotechnical features within or in the vicinity of the Site, to the Buildings Department (BD) for approval as required under the provisions of the Buildings Ordinance; and
- (j) to note the comments of the Chief Building Surveyor/New Territories West, BD (CBS/NTW, BD) that the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively. The Site does not abut on

a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at the building plan submission stage. Before any new building works (including containers/open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on the Site, prior approval and consent of Building Authority (BA) should be obtained, otherwise they are unauthorised building works (UBW) under the Buildings Ordinance (BO). An Authorised Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO. For UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO. Any temporary shelters or converted containers for office, storage, washroom or other uses that are considered as temporary buildings are subject to the control of Part VII of the B(P)R. Detailed checking under the BO will be carried out at building plan submission stage. Urgent Return Receipt Requested

Sign Encrypt Mark Subject Restricted Expand personal&publi



A/YL-LFS/442 DD 129 Lau Fau Shan Recreation 12/09/2022 03:23

From: To: File Ref:

tpbpd <tpbpd@pland.gov.hk>

A/YL-LFS/442

Lots 1684 (Part), 1685 (Part) and 1686 (Part) in D.D. 129, Lau Fau Shan

Site area: About 1,048sq.m

Zoning: "Recreation"

Applied use: Warehouse for Storage of Construction Materials / 2 Vehicle Parking

Dear TPB Members,

There is no history of previous approvals but the operation appears to be linked to that of 368 on the adjacent lots. PlanD should inform members of the history of failure to fulfill conditions at this site.

In view of the pledges to phase out browfield use and that there is no history of approved operations, members should reject this application in line with policy pledges.

Mary Mulvihill

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review				
参考編號 Reference Number:	220905-151736-94055			
提交限期 Deadline for submission:	13/09/2022			
提交日期及時間 Date and time of submission:	05/09/2022 15:17:36			
有關的規劃申請編號 The application no. to which the comment relates:	A/YL-LFS/442			
「提意見人」姓名/名稱 Name of person making this comment:	先生 Mr. Lam Ka Hing			
意見詳情 Details of the Comment: 反對,郊區設倉庫及工場必會增加附近車輛出入流量,引至附近交通阻塞、環境污染, 增加引發火警危機,影響村民安全及生活質數。				