**Appendix I of RNTPC** 海 福 之 趙 Paper No. A/YL-LFS/447 北到一城市规想委员会 2 4 OCT 2022 Form No. S16-I This document is received on The Town Planning Board will formally acknowledge the date of receipt of the application only upon receipt of all the required information and documents. 《格第 S16-1 APPLICATION FOR PERMISSION **UNDER SECTION 16 OF** THE TOWN PLANNING ORDINANCE (CAP.131) 《城市規劃條例》( 根據 第131章 ) 第16條遞交的許可 田 Applicable to proposals not involving or not only involving: 適用於建議不涉及或不祇涉及: Construction of "New Territories Exempted House(s)"; (i) – 興建「新界豁免管制屋宇」; Temporary use/development of land and/or building not exceeding 3 years in (ii) rural areas; and 位於鄉郊地區土地上及/或建築物內進行為期不超過三年的臨時用途/發展;及 (iii) Renewal of permission for temporary use or development in rural areas 位於鄉郊地區的臨時用途或發展的許可續期 Applicant who would like to publish the notice of application in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers: https://www.info.gov.hk/tpb/en/plan\_application/apply.html 申請人如欲在本地報章刊登申請通知,以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行 土地擁有人所指定的其中一項合理步驟,請瀏覽以下網址有關在指定的報章刊登通知: https://www.info.gov.hk/tpb/tc/plan\_application/apply.html <u>General Note and Annotation for the Form</u> 填寫表格的一般指引及註解 地的擁有人的人 <sup>&</sup> Please attach documentary proof 請夾附證明文件 Please insert number where appropriate 請在適當地方註明編號 Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」 Please use separate sheets if the space provided is insufficient 如所提供的空間不足,請另頁說明 Please insert a「レ」 at the appropriate box 請在適當的方格內上加上「レ」號

<u>Form No. S16-I 表格第 S16-I 號</u>

For Official Use Only 請勿填寫此欄	Application No. 申請編號	A/YL-LFS/447	·
	Date Received 收到日期	2 4 OCT 2022	· · · · · · · · · · · · · · · · · · ·

- The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.
   申請人須把填妥的申請表格及其他支持申請的文件(倘有),送交香港北角渣華道 333 號北角政府合署 15 樓城市 規劃委員會(下稱「委員會」)秘書收。
- 3. This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete. 此表格可從委員會的網頁下載,亦可向委員會秘密處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以 正楷填寫表格。如果申請人所提交的資料或文件副本不齊全,委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

( If Mr. 先生 / I Mrs. 夫人 / I Miss 小姐 / I Ms. 女士 / I Company 公司 / I Organisation 機構 )

TANG KIN TING 鄧乾丁

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱(如適用)

(□Mr. 先生 /□Mrs. 夫人 /□Miss 小姐 /□Ms. 女上 / ☑ Company 公司 /□Organisation 機構 )

FiBi International Project Consultancy Co. Limited(菲比國際項目顧問有限公司)

3	Application Site 申請地點	
(a)	Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈量約份及 地段號碼(如適用)	新界元朗流浮山輞井國丈攝約份第129約地段第1169號
(b)	Site area and/or gross floor area involved 涉及的地船面積及/或總樓面面 積	☑Site area 地盤面積 <u>2.355</u> sq.m 平方米☑About 約 □Gross floor area 總樓面面積 sq.m 平方米□About 約
. (c)	Area of Government land included (if any) 所包括的政府土地面積(倘有)	

Parts 1, 2 and 3 第1、第2及第3部分

Form No. S16-I 表格第 S16-I'號

(d)	Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號	流浮山及尖鼻咀分區計劃大綱核准圖編號 S/YL-LFS/11						
(e)	Land use zone(s) involved 涉及的土地用途地帶							
. (f)	Current use(s) 現時用途 (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施,謂在圖則上顯示,並註明用途及總樓面面積							
4.	"Current Land Owner" of A	application Site 申請地點的「現行土地擁有人」						
The	applicant 甲諝人 -	-						
	is the sole "current land owner"#& (I 是唯一的「現行土地擁有人」 <sup>&amp; (</sup>	alcase proceed to Part 6 and attach documentary proof of ownership). 請繼續填寫第 6 部分,並夾附紫欄證明文件)。						
Ø	is one of the "current land owners" 是其中一名「現行土地擁有人」	<sup>&amp;</sup> (please attach documentary proof of own <sup>e</sup> rship). <sup>*</sup> (請夾附業權證明文件)。						
	is not a "current land owner"". 並不是「現行土地擁有人」"。							
	The application site is entirely on Government land (please proceed to Part 6). 申請地點完全位於政府土地上(請繼續填寫第 6 部分)。							
5.	Statement on Owner's Cons 就土地擁有人的同意/通	ent/Notification 知土地擁有人的陳述						
(a)	According to the record(s) of the Land Registry as at							
(ђ)	The applicant 由諸人							
	□ has obtained consent(s) of 已取得 名	"current land owner(s)"". 「現行土地擁有人」"的同意。						
	Details of consent of "current land owner(s)"" obtained 取得「現行土地擁有人」"同意的詳情							
• • •	No. of 'Current Land Owner(s)' 「現行土地擁有 人」數目	er/address of premises as shown in the record of the Land there consent(s) has/have been obtained 註冊處記錄已獲得同意的地段號碼/處所地址: 日/月/年)						
:	(Please use separate sheets if the space of any box above is insufficient. 如上列任何方格的空間不足,請另頁說明)							

Parts 3 (Cont'd), 4 and 5 第3 (續)、第4及第5部分

# Form No. S16-I 表格第 S16-1 號

		has 巴ź	notified 通知	"cur 名	rent land c 「現行上	wner(s)" 地擁有人	# ~ # *							
		D	etails of the "cu	rrent land c	wner(s)"	notified	已渡遲	-  知 「現1	了土地	擁有人	,"的	羊細資料	¥	
		N L 有	o. of 'Current and Owner(s)' 現行土地擁 「人」 數目	Lot numl Land Reg 根據土坦	per/address gistry when (註冊處記	s of prem re notific 诊已發出	iises as sl ation(s) h 占通知的	iown in t as/have ł 地段號码	the rec been gi 马/處」	ord of t ven 所地址:	the D gi (I 通	ate of iven DD/MM/ 如日期	notificati 'YYYY) (日/月/年	on
													•	
												•		
		L (Pic	ase use separate sl	nects if the s	pace of any	box abov	e is insuff	icient. 如	上列任	何方格	的空間	不足,調	另頁說明	)
	[]	has 已抄	taken reasonable 和合理步驟以	e steps to o 取得土地	btain cons 擁有人的	ent of or 时意或向	give noti 該人發編	fication t 合通知。	to own 詳情如	er(s): ]~F' :				;
		<u>Rca</u>	sonable Steps to	Obtain Co	msent of C	Owner(s)	取得十	地擁有人	人的同	意所採	取的合	理步骤		:
			sent request fo: 於	r consent to	o the "curr 日/月/年)	rent land 句每一名	owner(s)' 「現行」	'on 上地擁有	人」們	邱遞要:	( 求問意	DD/MM 省 <sup>&amp;</sup>	Ι/ΥΥΥΥ)	4&
•		Rea	sonable Steps to	Give Noti	fication to	Owner(s	)向土」	也擁有人	、發出这	通知所	采取的	合理步期		
		$\nabla$	」 published notices in local newspapers on (DD/MM/YYYY) <sup>&amp;</sup> 於 (7.09-2022 (日/月/年)在指定報章就申請刊登一次通知 <sup>&amp;</sup>											
		$\nabla$	posted notice in	n a promin	ent positio DD/MM/Y	n on or n ′YYY) <sup>&amp;</sup>	car appli	cation sit	e/pren	nises on				:
			於26-09-2	022 (	日/月/年)7	生申請地	點/申請	背處所或	的近的	顯明的	7	出關於該	和請的述	<b>菌</b> 知&
			sent notice to re office(s) or rura 於 處,或有關的	elevant ow al committ ( 郷事委員會	ners' corp ec on 日/月/年) 新 <sup>&amp;</sup>	oration(s 把通知署	)/owners' 予往相闘	commit _ (DD/M 的業主ゴ	tee(s)/i M/YY 江家法	mutual 'YY) <sup>&amp;</sup> 陶/業日	aid con 上委員日	nmittee(s 會/互助 <sup>;</sup>	s)/manago 委員會或	ement 於管理
		<u>Othe</u>	ers 其他											-
			others (please s 其他(請指明	pecify) )										
			•			•								
		_					<u>_</u>	. <u> </u>						
		-	······							• •	·			<u> </u>
	• •	•					•				·			
Note:	May	inse	t more than one	rvj.		•		<i></i>		•	•			a
註:	infor appli 可在 印語	matic icatio 多於 人須	on should be pro n. 一個方格內加上 就中語涉及的每	viaca on th :「 <b>ィ</b> 」號 E-一地段()	ic pasis of 倘適用),	each and 支威所(4	every lot 简有)分	(II appli 別提供答	cable)	and pre	emises (	nt any) ii	n respect	of the

Part 5 (Cont'd) 第5部分(續)

6.	Type(s) of Application	申請類別					
<u></u>	Type (i) Change of use v 第(i)類 更改現有建築	ge of use within existing building or part thereof 现有建築物或其部分内的用途					
Z	Type (ii) Diversion of stre	stream / excavation of land / filling of land / filling of pond as required under Notes of Statutory					
	第(ii)類 根據法定闡則	《註釋》內所要求的河道改道/挖土/填土/填塘	工程				
	Type (iii) Public utility in 第(iii)類 公用事業設施	stallation / Utility installation for private project 鼓聞/私人發展計劃的公用設施裝置					
	Type (iv) Minor relaxation 第(iv)類 略為放寬於法知	n of stated development restriction(s) as provided und E圖則《註釋》內列明的發展限個	ler Notes of Statutory Plan(s)				
	Type (v) Use /·developm 第(v)類 上述的(i)至(iii)	ent other than (i) to (iii) above 項以外的用途/發展					
Not 註」	el: May insert more than one 「	∕」 ✓」號					
Not 註2	e 2: For Development involving colur 2: 如發展涉及黨灰安置所用好	nbarium use, please complete the table in the Appendix. , 韵填妥於附件的表格。					
<i>(i)</i>	For Type (i) applicati	on 供第(i)類申請					
(a)	Total floor area						
	involved 涉及的總樓面面積		sq.m 平方氷				
(b)	Proposed		•.				
	use(s)/development 擬議用途/發展	(If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施,請在謝則上顯示,並註明用途及總樓前面積)					
(0)	Number of storeys involved 涉及層數	Number of units invol 沙及單位數目	ved				
	_	Domestic part 住用部分 s	iq.m 平方米 口About 約				
(d)	Proposed floor area 擬說樓面面積	Non-domestic part 非住用部分	sq.m 平方米  口Abont 約				
		Total 總計	sq.m 平方米 □About 約				
(c)	Proposed uses of different	Floor(s) 樓層 Current use(s) 現時用途	Proposed use(s) 擬議用途				
	floors (if applicable) 不同樓層的擬識用涂(如滴						
	用) (Please use separate sheets if the						
	space provided is insufficient) (如所提供的定用不足,訪只買知						
	14])	, , , , , , , , , , , , , , , , , , ,	· · · · ·				

<u>Part 6 第 6 部分</u>

# Form No. S16-I 表格第 S16-I 號

(ii) For Type (ii) applic	ration 供第(ii)類申請
	□ Diversion of stream 河道改道
	<ul> <li>✓ Filling of pond 填塘</li> <li>Area of filling 填塘面積</li> <li>Depth of filling 填塘深度</li> <li></li></ul>
(a) Operation involved 涉及工程	<ul> <li>□ Filling of land 填上</li> <li>Area of filling 填上面積</li> <li>Depth of filling 填土厚度</li> <li>M 型 □About 約</li> </ul>
	<ul> <li>□ Excavation of land 挖土</li> <li>Area of excavation 挖土面積</li> <li>Depth of excavation 挖土深度</li> <li>m 氷</li> <li>□About 約</li> <li>(Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land)</li> <li>(請用圖明顯示有關土地/池塘界線,以及河過改道、填進、填土及/或挖土的創節及/或範圍))</li> </ul>
(b) Intended use/development 有意進行的用途/發展	擬證填塘以作准許的農業用途
(iii) <u>Eor Type (iii) applic</u>	ation 供第(iii)類申請
	□ Public utility installation 公用事業設施裝置
	□ Utility installation for private project 私人發展計劃的公用設施裝置
	Please specify the type and number of utility to be provided as well as the dimensions of each building/structure, where appropriate 請許明有關裝置的性質及數量,包括每座建築物/構築物(倘有)的長度、高度和關度
	Name/type of installation 裝置名稱/種類         Number provision 敗量         of provision 敗量         Dimension /building/structure (m) (LxWxH) 每個裝置/建築物/構築物的尺寸 (米) (長 x 闊 x 高)
(a) Nature and scale. 性質及規模	
· .	
	L

Form No. S16-I 表格第 S16-I 號

(iv) <u>F</u>	or Type (iv) application #	<u> </u>		
(a) ]	Please specify the proposed proposed use/development an 请列明擬議略為放寬的發展	minor relaxation of stated 1 <u>d development particula</u> 限制 <u>並填妥於第(v)</u> 部分的	development restriction(s) and <u>a</u> rs in part (v) below – 擬議用途/發展及發展細節 –	lso fill in the
	Plot ratio restriction 地積比率限制	From 由	to 至	
	Gross floor area restriction 總樓面面積限制	From [4]sq. m	平方米 to 至sq. m 平方オ	ŧ
	.Site coverage restriction 上蓋面積限制	From [1]	% to <u>業</u> %	
	Building height restriction 建築物高度限制	From 由	u米 to 至m米	
		From 🖽	mPD 米(主水平基準上) to 至	
			mPD 米 (主水平基準上)	
		From [1]	storcys 暦 to 딸 storc	ys 眉
	Non-building area restriction 非建築用地限制	From [[]	m to 至 m	
	Others (please specify) 其他(請註明)			
(v) <u>F</u>	or Type (v) application 供	<u>第(v)類申請</u>		
(-) Due	·			- - - -
(a) Pro used 擬語	posed (s)/development 裁用途/發展			
	(Please	illustrate the details of the proportion	sal on a layout plan 訪用平面圖說明建議	詳情)
(b) .Dev				
Pro Pro Pro Pro Pro	posed gross floor area (GFA) 擬 posed plot ratio 擬證地積比率 posed site coverage 擬議上蓋而 posed no. of blocks 擬議座數 posed no. of storeys of each bloc	議總樓面面積 積 k 每座建築物的擬議層數	sq.m 平方米 % 	□About 約 □About 約 □About 約 □About 約 ments 層地庫
Pro	posed building height of each blo	ock 每座建築物的擬識高度	mPD 米(主水平基準上 m 米	:)□About 約 □About 約

Part 6 (Cont'd) 第6部分 (續)

• • •

Form No. S16-I 表格第 S16-I 號

🗍 Domestic pa	urt 住用部分			
GFA 編	國被面面積		sq. m 平方兆	□About 約
number	of Units 單位數目			
average	e unit size 單位平均i	67#H	sq m 平方兆	□About约
estimat	ed number of residen	ts 估計住安數日		
Non-domest	ic part 非住田部分	•	GEA 約却語	商刊書
	No part 9P1L/0 00.0			<u>田</u> About 約
hotel 3				
	4M=1	· · ·		
			(prease speenty the number of room	15
[ office if	他人、学		前往97分间级日)	
	//2x32 	777.7-316	sq. m 半力术	LJAbout #9
	d services 間佔反版	份行乘	sq. m 平万米	山About 約
	ment, institution or c	ommunity facilities	(please specify the use(s) and	concerned land
政府、	機構或社區設加		area(s)/GFA(s) 請註明用途及有關	的地面面積/總
			楔面面積)	
			· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •
·.				•••••
			· · ·	
other(s)	其他		(please specify the use(s) and	concerned land
			area(s)/GFA(s) 請註明用途及有關	的地面面積/總
		• .	樓面面積)	•
			·	
			· · · ·	
🔲 Open space (	木憩用地		(please specify land area(s) 請註明	地面面積)
📄 private d	open space 私人休憩	用地	sq. m 平方米 口 Not	less than 不少於
🗌 public o	pen space 公眾休憩	钥地	sq. m 平方米 口 Not	less than 不少於
(a) Usa(s) of differ	ant floors (if annliad		(III)	
		加) 谷陵闿加州延 (如遲	2/13/	· · · · · ·
[Block number]	[Floor(s)]		[Proposed use(s)]	
[歷數]	[層數]	· · ·	. [擬議用途]	
		***********************		
	••••••	• • • • • • • • • • • • • • • • • • • •		
	•••••	* * * * * * * * * * * * * * * * * * * *	•••••••••••••••••••••••••••••••••••••••	
	•••••	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••	••••••
······································			•••••••••••••••••••••••••••••••••••••••	·····
(d) Proposed use(s)	of uncovered area (i	fany) 露天地方(倘有)	) 的擬議用途	
			•	
	· · · · · · · · · · · · · · · · · · ·		•••••••••••••••••••••••••••••••••••••••	
			·····	····
		•		

Part 6 (Cont'd) 第6部分 (續)

7. Anticipated Completion Time of the Development Proposal 擬議發展計劃的預計完成時間								
Anticipated completion time (in month and year) of the development proposal (by phase (if any)) (e.g. June 2023) 擬議發展計劃預期完成的年份及月份 (分期 (倘有)) (例: 2023 年 6 月) (Separate anticipated completion times (in month and year) should be provided for the proposed public open space and Government, institution or community facilities (if any)) (申請入須就擬議的公眾休憩用地及政府、機構或社區設施 (倘有) 提供個別擬議完成的年份及月份)								
JUNE 2023	JUNE 2023							
		·····						
<b>.</b>	• • • • • • • • • • • • • •							
	•••••	·····						
	• • • • • • • • • • • • •	· · · · ·						
		· · · · · · · · · · · · · · · · · · ·						
8. Vehicular Access Arra 擬議發展計劃的行:	ngemen 車通道	t of the Development Proposal 安排						
	Yes 是	There is an existing access. (please indicate the street name, where						
Any vehicular access to the		· 有一條現有車路。(譜註明車路名稱(如適用))						
site/subject building?		由深灣路經小路直邊申請位當						
是否有車路通往地船/有關 建築物?		<ul> <li>There is a proposed access. (please illustrate on plan and specify the width) 有一條擬議車路。(請在圖則顯示,並註明車路的關度)</li> </ul>						
	No 否							
Any provision of parking space for the proposed use(s)? 是否有為擬議用途提供停車 位?	Yes 是	<ul> <li>□ (Please specify type(s) and number(s) and illustrate on plan)</li></ul>						
	No 否	$\Sigma$						
Any provision of loading/unloading space for the proposed use(s)? 是否有為擬議用途提供上落客 貨車位?	Ycs 是	<ul> <li>□ (Please specify type(s) and number(s) and illustrate on plan)</li> <li>請註明種類及數目並於圖則上顯示)</li> <li>Taxi Spaces 的士車位</li> <li>Coach Spaces 旅遊巴車位</li> <li>Light Goods Vehicle Spaces 輕型貨車車位</li> <li>Heavy Goods Vehicle Spaces 重型貨車車位</li> <li>Others (Please Specify) 其他 (請列明)</li> </ul>						
·	No 否							

Form No. S16-I 装格第 S16-I 號

9. Impacts of D	velopment Proposal 擬議發展計劃的影響
If necessary, please u justifications/reasons f 如需要的話,請另頁	e separate sheets to indicate the proposed measures to minimise possible adverse impacts or give r not providing such measures. F明可黏量減少可能出現不良影響的措施,否則請提供理據/理由。
Does the development proposal involve alteration of existing building? 擬識發展計劃是否 包括現有建築物的 改動?	Yes 是 [] Please provide details 請提供詳惱
Does the development proposal involve the operation on the right? 擬議發展是否涉及 右列的工程? (Note: where Type (ii) application is the subject of application, please skip this section. 註: 如申請涉及第 (ii)類申請, 請跳至下 條問題。)	<ul> <li>Yes 是</li> <li>[] (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land)</li> <li>(請用地盤平面陽顯示有關土地/池塘界線,以及河道改道、填貼、單土及/或挖土的細節及/或範圖)</li> <li>[] Diversion of stream 河道改道</li> <li>[] Filling of pond 填握</li> <li>Area of filling 填塘面積</li> <li></li></ul>
	No否
Would the development proposal cause any adverse impacts? 擬凝發展計劃會否 造成不良影響?	On environment 對環境       Yes 會       No 不會 ☑         On traffic 對交通       Yes 會       No 不會 ☑         On water supply 對供水       Yes 會       No 不會 ☑         On drainage 對排水       Yes 會       No 不會 ☑         On slopes 對斜坡       Yes 會       No 不會 ☑         On slopes 對斜坡       Yes 會       No 不會 ☑         On slopes 對斜坡       Yes 會       No 不會 ☑         Affected by slopes 受斜坡影響       Yes 會       No 不會 ☑         Landscape Impact 構成環體影響       Yes 會       No 不會 ☑         Landscape Impact 構成環體影響       Yes 會       No 不會 ☑         Irec Felling 砍伐樹木       Yes 會       No 不會 ☑         Visual Impact 構成視覺影響       Yes 會       No 不會 ☑         Others (Please Specify) 其他 (請列明)       Yes 會       No 不會 ☑         Please state measure(s) to minimise the impact(s). For tree felling, please state the number, diameter at breast height and species of the affected trees (if possible)         調註明盡量減少影響的措施。如涉及砍伐樹木, 請說明受影響樹木的數目、及胸高度的樹幹 直徑及品種(倘可)
•	

<u>Part 9 第 9 部分</u>

Form No. S16-I 表格第 S16-1 號

10. Justifications 理由
The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary. 現請申請人提供申請到由及支持其申請的資料。如有需要,請另頁說明。
<ol> <li>1.申請人要求批給規劃許可,准許將申請地點「擬議填塘以作准許的農業用途」</li> <li>2.申請位置現時環境十分惡劣,長時間積水及大量滋生蚊蟲,希望規劃署可以考慮批准申請。</li> <li>3.申請位置附近已有排水渠,申請人亦會建設U型渠,申請用途不會對附近地區排水造成影響。</li> </ol>
4. 申請人擬議用適當泥土填至地盤水平位置防止水浸情況(深度約1米)。
5. 擬建位置主要為農業用途,不會損害當前分區的長遠規劃意向。
•
•••••
•••••
•••••••••••••••••••••••••••••••••••••••
•••••
•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••
- Int

# Form No. S16-1 表格第 S16-I 號

	11. Declaration 聲明
	I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief. 本人謹此聲明,本人就這完申請提交的資料,據本人所知及所信,均屬真實無誤。
	I hereby grant a permission to the Board to copy all the materials submitted in this application and/or to upload such materials to the Board's website for browsing and downloading by the public free-of-charge at the Board's discretion. 本人現准許委員會的情將本人就此申請所提交的所有資料複製及/或上戰至委員會網站,供公眾免費瀏覽或下載。
	Signature 簽署 · · · · · · · · · · · · · · · · · · ·
	CHAN YU HIM Project Manager Name in Block Letters Position (if applicable) 姓名(讃以正楷填寫) 職位 (如適用)
	Professional Qualification(s) 斯恭資格 HKIP 香港規劃師學會 / HKIA 香港建築師學會 / HKIS 香港測量師學會 / HKIE 香港二程師學會 / HKILA 香港圈境師學會 / HKIUD 香港城市設計學會 RPP 註冊專業規劃師 Others 其他
	on behalf of 代表 FiBi International Project Consultancy Co. Limited(菲比國際項目顧問有限公司) 忆 Company 公司 / 〇 Organisation Name and Chop (if applicable) 機構名稱及蓋章(如適用)
	Date 日期
F	Remark 借註
	The materials submitted in this application and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate. 委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下,有關申請資料亦會上戰至委員會網頁供公眾免費瀏覽及下戰。
Γ	Warning 醫告
	Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance. 任何人在明知或故意的情況下,就這宗申讀提出在任何要項上是虛假的陳述或資料,即屬違反《刑事罪行條例》。
ſ	Statement on Personal Data 個人資料的整明
	<ol> <li>The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes: 委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門,以根據《城市規劃條例》及相關的城市規 劃委員會規劃指引的規定作以下用途:</li> </ol>
	<ul> <li>(a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and 處理這宗申請,包括公布這宗申請供公眾查閱,同時公布申請人的姓名供公眾查閱:以及</li> <li>(b) facilitating communication between the applicant and the Secretary of the Board/Government departments. 方便申請人與娶員會秘書及政府部門之間進行聯絡</li> </ul>
	<ol> <li>The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above.</li> <li>申請人就這宗申請提供的個人資料,或亦會向其他人士披露,以作上述第1段提及的用途。</li> </ol>
	3. An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 根據《個人資料(私隱)條例》(第 486 章)的規定,申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料,應向委員會秘書提出有關要求,其地址為智港北角渣華道 333 號北角政府合署 15 樓。

#### Form No. S16-I 表格第 S16-I 號 Appendix 附件:

For Developments involving Columbarium Use, please also com 如發展涉及瓥灰安置所用途,請另外填妥以下資料:	plete the fo	ollowing:
Ash interment capacity 贯灰安放容量®		
Maximum number of sets of ashes that may be interred in the niches 在龜位內最多可安放骨灰的數量 Maximum number of sets of ashes that may be interred other than in niches 在非龕位的範圍內最多可安放骨灰的數量	-	
Total number of niches 爺位總數		· · ·
Total number of single niches 單人龕位總數	-	
Number of single niches (sold and occupied) 單人龕位數目 (已售並佔用) Number of single niches (sold but unoccupied) 單人龕位數目 (已售但未佔用) Number of single niches (residual for sale) 單人龕位數目 (待售)	· ·	
Total number of double niches 雙人爺位總數		
Number of double niches (sold and fully occupied) 雙人龕位數目 (已售並全部佔用) Number of double niches (sold and partially occupied) 雙人龕位數目 (已售並部分佔用) Number of double niches (sold but unoccupied) 雙人龕位數目 (已售但未佔用) Number of double niches (residual for sale) 雙人龕位數目 (待售)		
Total no. of niches other than single or double niches (please specify type) 除單人及變人龕位外的其他龕位總數 (請列明顯別)	• •	
Number. of niches (sold and fully occupied) 龜位數目 (已售並全部佔用) Number of niches (sold and partially occupied) 龜位數目 (已售並部分佔用) Number of niches (sold but unoccupied) 龜位數目 (已售但未佔用) Number of niches (residual for sale) 龜位數目 (符售)	•	
Proposed operating hours 擬識營運時間		
<ul> <li>@ Ash interment capacity in relation to a columbarium means – 就選灰安單所而言, 骨灰安放容盘指:</li> <li>the maximum number of containers of ashes that may be interred in each niche in the 每個命位內可安放的骨灰容器的最高數目:</li> <li>the maximum number of sets of ashes that may be interred other than in niches in any 在該選灰安置所並非命位的範圍內,總共最多可安放多少份骨灰;以及</li> <li>the total number of sets of ashes that may be interred in the columbarium. 在該對灰安置所內,總共最多可安放多少份骨灰。</li> </ul>	columbarium; varea in the colu	mbarium; and

4

.

Gist of Applic	ation	申請摘要		· · · · · · · · · · · · · · · · · · ·
(Please provide det consultees, uploade available at the Plan (調 <u>盡量</u> 以英文及中 下載及於規劃署規	ails in   d to the ning En 中文填寫 劃資料	both English and C Town Planning Bo quity Counters of th ;。此部分將會發送 查詢庭供一般參閱	hinese <u>as far as possible</u> . This pa ard's Website for browsing and free e Planning Department for general inf 予相關諮詢人士、上載至城市規劃 。)	rt will be circulated to relevant downloading by the public and ormation.) 委員會網頁供公眾免費瀏覽及
Application No.	(For O	fficial Use Only) (請:	勿填寫此欄)	· · · ·
申講編號				
4	1	· · .	· · · ·	
			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Location/address				
位置/地址	新珩	元明流浮山輞开區	副文章約份第129約地投第1169號	
			· · · ·	
· ·	1			
Site area				
地盤面積			2,355 s	q.m 半方米 M About 約
	(in also		1 . C / 4-C The char 1 . I.I.	
	(Includ	les Government land	1 of 包括政府土地	sq.m半万米 凵 About 約)
Plan '		······································	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
圖則	流浮	山及尖鼻咀分區計	·	
[·		•		
Zoning				
上Omng 他想				
200 Ut	「鄉林	村式發展」	· ·	
			· · ·	
Applied use/				
development				
甲酮用郊/發展	抚험	與塘以作准許的農	是萊用述	-
				•
	•			
(i) Gross floor are	a	τ	sq.m 平方米	Plot Ratio 地積比率
and/or plot rati	io /	Domestic	About 451	
- 總限即即預及 地瑞士 滋	/蚁	住用	$\square$ Not more than	$\square$ Not more than
1 201現しし5年3		barrely 14	不多於	不多於
		Non-domestic	□ About 約	□About #ব
		非住用	□ Not more than	□Not more than
			不多於	不多於
(ii) No. of block		Domestic		······································
幢數		住用		· · · ·
			<u> </u>	
		Non-domestic		
		非住用		•
		L <u>.</u>		·
		Composite		· · · ·
		綜合用途	· · ·	
· · · · · · · · · · · · · · · · · · ·			<u> </u>	

# For Form No. S.16-1 供表格第 S.16-1號用

(iii)	Building height/No.	Domestic	
ſ	of storeys	住用	m 米
·	建築物高度/層數		□ (Not more than 不多於)
		· ·	mtD 木(土水平基础上)
			L (Not more than 不多於)
	•		Storeys(s) 層
	,		L) (Not more than 个多於)
	i.		Dualada HIFA Evoluda Kiter
	·		
		ł	
			口 Refuge Floor 防火層
			□ Podium 平台)
		Non-domestic	
		非住用	m 米
			山 (Not more than 不多形)
	,		
·			mPD 米(主水平基準上)
			□ (Not more than 不多於)
	·		
	· · ·		Storeys(s) 層
			□ (Not more than 不多於)
	•		The last State of the second
			(山間cuae 包括)山 Exclude 个包括
			口 Carport 停車間
			□ Basement 地庫
			□ Refuge Floor 防火層
	,		□ Podium 平台)
		Composite	
		綜合用途	□ (Not more than 不多标)
	'n		
	•		mPD 米(宇水平基進上)
			□ (Not more than 不多於)
	•		
			Storeys(s) 層
			□ (Not more than 不多於)
1			
	:		(□Include 包括/□ Exclude 不包括
			口 Carport 停車間
			□ Basement 地庫
			口 Refuge Floor 防火圈
			□ Podium 亚台)
(jv)	Site coverage		
	上蓋面積		
			□ About 約
	21	,,	•
(V)	NO. Of Units		
	毕证数日		
	,		
(vi)	Opén space		
	休憩用地	Private 私人	sq.m 平方米 🛛 Not less than 不少於
·			
1			
		Public 公眾	sq.m 平方米 🛛 Not less than 不少於

1			·
(vii)	No. of parking	Total no. of vehicle parking spaces 停車位總數	
	spaces and loading /	· · ·	
i i	unloading spaces	Private Car Parking Spaces 私家車車位	0
	停里征及上洛各頁	Motorcycle Parking Spaces 衛軍車車位	
	里忸般白	Light Goods Vehicle Parking Spaces 極烈貨車泊車份	0
	τ.	Medium Goods Vehicle Parking Spaces 也刑貨附近时位	
		Hoany Goods Vehicle Parking Spaces 金利华市公司	
		Colorer (Discos Guardie ) 甘油 (加速)[10]	0
		[ Others (Please Specify) 具他 (	
-	· · ·		· ·
		Total no. of vehicle loading/unloading bays/lay-bys	
		上落客貨車位/停車處總數	]
	•		
	•	Taxi Spaces 的土車位	0
		Coach Spaces 旅遊巴車位	Ó
	•	Light Goods Vehicle Spaces 輕型貨車車位	0
		Medium Goods Vehicle Spaces 中型貨車位	
		Heavy Goods Vehicle Spaces 重型貨車車位	0
	•	Others (Please Specify) 其他 (請列明)	
			1

٠.

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件		
	<u>Chinese</u>	<u>English</u>
	中文	英文
Plans and Drawings 圖則及繪圖		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖/布局設計圖		
Block plan(s) 根宇位置圖		
Floor plan(s) 櫻宇平面圖		
Sectional plan(s)		
Elevation(s) 立視圖		
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片		
Master landscape plan(s)/Landscape plan(s) 園境設計總圖/園境設計圖		
Others (please specify) 其他(講註明)	$\square$	
位宜國,車輛通追圍、艱滋排水建議圖,建議用於農業用途,填土圖	_	
	_	
<u>Reports 報告書</u>		
Planning Statement/Justifications 規劃綱領/理據		
Environmental assessment (noise, air and/or water pollutions)		
環境評估(噪音、空氣及/或水的污染)		
Traffic impact assessment (on vehicles) 就車輛的交通影響評估		
Traffic impact assessment (on pedestrians) 就行人的交通影響評估		· 🗆
Visual impact assessment 視覺影響評估		
Landscape impact assessment 景觀影響評估		
Tree Survey 樹木調查		
Geotechnical impact assessment 上力影響評估		
Drainage impact assessment 排水影響評估		
Sewerage impact assessment 排污影響評估		
Risk Assessment 風險評估	· 🔲	
Others (please specify) 其他(請註明)	· 🗖	
	-	
· · · · · · · · · · · · · · · · · · ·	-	
Note: May insert more than one「V」. 註:可在多於一個方格內加上「V」號		
14' For Form No. S	S.16-I 供表格第	暮 S.16-I 號月

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.
 註: 上述申謝摘要的資料是由申請人提供以方便市民大眾參考。對於所載資料在使用上的問題及文義上的歧異,城市規劃委員 會概不負責。若有任何疑問,應查閱申請人提交的文件。

For Form No. S.16-1 供表格第 S.16-1 號用



. ••





Project 項目名稱:	Remarks 備註: 🗩 📂	由深灣路經小路直遠申請位置	•
擬議填塘以作准許的機業用途, 新界元朗流浮山朝井園丈嚴約			
份第129約地段第1169號	Drawing Title 陶紙標題:	Drawing No 關維號:	
	車輛通道圖	圖3	
• .			





.

有關LFS-447 補充資料:

1. 申請地點填泥工程時間表。

預算工程時間:2個月

預算每日車輛進出架次:8架

預算進出車輛類型:30噸泥頭車



Project 項目名稱:	Remarks 備註: 🍉 🕨	▶ 由深灣路經小路直達申請位置	
掷議填塘以作准許的農業用途, 新界元朗流浮山輞井圖丈量約			
份第129約地段第1169號	Drawing Title 圖紙標題:	Drawing No 圖紙號 :	
	車輛通道圖	圖3	

Comment	Response
The Applicant is required to firstly	See attachment "Existing Drainage
provide diversion proposal to the	Diversion Proposal (MTD02)" &
existing discharge.	Proposed Drainage Layout
	(MTW/SK002).
, and secondly, assess the effect to the	See attachment "Existing Drainage
area after the pond is filled.	Diversion Proposal (MTD02)" &
	Proposed Drainage Layout
	(MTW/SK002).

# **Response to Comment from Drainage Services Department**

# **Stormwater Drainage Design**

For

Filled up the Existing Pond Works in Lot 1169 in DD129

Mong Tseng Wai Village, Yuen Long, N.T.

 Report No.:
 MTD01

 Date:
 7/12/2022

			1			Date	File No: MTD01
Project : Filled	l up	the	Existing Pond Works	s in Lot 1169 in	DD129	7/12/2022	Sheet No.
Application S	ite A	Area	a Drainage Design				1 of 5
1. Equations	and	1 A	ssumptions				
1.1 Surface drai	inage	e des	sign is in accordance w	ith Geotechnical M	Manual for Slopes (2nd Edition	, 1984).	
1.2 Slope draina	age i	s de	signed to a frequency o	of 1 in 200 rainfall	return period.		
1.3 Time of Con	ncen i.e.	trati	on = time of entry $t_c = t_e + t_f$	y + time of fl	low		
1.4 Time of ent	ry is	calc	ulated based on the mo	odified form of Bra	ansby-Williams Equation:		
	t <sub>e</sub>	=	0.14465 x L / (H <sup>0.2</sup> x A	A <sup>0.1</sup> )			Eqn. 8.2
where	t <sub>e</sub>	=	time of entry (1	min),			Manual for Slopes
	Α	=	area of catchment (1	m <sup>2</sup> ),			
	H L	=	average fall (m per 10 distance in metre mean and that point of catch reach the design section	00m) from the sum sured on the line of ment from which on (m)	mit of catchment to the point of of natural flow between the des water would take the longest	of design, ign section time to	
1.5 Time of flov flow velocit	w is	calc	ulated from the measur	red water flow leng	gth in channel divided by the a	ssumed	
i.e.	t <sub>f</sub>	=	w / v				
where	t <sub>f</sub>	=	time of flow (1	min),			
	w v	=	measured water flow l assumed water flow v	length in channel elocity	(m), (m/s)		
1.6 Runoff coef	ficie	nt fo	or the slope is assumed	to be 1.0 for vege	tated ground surface.		Geotechnical Manual for
1.7 Deals starm		. :	latamain ad hay tha "Dati	ional Mathad" usi	a tha fallouin a farmula.		Slopes (p. 96)
1.7 Peak storm	O	=	KiA/60	ional Method usi	ng the following formula:		Ean. 8.7
	×.						Geotechnical
where	Q	=	maximum runoff		(litres/min),		Manual for Slopes
	K :	=	runoff coefficient	of minfall	(K = 1.0),		
	1	=	area of actahmant	of rannan	$(\min/nr)$ , $(m^2)$		
	А	=	area of catchment		(m).		

	Date	File No: MT	D01
Project : Filled up the Existing Pond Works in Lot 1169 in DD129	7/12/2022	Sheet No.	
Application Site Area Drainage Design		2 of	5
<text><text></text></text>			
Plan of Catchment Areas NTS			

	Date	File No: MTD01
ject : Filled up the Existing Pond Works in Lot 1169 in DD129	7/12/2022	Sheet No.
plication Site Area Drainage Design		3 of 5
Checking requirement width by reinwater through between L et 1160		
Checking requirement width by famwater through between Lot 1109		
a. Catchment Area A to Proposed Drainage (375 UC)		
Area A = $2370 \text{ m}^2$ L = $68 \text{ m}$		
$\delta h = 4.7 - 4.5 = 0.2 m$		
H = 0.2 * 100 / 68 = 0.29 m (average fall per 100m m	un)	
$t_c = 0.14465 \times 68/($ 0.29 <sup>0.2</sup> x 2370 <sup>0.1</sup> ) = 5.793 min		
For $t_f$ , $w = 37$ m, $v = 2$ m/s (assumed)		
$t_{f1} = 37 / (2 \times 60) = 0.308 \text{ min}$		
$t_1 = 5.793 + 0.308 = 6.101 \text{ min}$		
From rainfall curve, use $t = \frac{6.1}{100000000000000000000000000000000000$		
$i_{50} = 330 \text{ mm/hr}$ K = 1		Fig. 1, TGN 30
Flow for 200 years return periods,		
$Q_{200} = 1*330 \times 2370 / 60 = 13035$ litres/min		
Drop of channel = $4.700 - 4.325 = 0.38$ m		
Gradient = $0.38$ / $37$ = 1 in 98		
Proposed channel size = $375$ UC		Fig. 8.7
Capacity = $20000 > Q_{200}$ OK		Manual for Slopes
Read $v_{max}$ = 1.9 m/s < 4 m/s OK		
Therefore, used 375mm UC is adequate for catchment Area of A.		



	Date	File No: MTD01
Project : Filled up the Existing Pond Works in Lot 1169 in DD129	7/12/2022	Sheet No.
Application Site Area Drainage Design		5 of 5

Geotechnical Engineering Office, Civil Engineering and Development Department The Government of the Hong Kong Special Administrative Region

# GEO Technical Guidance Note No. 43 (TGN 43) Guidelines on Hydraulic Design of U-shaped and Half-round Channels on Slopes



Project :	Filled the Existing Pond in Lot 1169 in DD129, Mong Tseng Wai	Date	File No: MTD02
	in Yuen Long, N.T.	1/12/2022	Sheet No.
Title:	Existing Drainage Diversion Proposal		1 of 3

### **Introduction**

I

Due to there are many small houses/ village drains connected to the pond. But the current condition of the existing pond was filled by soil and growed many grass, so the existing drains may be block and the existing pond is not actual function as a retention area during rainfall. Furthermore, there will be proposed a channel along the edge of the pond to provide diversion of the existing discharge to existing outlet. Details refer to Drawing MTW/SK002.

#### Assumption

The proposed channel will be collected stormwater from upper part of the village drains. The details calculation will be refered to the assessment report.

Project :	Filled the Existing Pond in Lot 1169 in DD129, Mong Tseng Wai	Date	File No: MTD02
	in Yuen Long, N.T.	1/12/2022	Sheet No.
Title:	Drainage Impact Assessment Report		2 of 3

#### Background

Due to the proposed fill-up pond development in Lot 1169, the local existing drainage system will be affected. A section of existing pond collecting the surface runoff from existing village houses and sloping ground is prposed to be diverted locally to suit the development. This report is to briefly assess the impact to the existing drainage system arising from the development and provide the drainage proposal to mitigate the drainage impact to support the application of the proposed fill-up pond development. Details refer to Drawing MTW/SK001.

#### <u>Objective</u>

Determine the existing drainage condition & impact arising from the development and verify the adequacy of the downstream drainage to cater for the additional runoff in the proposed condition.

#### Metholodogy

- 1. Determine the catchment areas of the section of existing drainage channel adjacent to Lot 1169 to be affected.
- 2. Determine the runoff directions and land uses to assign suitable runoff coefficients to the catchments.
- 3. Determine the rainfall intensity for the catchments.
- 4. Determine the runoff by Rational Method as advised in the Stormwater Drainage Manual (SDM).
- 5. Determine the capacity of the affected channel.

#### 1. Determine the Catchment for the Downstream Drainage

Refer to MTWSK001 for the existing catchment plan.

As shown, the catchment areas of the upper part village houses to be affected is 8,200 meter square.

#### 2. Determine the Rainfall Intensity for the Catchment

2.1. Determine the Rainfall Intensity for the Catchment of the affected channel.

SDM

retu

Table 3 storm constants:

rn period	2	5	10	20	50	100	200	500	1000
a =	499.8	480.2	471.9	463.6	451.3	440.8	429.5	414.0	402.1
b =	4.26	3.36	3.02	2.76	2.46	2.26	2.05	1.77	1.55
c =	0.494	0.429	0.397	0.369	0.337	0.316	0.295	0.269	0.251

time of concentration  $(t_d)$  = natural flow time  $(t_0)$  + channel flow time  $(t_f)$ 

```
SDM
CI.7.5.2 t_0 = 0.14465 \frac{L}{H^{0.2} A^{0.1}}
```

```
For the affected channel section:
distance (L) =
                131 m
average slope (H) = (change in height)/L
H = (
          20
                       5.1)/
               _
                                   131
H =
          11.37%
area of catchment (A) = 8200 \text{ m}^2 =
                                            0.0082
                                                      km<sup>2</sup>
         4.75 min
t_0 =
t<sub>f</sub>=time of flow (which is assumed to be zero for conservative checking
           0
                min
t_f =
t_d =
          4.75 min
SDM
                             where i is the rainfall intensity
                   а
               (t_{d} + b)^{c}
Cl. 4.3.2
return period
                    2
                            5
                                    10
                                             20
                                                     50
                                                             100
                                                                     200
                                                                             500
                                                                                     1000
        i =
                   175
                           215
                                    245
                                            275
                                                    310
                                                             340
                                                                     370
                                                                             400
                                                                                     420
3. Determine Existing Flow to the affected channel
SDM
                                          where m is the number of subcatchments
             Q = 0.278i \sum CjAj
Cl. 7.5.2
                                          refer to MTWSK001 for the existing catchment plan
```

mm/hr

Project :	Filled the Existing Pond in Lot 1169 in DD129, Mong Tseng Wai	Date	File No: MTD
	in Yuen Long, N.T.	1/12/2022	Sheet No.
Title:	Drainage Impact Assessment Report		3 of
Assumptio	ns		
SDM	The whole catchment can be described by three types of catchment characteristics:		
C1752	<ol> <li>Grassland &amp; paved.</li> <li>Grassland catchment shall take a runoff coefficient of 0.35 as taken from the higher.</li> </ol>	end of 0.35	
01. 7.5.2	"Steep Grassland" $C=0.25$ .	chd 01 0.55	
	3. Paved catchement shall take a runoff coefficient of 0.95 as taken from the higher end	d of "Concre	te.
3.1. Summ	ary of Existing Flow in the affected section of the channel in different return period		
For the sec	tion of the channel to be affected		
Return Pe	riod Existing Flow $(m^3/s)$		
2	0.14		
50	0.25		
200	0.30		
4. Propose	d Diversion for the affected section of channel		
Q = A	$\frac{R^{1/6}}{n} \sqrt{RS} f$ Use the Manning Equation to Determine the Drainage Capacity		
Refer to Dr pond devel capacity ch Assumptio	awing No. MTW/SK002, the alignment of proposed channel is indicated to suit for the popment. The proposed diversion comprise of 110m concrete retangular channel. The challeck are as follows.	proposed fill- annel size and	up 1 the
I.			
1. Roughle 2. Both end say 1 i	ss coefficient of proposed channel, n is 0.03 Is of the proposed channel will connect with existing outlet, the channel gradient would n 180	be a little bit	flatter,
Full-bore c	apacity of the proposed channel section		
Ch	annel Width = $1000 \text{ mm}$ = $1 \text{ m}$		
Hydraulie	contraction in the second sec		
11 y ar u u i i	Gradient 1 in $=$ 180		
	$A = 0.5 m^2$		
	P = 2 m		
	R = 0.25 m		
Full	sore capacity = $0.493 \text{ m}^3/\text{s}$		
The canaci	ty of the proposed channel is larger than the highest capacity of Return Period 1 in $200$ (	$0.30 \text{ m}^{3/\text{s}}$	

As shown above, the capacity of the proposed diversion (1.0m (W) x 0.5m (D) concrete channel) can provide full-bore capacity of not less than the existing pond capacity which can have 1 in 200 years protection level. Therefore, we conclude the proposed diversion is acceptable as there should be no adverse drainage impact to the drainage system due to proposed fill-up pond development.





Appendix Ic of RNTPC Paper No. A/YL-LFS/447

有關LFS-447更改資料:

- P.1 Form No. S.16-I\_P.11
- P.2 Form No. S.16-I\_P.16
- P.3 填塘工程時間表
- P.4 填塘圖

# 10. Justifications 理由

The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary. 現請申請人提供申請理由及支持其申請的資料。如有需要,請另頁說明。

1. 申請人要求批給規劃許可,准許將申請地點「擬議填塘以作准許的農業用途」
2. 申請位置現時環境十分惡劣,長時間積水及大量滋生蚊蟲,希望規劃署可以考慮批准申請。
3. 申請位置附近已有排水渠,申請人亦會建設U型渠,申請用途不會對附近地區排水造成影響。
4. 申請人擬議用適當泥土填塘(深度約1米),填塘後的水平位置同毗鄰現有周邊土地相約。
5. 擬建位置主要為農業用途,不會損害當前分區的長遠規劃意向。

(vii)	No. of parking spaces and loading / unloading spaces 停車位及上落客貨 車位數目	Total no. of vehicle parking spaces 停車位總數 Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (請列明)	0 0 0 0 0
		Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位/停車處總數 Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕型貨車車位 Medium Goods Vehicle Spaces 中型貨車位 Heavy Goods Vehicle Spaces 重型貨車車位 Others (Please Specify) 其他 (請列明)	0 0 0 0 0

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件					
	<u>Chinese</u>	<u>English</u>			
	中文	英文			
Plans and Drawings 圖則及繪圖					
Master layout plan(s)/Layout plan(s) 總綱發展藍圖/布局設計圖					
Block plan(s) 樓宇位置圖					
Floor plan(s) 樓宇平面圖					
Sectional plan(s) 截視圖					
Elevation(s) 立視圖					
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片					
Master landscape plan(s)/Landscape plan(s) 園境設計總圖/園境設計圖					
Others (please specify) 其他(請註明)	$\checkmark$				
位置圖,車輛通道圖,擬議排水建議圖,建議用於農業用途,填塘圖					
Reports 報告書					
Planning Statement/Justifications 規劃綱領/理據					
Environmental assessment (noise, air and/or water pollutions)					
環境評估(噪音、空氣及/或水的污染)					
Traffic impact assessment (on vehicles) 就車輛的交通影響評估					
Traffic impact assessment (on pedestrians) 就行人的交通影響評估					
Visual impact assessment 視覺影響評估					
Landscape impact assessment 景觀影響評估					
Tree Survey 樹木調查					
Geotechnical impact assessment 土力影響評估					
Drainage impact assessment 排水影響評估					
Sewerage impact assessment 排污影響評估					
Risk Assessment 風險評估					
Others (please specify) 其他(請註明)					
Note: May insert more than one 「✔」.註:可在多於一個方格內加上「✔」號					

Note: May insert more than one「レ」. 註:可在多於一個方格內加上「レ」號

1. 申請地點填塘工程時間表。

預算工程時間:2個月

預算每日車輛進出架次:8架

預算進出車輛類型:30噸泥頭車



### Relevant extract of the Town Planning Board Guidelines for <u>Application for Developments within Deep Bay Area</u> (TPB PG-No. 12C)

On 16.5.2014, the Town Planning Board Guidelines for Application for Developments within Deep Bay Area under Section 16 of the Town Planning Ordinance (TPB PG-No. 12C) were promulgated by the Town Planning Board, which set out the following criteria for the Wetland Buffer Area (WBA):

- (a) in considering development proposals in the Deep Bay Area, the Board adopts the recommended principle of "no-net-loss in wetland" which provides for the conservation of continuous and adjoining fishponds. The "no-net loss" can refer to both loss in "area" and "function". No decline in wetland or ecological functions served by the existing fish ponds should occur. As the fish ponds form an integral part of the Deep Bay Area wetland ecosystem, alternative uses could be considered suitable only if it could be demonstrated that they would not result in the loss of ecological function of the original ponds and if they complement the ecological functions of the wetlands and fishponds in and/or around the Deep Bay Area.
- (b) The intention of the WBA is to protect the ecological integrity of the fish ponds and wetland within the Wetland Conservation Area (WCA) and prevent development that would have a negative off-site disturbance impact on the ecological value of fish ponds. A buffer area of about 500m along the landward boundary of the WCA is thus designated as a WBA. As a substantial amount of the fish ponds within the WBA have already been lost over time through filling and certain areas have been degraded by the presence of open storage use, these degraded areas may be considered as target areas to allow an appropriate level of residential/recreational development so as to provide an incentive to remove the open storage use and/or to restore some of the fish ponds lost.
- (c) Within the WBA, for development or redevelopment which requires planning permission from the Board, an ecological impact assessment (EcoIA) would also need to be submitted. Development/redevelopment which may have negative impacts on the ecological value of the WCA would not be supported by the Board, unless the ecological impact assessment can demonstrate that the negative impacts could be mitigated through positive measures. The assessment study should also demonstrate that the development will not cause net increase in pollution load to Deep Bay. Some local and minor uses are however exempted from the requirement of EcoIA. They are listed in Appendix A of TPB PG-No. 12C and include temporary uses.

#### Similar s.16 Application within the same "Village Type Development" Zone on the Lau Fau Shan and Tsim Bei Tsui Outline Zoning Plan

#### **Approved Applications**

	<b>Application</b>	Applied Use(s)/Development(s)	Zoning(s)	Date of	<u>Approval</u>
	<u>No.</u>			<b>Consideration</b>	<u>Conditions</u>
				(RNTPC/TPB)	
1	A/YL-LFS/58	Proposed Pond Filling (for New	V	25.8.2000	(1) and (14)
		Territories Exempted House)			
2	A/YL-LFS/72	Proposed Pond Filling (for New Territories Exempted House and Agricultural Use)	V	3.8.2001	(2) and (14)
3	A/YL-LFS/216	Proposed Pond Filling for Permitted New Territories Exempted House	V	1.2.2013 (on Review)	(2) to (13) and (15)

#### **Approval Conditions:**

- (1) Submission of a drainage impact assessment, and the implementation of mitigation measures.
- (2) Submission of drainage facilities proposals, and/or provision of drainage facilities.
- (3) No construction work/pond filling allowed during the peak wintering season of birds from December to February to minimize potential off-site disturbance impact to winter migratory bird.
- (4) No part of the site should be filled to a level of +4.3mPD or a depth exceeding 2m.
- (5) No waste as defined under the Waste Disposal Ordinance Cap. 354, including construction and demolition materials, should be used to fill the land.
- (6) Submission of a topographical survey and detailed setting-out proposal showing the site boundary.
- (7) No pond filling allowed until the topographical survey and detailed setting out proposal had been submitted.
- (8) Implementation of the mitigation measures identified in the Ecological Appraisal Report.
- (9) No pond filling allowed in the absence of the implemented mitigation measures identified in the Ecological Appraisal Report.
- (10) No pond filling allowed until the drainage proposal had been implemented.

- (11) Submission of a landscape proposal.
- (12) No pond filling on the site would be allowed until the landscape proposal had been submitted.
- (13) Implementation of the landscape proposal.
- (14) Validity Clause.
- (15) Revocation Clause.



長春社 Since 1968

The Conservancy Association 會址:香港新界葵涌貨櫃碼頭路 77-81 號 Magnet Place 一期 13 樓 1305-6 室 Add.: Units 1305-6, 13/F, Tower 1, Magnet Place, 77-81 Container Port Road, Kwai Chung, New Territories, H.K. 網址 Website:www.cahk.org.hk

電話 Tel.:(852)2728 6781 傳真 Fax.:(852)2728 5538 電子郵件 E-mail:cahk@cahk.org.hk

23<sup>rd</sup> December 2022

Town Planning Board 15/F North Point Government Offices 333 Java Road North Point Hong Kong

By e-mail: tpbpd@pland.gov.hk

Dear Sir/Madam,

Comments on the Section 16 Application No. A/YL-LFS/447

The Conservancy Association (CA) OBJECTS to the captioned application.

#### 1. No details on the proposed agricultural use

With reference to the submission, no detailed plan, such as crop variety, farming methods, farm operation and management, filling materials for the proposed pond filling activities, water source, etc., are available to justify the proposed agricultural use. We are concerned that whether genuine agricultural activities would be resulted in this application site.

#### 2. Adverse environmental impacts

We worry that there would be several potential adverse environmental impacts caused by the application:

- Potential adverse drainage impact: The applicant does not provide any information to justify that overland flow from adjacent area would not be disrupted by the proposed pond filling and agricultural activities. We worry that the change of hydrology in the surrounding area would not only affect the adjacent village settlement, but also those fish ponds in the south of the application site, which is within the Wetland Conservation Area

Potential impact brought by additional works: From Drawing 2, we would assume that some pipe works surrounding the application site would be





The Conservancy Association 會址:香港新界葵涌貨櫃碼頭路 77-81 號 Magnet Place 一期 13 棲 1305-6 室 Add.: Units 1305-6, 13/F, Tower 1, Magnet Place, 77-81 Container Port Road, Kwai Chung, New Territories, H.K. 網址 Website:www.cahk.org.hk

電話 Tel.:(852)2728 6781 傳真 Fax.:(852)2728 5538 電子郵件 E-mail:cahk@cahk.org.hk

proposed for drainage purpose (Figure 1). However, we cannot see associated works such as land excavation has been mentioned in the application. Meanwhile, Drawing 4 did not mention what specific use or works would be proposed in the area just next to the area for agricultural purpose (Figure 2). We worry that all the above would cause both direct and indirect environmental impacts in the application site and its surrounding area.

Potential wastewater discharge during operation phase: With reference to Stormwater Drainage Design provided by the applicant, existing drainage outlet and outfall would be formed in the south of the application site. We are concerned about that wastewater accumulated, mostly from sewage effluent in adjacent village settlements, would end up in discharging into those fish ponds within the Wetland Conservation Area.

Yours faithfully, Chow Oi Chuen Campaign Officer The Conservancy Association





Figure 1Some pipe works (marked in red) surrounding the application sitewould be proposed for drainage purpose



Figure 2It is unknown what specific use or works would be proposed in thearea just next to the area for agricultural purpose (marked in red)







Secretary, Town Planning Board 15/F, North Point Government Offices 333 Java Road, North Point, Hong Kong (E-mail: tpbpd@pland.gov.hk)

By email only

16 December 2022

Dear Sir/Madam,

# Comments on the planning application for the proposed Filling of Pond for Permitted Agricultural Use at Mong Tseng Wai, Lau Fau Shan (A/YL-LFS/447)

The Hong Kong Bird Watching Society (HKBWS) objects to the planning application based on the following reasons.

- 1 Not in line with the planning intention of the Wetland Buffer Area (WBA) under the Town Planning Board Planning Guideline No. 12C
  - 1.1 The application site is only about 120m from the WCA (Wetland Conservation Area) and it is located within WBA, where is "to protect the ecological integrity of the fish ponds and wetland within the WCA and prevent development that would have a negative off-site disturbance impact on the ecological value of fish ponds." Moreover, "as a substantial amount of the fish ponds within the WBA have already been lost over time through filling and certain areas have been degraded by the presence of open storage use, these degraded areas may be considered as target areas to allow an appropriate level of residential/recreational development so as to provide an incentive to remove the open storage use and/or to restore some of the fish ponds lost."1
  - 1.2 Referring to the approved Lau Fau Shan and Tsim Bei Tsui Outline Zoning Plan (No. S/YL-LFS/11), the general planning intention of the plan is to "to conserve the ecological value of the fish ponds which form an integral part

地址

#### 香港觀鳥會 Hong Kong Bird Watching Society

#15 Tel No +852 2377 4387 (8 ) Fax No. +852 2314 3687 電郵 E-mail info@hkbws.org.hk 網頁 Website www.hkbws.org.hk

香港九龍荔枝角青山道532號偉基大廈7C Address 7C, V Ga Building, 532 Castle Peak Road, Lai Chi Kok, Kowloon, Hong Kong





<sup>&</sup>lt;sup>1</sup> Section 6.4 of the Town Planning Board Planning Guideline No. 12C. Available at: https://www.info.gov.hk/tpb/en/forms/Guidelines/pg12c\_e.pdf





of the wetland ecosystem in the Deep Bay Area. The existing and contiguous, active or abandoned fish ponds in the Deep Bay Area should all be conserved. Moreover, the loss of fish ponds and habitat fragmentation should be avoided and any negative impacts arising from undesirable land uses and human disturbance should be mitigated."<sup>2</sup>

From the map extracted from GeoInfo Map, there are still ponds and 1.3 wetlands at and near the application site (Figure 1), forming a part of the Deep Bay wetland system. However, the proposed pond filling will lead to a loss in wetland which is not in line with the above planning intention of WBA to protect the ecological integrity of WCA and retore lost wetlands. We urge the Town Planning Board (Board) to reject this application.

#### 2 Set an undesirable precedent to the future development

As there are ponds and wetlands nearby, the approval of this application will set an undesirable precedent to the future similar applications within WBA, and thus nullifying the statutory planning control mechanism. We urge the Board to reject this application in order to protect WBA and the existing ponds from any development threats.

#### Justifications for the decision and comments made by Government departments 3 and the Board

According to the Hong Kong Planning Standards and Guidelines (HKPSG), Chapter 10, Section 2.1 (iii), the Board has the responsibility to "control adjoining uses to minimise adverse impacts on conservation zones and optimise their conservation value". We note that all other Government bureaux/departments are also bound to the HKPSG, the Agriculture, Fisheries and Conservation Department (AFCD) and the Planning Department (PlanD) has the responsibility to advise the Board on the ecological and planning aspects in particular<sup>3</sup>. Given AFCD's mission to conserve natural environment and safeguard the ecological integrity<sup>4</sup> and the proposed

#### 香港觀鳥會 Hong Kong Bird Watching Society

電話 Tel No +852 2377 4387

電郵 E-mail info@hkbws.org.hk 地址 傳真 Fax No. +852 2314 3687 網頁 Website www.hkbws.org.hk \* Address

香港九龍荔枝角青山道532號偉基大廈7C 7C, V Ga Building, 532 Castle Peak Road, Lai Chi Kok, Kowloon, Hong Kong





香港註冊成立的法定慈善機構及無服本擔保有限公司 A charitable organization incorporated in Hong Kong with limited liability by guarantee

<sup>&</sup>lt;sup>2</sup> Section 8.3 of Explanatory Notes of the Approved Nam Sang Wai Outline Zoning Plan. Available at: https://www2.ozp.tpb.gov.hk/plan/ozp\_plan\_notes/en/S\_YL-NSW\_8\_e.pdf#nameddest=U AFCD Role of Department. Available at:

http://www.afcd.gov.hk/english/aboutus/abt role/abt role.html

AFCD Vision and Mission. Available at:





development is not in line with the planning intention of the statutory zoning, HKBWS would also expect AFCD and PlanD to object this application. Should AFCD, PlanD or the Board feels otherwise, we urge that the appropriate justifications are provided.

The HKBWS respectfully requests the Board to take our comments into consideration and reject the current application. Thank you for your kind attention.

Yours faithfully, Wong Suet Mei **Conservation Officer** The Hong Kong Bird Watching Society

CC. The Conservancy Association **Designing Hong Kong** Kadoorie Farm and Botanic Garden WWF – Hong Kong Trailwatch

http://www.afcd.gov.hk/english/aboutus/vision mission/abt vision mission.html

#### 香港觀鳥會 Hong Kong Bird Watching Society

傳典 Fax No. +852 2314 3687

電話 Tel No. +852 2377 4387 電郵 E-mail info@hkbws.org.hk 網頁 Website www.hkbws.org.hk

地址 香港九龍荔枝角青山道532號偉基大廈7C Address 7C, V Ga Building, 532 Castle Peak Road, Lai Chi Kok, Kowloon, Hong Kong





香港註冊成立的法定懸畜機構及無股本擔保有限公司 A chantable organization incorporated in Hong Kong with limited liability by guarantee





Figure 1. The extracted GeoInfo Map shows that there are ponds and wetlands at and near the application site (indicated by red line). The proposed pond filling will lead to a loss in wetland which is not in line with the above planning intention of WBA to protect the ecological integrity of WCA and retore lost wetlands.



#### 香港觀鳥會 Hong Kong Bird Watching Society

電話 Tel No. +852 2377 4387 傳真 Fax No. +852 2314 3687

電郵 E-mail info@hkbws.org.hk 網頁 Website www.hkbws.org.hk

香港九龍荔枝角青山道532號偉基大廈7C Address 7C, V Ga Building, 532 Castle Peak Road, Lai Chi Kok, Kowloon, Hong Kong





香港註冊成立的法定慈善機構及無股本擔保有限公司 A chantable organization incorporated in Hong Kong with limited liability by guarantee

地址

致:香港北角渣華道 333 號 政府合署 15 樓 香港城市規劃委員會秘書處

敬啟者,

有關反對:規劃中讀編號:A/YL-LFS/447

申請擬說填塘工程,以作准許的農業用途

地點:元朗流浮山輞井圍丈量約份第129約地段第1169號(部分)

就上述標题事,我們提出反對理據如下:

- (一) 換屆村選舉臨近,有人不顧有份人權益,為選票利益輸送,提出申請借口:
- (二) 擬議發展地點落在濕地緩衡區範圍,與地帶不協調;改劃地帶用途申請, 會對整區同類型立下不良先例;
- (三) 中諦沒有標明如何處理不擬填土的部份土地,確保四周環境不受負面影響;
- (四) 擬議發展包括填土,挖土等等工程會影響周邊環境:
- (五) 請並沒有提供測量、排水、排污等等...相關評估報告,以釋疑慮;
- (六) 擬說填塘對毗迦土地/魚塘及住宅造成負面影響,包括排水及排污等等...;
- (七)新界很多面村落仍保留風水塘, 擬識申請等於毀滅風水塘及破壞生態環境:
- (八) 擬識發展造成環境滋擾、破壞景觀等;及
- (九) 對附近道路交通網絡構成嚴重影響。

此致

#### 關注連線

日期:二零二二年十一月二十四日

#### Appendix IV-4 of RNTPC Paper No. A/YL-LFS/447



Mong Tseng Wai - Google Maps.pdf

A/YL-LFS/447

Lot 1169 (Part) in D.D. 129, Mong Tseng Tsuen, Lau Fau Shan, Yuen Long

Site area : 2,355m<sup>2</sup>

Zoning : "VTD"

Applied Development : Filling of Pond

Dear TPB Members,

So mega RC Village Office did not hack it and application was withdrawn. But pond has been filled in anyway.

Members should question when this was carried out and if any enforcement order was issued.

Mary Mulvihill

#### From:

To: tpbpd <tpbpd@pland.gov.hk> Date: Thursday, 19 July 2018 2:30 AM CST Subject: A/YL-LFS/325 DD 129 Mong Tseng Tsuen VillageOffice

A/YL-LFS/325 Lot 1169 (Part) in D.D. 129, Mong Tseng Tsuen, Lau Fau Shan, Yuen Long Site area : 2,332m<sup>2</sup> Zoning : "VTD" Applied Development : Rural Committee Village Office

Dear TPB Members,

This is a very large office for a small community. It would take over land that could

### accommodate 20 NET houses.

No information has been given with regard to the demand for NET houses and the number of sites available in the village.

Members must question if this development would encourage applications to enlarge the village onto AG and GB sites in years to come under the excuse that there is no land left for village houses.

Mary Mulvihill





Imagery @2022 Maxar Technologies, Map data @2022 10 m

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review					
參考編號 Reference Number:	221222-124012-67910				
提交限期 Deadline for submission:	06/01/2023				
提交日期及時間 Date and time of submission:	22/12/2022 12:40:12				
有關的規劃申請編號 The application no. to which the comment relates:	A/YL-LFS/447				
「提意見人」姓名/名稱 Name of person making this comment:	女士 Ms. Mok Chui Ling				
意見詳情 Details of the Comment :					
本人不同意這項申請,通往這段路的路原本已有很多車和人經過,本來已經存在人車爭路的情況,如果這個位置申請一旦成功,會加劇人車爭路的情況,其實對於居住這個地方的居民有潛在交通意外發生。加上,這個位置原本已經有一個垃圾站,環境衛生問題一直不太理想,如果再在這個位置改成農業用途,必定會生產更多嗅覺污染,引來更多害蟲,害蟲滋生亦來造成更多細菌,亦影響村內居民的生活。希望貴署考慮不要讓這項申請通過。					

ر ن

致: 香港北角渣華道 333 號 政府合署 15 樓 香港城市規劃委員會秘書處

敬啟者,

有關反對:規劃申請編號:A/YL-LFS/447

申請擬證填塘工程,以作准許的農業用途 地點:元朗流浮山輞井圍丈量約份第129約地段第1169號(部分)

就上述標題的第2輪諮詢,我們提出反對理據如下:

- (一) 擬議發展地點落在濕地緩衝區範圍,與地帶不協調;
- (二)申請沒有標明如何處理填土與不擬填土的部份土地,確保四周環境不受負面影響:
- (三) 擬識發展包括填土,挖土等等工程會影響周邊環境:及
- (四)填土會囤積雨水/污水,破壞生態環境;
- (五) 申請並沒有提供測量、排水、排污等等...相關評估報告,以釋疑慮;
- (六) 擬諁填塘對毗連土地/住宅/魚塘及 C.A 保護區造成負面影響,包括排水及排 污等等...;
- (七) 擬議申請等於破壞//毀滅魚塘的生態環境:
- (八) 擬識發展造成環境滋擾、破壞景觀等:及
- (九) 對附近道路交通網絡構成嚴重影響:
- (十) 改劃地帶用途申請, 會對整區同類型立下不良先例。

此致

# N

### 日期:二零二二年十二月二十二日

23-DEC-2022 10:45

#### **Recommended Advisory Clauses**

- (a) to resolve any land issues relating to the development with the concerned owner(s) of the application site (the Site);
- (b) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that the Site comprises an Old Schedule Agricultural Lot held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government.
- (c) to note that comments of the Director of Environmental Protection (DEP) that the pond should not be filled with construction waste. It is the applicant's responsibility to comply with all relevant environmental legislations during construction and operation of the project. The applicant is also advised to follow the Recommended Pollution Control Clauses for Construction Contracts (https://www.epd.gov.hk/epd/english/environmentinhk/eia\_planning/guide\_ref/rpc.html) to minimise the environmental impacts during the construction stage.
- (d) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD) that the applicant is required to demonstrate in the revised drainage impact assessment that the existing drains, which are now discharging to the pond, are properly diverted to maintain their function after the proposed pond filling. The applicant is also required to demonstrate that the downstream capacity of the existing drainage system will have sufficient capacity to cater for the additional flow.
- (e) to note the comments of the Director of Food and Environmental Hygiene (DFEH) that for any waste generated from the activity/operation, the applicant should arrange disposal properly at their own expenses. It shall be the due diligence of the applicant to make every effort to take precautionary measures within the private lots and on related activities to prevent mosquito breeding and rodent infestation. Authority conferred by relevant legislation would be executed by the Food and Environmental Hygiene Department (FEHD) where situation warrants. The mosquito prevention and control work at public place would be conducted by FEHD regularly. These included but not limited to conducting fogging operations, spraying larvicide and distributing anti-mosquito promotional leaflets to villagers. A cold store licence must be obtained from DFEH for the food business which involves the storage of articles of food under refrigeration in any warehouse in the territory before commencement of such business. Subject to the actual mode of operation in the Cold Storage, the following licences may be involved:
  - (i) Cold Store Licence for storage of food under refrigeration before delivery to other outlets;
  - (ii) Fresh Provision Shop Licence in case sale of fresh, chilled or frozen beef, mutton, pork, reptiles (including live reptiles), fish (including live fish) or poultry (including live poultry)(including wholesale and retail) is involved. (In case that the farm products will be sold at the Site are vegetables and fruits only, the fresh provision shop licence is not required); and
  - (iii) Food Factory Licence if processing of food products (such as cutting, repackaging, etc) will be carried on.

If only storage of food under refrigeration in the cold storage without involving any sale of fresh commodities nor processing of food, a Cold Store Licence is sufficient;

- (f) to note the comments of the Commissioner for Transport (C for T) that the local track leading to the Site is not under Transport Department's purview. The applicant shall obtain consent of the owners/managing departments of the local track for using it as vehicular access to the Site;
- (g) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD) that adequate drainage measures shall be provided to prevent surface water running from the Site to the nearby public roads and drains. The access road connecting the Site with Deep Bay Road is not and will not be maintained by HyD. HyD should not be responsible for maintaining any access connecting the Site with Deep Bay Road;
- (h) to note that comments of the Antiquities and Monuments Office, Development Bureau (AMO, DEVB) to assess the possible impacts on the Entrance Gate at Mong Tseng Wai (the Graded Structure) arising from the proposed development, and to formulate appropriate mitigations, protective and/or monitoring measures to ensure that no adverse impacts, both visually and physically, will be made to the Graded Structure;
- (i) to note the comments of the Chief Building Surveyor/New Territories West, BD (CBS/NTW, BD) that:
  - before any non-exempted site formation works including filling of land are to be carried out on the Site, prior approval and consent of the Building Authority should be obtained, otherwise they are unauthorized building works (UBW) under the Buildings Ordinance (BO). An Authorized Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO;
  - (ii) for UBW erected on leased land, enforcement action may be taken by the Buildings Department to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the application site under the BO; and
  - (iii) detailed checking under the BO will be carried out at building plan submission stage; and
- (j) to note the comments of the Chief Engineer/Construction, Water Supplies Department (CE/C, WSD) that:
  - (i) existing water mains will be affected as shown on **Appendix VI**. The cost of any necessary diversion shall be borne by the proposed development;
  - (ii) in case it is not feasible to divert the affected water mains, a waterworks reserve within 1.5m from the centre line of the water mains shall be provided to WSD. No structure shall be built or materials stored within this waterworks reserve. Free access shall be made available at all times for staff of the Director of Water Supplies and their contractor to carry out construction, inspection, operation, maintenance and repair works;
  - (iii) No trees or shrubs with penetrating roots may be planted within the waterworks

(iv) Government shall not be liable to any damage whatsoever and howsoever caused arising from burst or leakage of the public water mains within and in close vicinity of the Site.



© The Government of the Hong Kong SAR, Map reproduced with permission of the Director of Lands