

2023年 10月 1 08

此文件在 收到。城市規劃委員會
只會在收到所有必要的資料及文件後才正式確認收到
申請的日期。

This document is received on **10 OCT 2023**
The Town Planning Board will formally acknowledge
the date of receipt of the application only upon receipt
of all the required information and documents.

Form No. S16-III
表格第 S16-III 號

**APPLICATION FOR PERMISSION
UNDER SECTION 16 OF
THE TOWN PLANNING ORDINANCE
(CAP.131)**

根據《城市規劃條例》(第131章)
第16條遞交的許可申請

**Applicable to Proposal Only Involving Temporary Use/Development of
Land and/or Building Not Exceeding 3 Years in Rural Areas or Renewal
of Permission for such Temporary Use or Development***

**適用於祇涉及位於鄉郊地區土地上及/或建築物內進行為期不超過三年
的臨時用途/發展或該等臨時用途/發展的許可續期的建議***

**Form No. S16-I should be used for other Temporary Use/Development of Land and/or Building (e.g. temporary use/developments in the Urban Area) and Renewal of Permission for such Temporary Use or Development.*
**其他土地上及/或建築物內的臨時用途/發展 (例如位於市區內的臨時用途或發展) 及有關該等臨時用途/發展的許可續期，應使用表格第 S16-I 號。*

Applicant who would like to publish the notice of application in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers: https://www.info.gov.hk/tpb/en/plan_application/apply.html

申請人如欲在本地報章刊登申請通知，以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行土地擁有人所指定的其中一項合理步驟，請瀏覽以下網址有關在指定的報章刊登通知：
https://www.info.gov.hk/tpb/tc/plan_application/apply.html

General Note and Annotation for the Form

填寫表格的一般指引及註解

- # "Current land owner" means any person whose name is registered in the Land Registry as that of an owner of the land to which the application relates, as at 6 weeks before the application is made
「現行土地擁有人」指在提出申請前六星期，其姓名或名稱已在土地註冊處註冊為該申請所關乎的土地的擁有人的人
- & Please attach documentary proof 請夾附證明文件
- ^ Please insert number where appropriate 請在適當地方註明編號
- Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」
- Please use separate sheets if the space provided is insufficient 如所提供的空間不足，請另頁說明
- Please insert a 「✓」 at the appropriate box 請在適當的方格內上加上「✓」號

For Official Use Only 請勿填寫此欄	Application No. 申請編號	A/YL-TT / 616
	Date Received 收到日期	10 OCT 2023

- The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.
申請人須把填妥的申請表格及其他支持申請的文件 (倘有), 送交香港北角渣華道 333 號北角政府合署 15 樓城市規劃委員會 (下稱「委員會」) 秘書收。
- Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at <http://www.info.gov.hk/tpb/>. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories).
請先細閱《申請須知》的資料單張, 然後填寫此表格。該份文件可從委員會的網頁下載 (網址: <http://www.info.gov.hk/tpb/>), 亦可向委員會秘書處 (香港北角渣華道 333 號北角政府合署 15 樓 - 電話: 2231 4810 或 2231 4835) 及規劃署的規劃資料查詢處 (熱線: 2231 5000) (香港北角渣華道 333 號北角政府合署 17 樓及新界沙田上禾輦路 1 號沙田政府合署 14 樓) 索取。
- This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete.
此表格可從委員會的網頁下載, 亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全, 委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

(☒ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☐ Ms. 女士 / ☐ Company 公司 / ☐ Organisation 機構)

HE Yazhi (何亞仔)

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱 (如適用)

(☐ Mr. 先生 / ☐ Mrs. 夫人 / ☐ Miss 小姐 / ☐ Ms. 女士 / ☒ Company 公司 / ☐ Organisation 機構)

Metro Planning & Development Company Limited (都市規劃及發展顧問有限公司)

3. Application Site 申請地點

(a) Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈量約份及地段號碼 (如適用)	Lot 1284 in D.D. 118, Tai Shu Ha Road West, Yuen Long, New Territories
(b) Site area and/or gross floor area involved 涉及的地盤面積及/或總樓面面積	<input checked="" type="checkbox"/> Site area 地盤面積 482 sq.m 平方米 <input checked="" type="checkbox"/> About 約 Not more than <input checked="" type="checkbox"/> Gross floor area 總樓面面積 225 sq.m 平方米 <input type="checkbox"/> About 約
(c) Area of Government land included (if any) 所包括的政府土地面積 (倘有)	Nil sq.m 平方米 <input type="checkbox"/> About 約

(d) Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號	Draft Tai Tong Outline Zoning Plan No. S/YL-TT/19
(e) Land use zone(s) involved 涉及的土地用途地帶	'Agriculture' ("AGR")
(f) Current use(s) 現時用途	Vacant structures (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施，請在圖則上顯示，並註明用途及總樓面面積)

4. "Current Land Owner" of Application Site 申請地點的「現行土地擁有人」

The applicant 申請人 -

- ☒ is the sole "current land owner"^{#&} (please proceed to Part 6 and attach documentary proof of ownership).
是唯一的「現行土地擁有人」^{#&} (請繼續填寫第 6 部分，並夾附業權證明文件)。
- ☐ is one of the "current land owners"^{#&} (please attach documentary proof of ownership).
是其中一名「現行土地擁有人」^{#&} (請夾附業權證明文件)。
- ☐ is not a "current land owner"[#].
並不是「現行土地擁有人」[#]。
- ☐ The application site is entirely on Government land (please proceed to Part 6).
申請地點完全位於政府土地上 (請繼續填寫第 6 部分)。

5. Statement on Owner's Consent/Notification 就土地擁有人的同意/通知土地擁有人的陳述

- (a) According to the record(s) of the Land Registry as at (DD/MM/YYYY), this application involves a total of "current land owner(s)"[#].
根據土地註冊處截至 年 月 日的記錄，這宗申請共牽涉 名「現行土地擁有人」[#]。

(b) The applicant 申請人 -

- ☐ has obtained consent(s) of "current land owner(s)"[#].
已取得 名「現行土地擁有人」[#]的同意。

Details of consent of "current land owner(s)" [#] obtained 取得「現行土地擁有人」 [#] 同意的詳情		
No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where consent(s) has/have been obtained 根據土地註冊處記錄已獲得同意的地段號碼/處所地址	Date of consent obtained (DD/MM/YYYY) 取得同意的日期 (日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上列任何方格的空間不足，請另頁說明)

- ☐ has notified "current land owner(s)"[#]
已通知 名「現行土地擁有人」[#]。

Details of the "current land owner(s)" [#] notified 已獲通知「現行土地擁有人」 [#] 的詳細資料		
No. of 'Current Land Owner(s)' 「現行土地擁有人」數目	Lot number/address of premises as shown in the record of the Land Registry where notification(s) has/have been given 根據土地註冊處記錄已發出通知的地段號碼／處所地址	Date of notification given (DD/MM/YYYY) 通知日期(日/月/年)

(Please use separate sheets if the space of any box above is insufficient. 如上列任何方格的空間不足，請另頁說明)

- ☐ has taken reasonable steps to obtain consent of or give notification to owner(s):
已採取合理步驟以取得土地擁有人的同意或向該人發給通知。詳情如下：

Reasonable Steps to Obtain Consent of Owner(s) 取得土地擁有人的同意所採取的合理步驟

- ☐ sent request for consent to the "current land owner(s)" on (DD/MM/YYYY)^{#&}
於 (日/月/年)向每一名「現行土地擁有人」[#]郵遞要求同意書[&]

Reasonable Steps to Give Notification to Owner(s) 向土地擁有人發出通知所採取的合理步驟

- ☐ published notices in local newspapers on (DD/MM/YYYY)[&]
於 (日/月/年)在指定報章就申請刊登一次通知[&]
- ☐ posted notice in a prominent position on or near application site/premises on (DD/MM/YYYY)[&]
於 (日/月/年)在申請地點／申請處所或附近的顯明位置貼出關於該申請的通知[&]
- ☐ sent notice to relevant owners' corporation(s)/owners' committee(s)/mutual aid committee(s)/management office(s) or rural committee on (DD/MM/YYYY)[&]
於 (日/月/年)把通知寄往相關的業主立案法團／業主委員會／互助委員會或管理處，或有關的鄉事委員會[&]

Others 其他

- ☐ others (please specify)
其他（請指明）

Note: May insert more than one 「✓」.

Information should be provided on the basis of each and every lot (if applicable) and premises (if any) in respect of the application.

註：可在多於一個方格內加上「✓」號

申請人須就申請涉及的每一地段（倘適用）及處所（倘有）分別提供資料

6. Type(s) of Application 申請類別	
(A) Temporary Use/Development of Land and/or Building Not Exceeding 3 Years in Rural Areas 位於鄉郊地區土地上及/或建築物內進行為期不超過三年的臨時用途/發展 (For Renewal of Permission for Temporary Use or Development in Rural Areas, please proceed to Part (B)) (如屬位於鄉郊地區臨時用途/發展的規劃許可續期，請填寫(B)部分)	
(a) Proposed use(s)/development 擬議用途/發展	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years and Filling of Land (Please illustrate the details of the proposal on a layout plan) (請用平面圖說明擬議詳情)
(b) Effective period of permission applied for 申請的許可有效期	<input checked="" type="checkbox"/> year(s) 年 3 <input type="checkbox"/> month(s) 個月
(c) Development Schedule 發展細節表	
Proposed uncovered land area 擬議露天土地面積 257sq.m <input checked="" type="checkbox"/> About 約
Proposed covered land area 擬議有上蓋土地面積	Not more than 225sq.m <input type="checkbox"/> About 約
Proposed number of buildings/structures 擬議建築物/構築物數目 3
Proposed domestic floor area 擬議住用樓面面積 NAsq.m <input checked="" type="checkbox"/> About 約
Proposed non-domestic floor area 擬議非住用樓面面積	Not more than 225sq.m <input type="checkbox"/> About 約
Proposed gross floor area 擬議總樓面面積	Not more than 225sq.m <input type="checkbox"/> About 約
Proposed height and use(s) of different floors of buildings/structures (if applicable) 建築物/構築物的擬議高度及不同樓層的擬議用途 (如適用) (Please use separate sheets if the space below is insufficient) (如以下空間不足，請另頁說明) Structure 1: Dog kennel (Not exceeding 4m, 1 storey), Structure 2: Toilet (Not exceeding 4m, 1 storey), Structure 3: Site office (Not exceeding 4m, 1 storey)	
Proposed number of car parking spaces by types 不同種類停車位的擬議數目 Private Car Parking Spaces 私家車車位 3 spaces of 5m x 2.5m Motorcycle Parking Spaces 電單車車位 Nil Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Nil Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Nil Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Nil Others (Please Specify) 其他 (請列明) NA	
Proposed number of loading/unloading spaces 上落客貨車位的擬議數目 Taxi Spaces 的士車位 Nil Coach Spaces 旅遊巴車位 Nil Light Goods Vehicle Spaces 輕型貨車車位 Nil Medium Goods Vehicle Spaces 中型貨車車位 Nil Heavy Goods Vehicle Spaces 重型貨車車位 Nil Others (Please Specify) 其他 (請列明) NA	

Proposed operating hours 擬議營運時間 9:00a.m. to 6:00p.m. from Mondays to Sundays including public holidays.			
(d) Any vehicular access to the site/subject building? 是否有車路通往地盤/ 有關建築物?	Yes 是	<input checked="" type="checkbox"/> There is an existing access. (please indicate the street name, where appropriate) 有一條現有車路。(請註明車路名稱(如適用)) Vehicular access leading from Tai Shu Ha Road West <input type="checkbox"/> There is a proposed access. (please illustrate on plan and specify the width) 有一條擬議車路。(請在圖則顯示, 並註明車路的闊度)	
	No 否	<input type="checkbox"/>	
(c) Impacts of Development Proposal 擬議發展計劃的影響 (If necessary, please use separate sheets to indicate the proposed measures to minimise possible adverse impacts or give justifications/reasons for not providing such measures. 如需要的話, 請另頁表示可盡量減少可能出現不良影響的措施, 否則請提供理據/理由。)			
(i) Does the development proposal involve alteration of existing building? 擬議發展計劃是否包括現有建築物的改動?	Yes 是	<input type="checkbox"/> Please provide details 請提供詳情 No 否 <input checked="" type="checkbox"/>	
(ii) Does the development proposal involve the operation on the right? 擬議發展是否涉及右列的工程?	Yes 是	<input checked="" type="checkbox"/> (Please indicate on site plan the boundary of concerned land/pond(s), and particulars of stream diversion, the extent of filling of land/pond(s) and/or excavation of land) (請用地盤平面圖顯示有關土地/池塘界線, 以及河道改道、填塘、填土及/或挖土的細節及/或範圍) <input type="checkbox"/> Diversion of stream 河道改道 <input type="checkbox"/> Filling of pond 填塘 Area of filling 填塘面積 sq.m 平方米 <input type="checkbox"/> About 約 Depth of filling 填塘深度 m 米 <input type="checkbox"/> About 約 <input checked="" type="checkbox"/> Filling of land 填土 Area of filling 填土面積 482 sq.m 平方米 <input checked="" type="checkbox"/> About 約 Depth of filling 填土厚度 0.2 m 米 <input checked="" type="checkbox"/> About 約 <input type="checkbox"/> Excavation of land 挖土 Area of excavation 挖土面積 sq.m 平方米 <input type="checkbox"/> About 約 Depth of excavation 挖土深度 m 米 <input type="checkbox"/> About 約 No 否 <input type="checkbox"/>	
	No 否	<input type="checkbox"/>	
(iii) Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響?	On environment 對環境		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	On traffic 對交通		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	On water supply 對供水		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	On drainage 對排水		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	On slopes 對斜坡		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	Affected by slopes 受斜坡影響		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	Landscape Impact 構成景觀影響		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	Tree Felling 砍伐樹木		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	Visual Impact 構成視覺影響		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>
	Others (Please Specify) 其他 (請列明)		Yes 會 <input type="checkbox"/> No 不會 <input checked="" type="checkbox"/>

	<p>Please state measure(s) to minimise the impact(s). For tree felling, please state the number, diameter at breast height and species of the affected trees (if possible)</p> <p>請註明盡量減少影響的措施。如涉及砍伐樹木，請說明受影響樹木的數目、及胸高度的樹幹直徑及品種(倘可)</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>
--	--

(B) Renewal of Permission for Temporary Use or Development in Rural Areas

位於鄉郊地區臨時用途/發展的許可續期

(a) Application number to which the permission relates 與許可有關的申請編號	A/ _____ / _____
(b) Date of approval 獲批給許可的日期 (DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期 (DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	
(e) Approval conditions 附帶條件	<p><input type="checkbox"/> The permission does not have any approval condition 許可並沒有任何附帶條件</p> <p><input type="checkbox"/> Applicant has complied with all the approval conditions 申請人已履行全部附帶條件</p> <p><input type="checkbox"/> Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件：</p> <p>.....</p> <p>.....</p> <p>Reason(s) for non-compliance: 仍未履行的原因：</p> <p>.....</p> <p>.....</p> <p>(Please use separate sheets if the space above is insufficient) (如以上空間不足，請另頁說明)</p>
(f) Renewal period sought 要求的續期期間	<p><input type="checkbox"/> year(s) 年</p> <p><input type="checkbox"/> month(s) 個月</p>

Part 6 (Cont'd) 第 6 部分(續)

7. Justifications 理由

The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary.
 現請申請人提供申請理由及支持其申請的資料。如有需要，請另頁說明。

1. The proposed development is a column 2 Use in 'Agriculture' ("AGR") zone which is compatible with the surrounding environment.
2. The proposed development is temporary in nature and it would not jeopardize the planning intention of "AGR" zone in the long run.
3. The nature, layout, form and scale of the proposed development is not incompatible with the surrounding environment.
4. Similar precedence were approved in "AGR" zone such as A/YL-TT/551 & A/YL-TT/582.
5. Minimal traffic impact as shown in the attached estimated traffic generation.
6. Insignificant environmental impact because no operation will be held between 6:00p.m. to 9:00a.m. All the dogs will leave the application site after the operation hours.
7. Insignificant drainage impact as shown in the attached drainage proposal.
8. The proposed development is designed to keep not more than 6 dogs at the same time.
9. No public announcement system at the application site. All the dogs will be stayed within enclosed structures with soundproofing materials and provided with mechanical ventilation and air-conditioning system.
10. The effluent discharges from the proposed use are subject to control under the Water Pollution Control Ordinance (WPCO) and a discharge licence under the WPCO would be obtained before a new discharge is commenced.
11. The applicant will follow the relevant mitigation measures and requirements as shown in the revised "Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites".
12. Although site formation is proposed, the proposed land filling is minimal because the extent of the application site is insignificant.
13. Similar dog kennels have been approved in "AGR" zone in rural Yuen Long.
14. The dog kennel will be designed so as to contain the dogs accommodated therein and to restrict the entrance of other animals.
15. The outdoor area and the dog kennel will contain an adequate supplies of potable water and suitable drainage for the escape of excess water.
16. The dog kennel will contain means for the removal and disposal of animal and food waste, used bedding, dead animals and debris to minimize infestation, contamination, odours and disease hazards.
17. All excreta and other waste matter will be removed not less than once daily from the place at which the dogs are accommodated.
18. A regular programme for the control and destruction of insects, ectoparasites, avian and mammalian pests at the place at which the dogs are accommodated will be established and maintained.
19. The dog kennel will be maintained in a sanitary condition.
20. The proposed development will be operated by the applicant himself. The applicant will look after the dogs within the operation hours of the proposed development (i.e. 9:00a.m. to 6:00p.m. from Mondays to Sundays including public holidays. The dogs will be delivered away from the application site after the operation hours because no staff will stay at the application site after operation hours. The applicant will apply for the required licence from AFCD in the event that his application be approved by the Town Planning Board.

8. Declaration 聲明

I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief.
本人謹此聲明，本人就這宗申請提交的資料，據本人所知及所信，均屬真實無誤。

I hereby grant a permission to the Board to copy all the materials submitted in this application and/or to upload such materials to the Board's website for browsing and downloading by the public free-of-charge at the Board's discretion.
本人現准許委員會酌情將本人就此申請所提交的所有資料複製及/或上載至委員會網站，供公眾免費瀏覽或下載。

Signature
簽署

Patrick Tsui

Name in Block Letters
姓名（請以正楷填寫）



☐ Applicant 申請人 / ☒ Authorised Agent 獲授權代理人

Consultant

Position (if applicable)
職位（如適用）

Professional Qualification(s) ☐ Member 會員 / ☐ Fellow of 資深會員

專業資格

- ☐ HKIP 香港規劃師學會 / ☐ HKIA 香港建築師學會 /
☐ HKIS 香港測量師學會 / ☐ HKIE 香港工程師學會 /
☐ HKILA 香港園境師學會 / ☐ HKIUD 香港城市設計學會
☐ RPP 註冊專業規劃師
 Others 其他

on behalf of Metro Planning & Development Company Limited (都市規劃及發展顧問有限公司)
代表

☒ Company 公司 / ☐ Organisation Name and Chop (if applicable) 機構名稱及蓋章（如適用）

Date 日期

28/9/2023

(DD/MM/YYYY 日/月/年)

Remark 備註

The materials submitted in this application and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate.

委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下，有關申請資料亦會上載至委員會網頁供公眾免費瀏覽及下載。

Warning 警告

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance.
任何人在明知或故意的情況下，就這宗申請提出在任何要項上是虛假的陳述或資料，即屬違反《刑事罪行條例》。

Statement on Personal Data 個人資料的聲明

- The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes:
委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門，以根據《城市規劃條例》及相關的城市規劃委員會規劃指引的規定作以下用途：
 (a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and
處理這宗申請，包括公布這宗申請供公眾查閱，同時公布申請人的姓名供公眾查閱；以及
 (b) facilitating communication between the applicant and the Secretary of the Board/Government departments.
方便申請人與委員會秘書及政府部門之間進行聯絡。
- The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above.
申請人就這宗申請提供的個人資料，或亦會向其他人士披露，以作上述第 1 段提及的用途。
- An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong.
根據《個人資料(私隱)條例》(第 486 章)的規定，申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料，應向委員會秘書提出有關要求，其地址為香港北角渣華道 333 號北角政府合署 15 樓。

Gist of Application 申請摘要 (Please provide details in both English and Chinese <u>as far as possible</u> . This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and deposited at the Planning Enquiry Counters of the Planning Department for general information.) (請盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及存放於規劃署規劃資料查詢處以供一般參閱。)	
Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)
Location/address 位置/地址	Lot 1284 in D.D. 118, Tai Shu Ha Road West, Yuen Long, New Territories
Site area 地盤面積	482 sq. m 平方米 <input checked="" type="checkbox"/> About 約 (includes Government land of 包括政府土地 0 sq. m 平方米 <input type="checkbox"/> About 約)
Plan 圖則	Draft Tai Tong Outline Zoning Plan No. S/YL-TT/19
Zoning 地帶	'Agriculture' ('AGR')
Type of Application 申請類別	<input checked="" type="checkbox"/> Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區的臨時用途/發展為期 <input checked="" type="checkbox"/> Year(s) 年 3 <input type="checkbox"/> Month(s) 月 <input type="checkbox"/> Renewal of Planning Approval for Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區臨時用途/發展的規劃許可續期為期 <input type="checkbox"/> Year(s) 年 <input type="checkbox"/> Month(s) 月
Applied use/ development 申請用途/發展	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years and Filling of Land

(i) Gross floor area and/or plot ratio 總樓面面積及／或地積比率		sq.m 平方米	Plot Ratio 地積比率
	Domestic 住用	NA <input type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於	NA <input type="checkbox"/> About 約 <input type="checkbox"/> Not more than 不多於
	Non-domestic 非住用	225 <input type="checkbox"/> About 約 <input checked="" type="checkbox"/> Not more than 不多於	0.467 <input type="checkbox"/> About 約 <input checked="" type="checkbox"/> Not more than 不多於
(ii) No. of block 幢數	Domestic 住用	NA	
	Non-domestic 非住用	3	
(iii) Building height/No. of storeys 建築物高度／層數	Domestic 住用	NA m 米 <input type="checkbox"/> (Not more than 不多於)	
		NA Storeys(s) 層 <input type="checkbox"/> (Not more than 不多於)	
	Non-domestic 非住用	4 m 米 <input checked="" type="checkbox"/> (Not more than 不多於)	
		1 Storeys(s) 層 <input checked="" type="checkbox"/> (Not more than 不多於)	
(iv) Site coverage 上蓋面積	46.68 % <input checked="" type="checkbox"/> About 約		
(v) No. of parking spaces and loading / unloading spaces 停車位及上落客貨車位數目	Total no. of vehicle parking spaces 停車位總數		3
	Private Car Parking Spaces 私家車車位 3 Motorcycle Parking Spaces 電單車車位 0 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 0 Medium Goods Vehicle Parking Spaces 中型貨車泊車位 0 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 0 Others (Please Specify) 其他 (請列明) NA		
(v) No. of parking spaces and loading / unloading spaces 停車位及上落客貨車位數目	Total no. of vehicle loading/unloading bays/lay-bys 上落客貨車位／停車處總數		0
	Taxi Spaces 的士車位 0 Coach Spaces 旅遊巴車位 0 Light Goods Vehicle Spaces 輕型貨車車位 0 Medium Goods Vehicle Spaces 中型貨車車位 0 Heavy Goods Vehicle Spaces 重型貨車車位 0 Others (Please Specify) 其他 (請列明) NA		

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件		
	Chinese 中文	English 英文
Plans and Drawings 圖則及繪圖		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖／布局設計圖	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Block plan(s) 樓宇位置圖	<input type="checkbox"/>	<input type="checkbox"/>
Floor plan(s) 樓宇平面圖	<input type="checkbox"/>	<input type="checkbox"/>
Sectional plan(s) 截視圖	<input type="checkbox"/>	<input type="checkbox"/>
Elevation(s) 立視圖	<input type="checkbox"/>	<input type="checkbox"/>
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片	<input type="checkbox"/>	<input type="checkbox"/>
Master landscape plan(s)/Landscape plan(s) 園境設計總圖／園境設計圖	<input type="checkbox"/>	<input type="checkbox"/>
Others (please specify) 其他 (請註明)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Proposed drainage plan, site plan, location plan and site paving plan		
Reports 報告書		
Planning Statement/Justifications 規劃綱領/理據	<input type="checkbox"/>	<input type="checkbox"/>
Environmental assessment (noise, air and/or water pollutions) 環境評估 (噪音、空氣及／或水的污染)	<input type="checkbox"/>	<input type="checkbox"/>
Traffic impact assessment (on vehicles) 就車輛的交通影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Traffic impact assessment (on pedestrians) 就行人的交通影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Visual impact assessment 視覺影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Landscape impact assessment 景觀影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Tree Survey 樹木調查	<input type="checkbox"/>	<input type="checkbox"/>
Geotechnical impact assessment 土力影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Drainage impact assessment 排水影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Sewerage impact assessment 排污影響評估	<input type="checkbox"/>	<input type="checkbox"/>
Risk Assessment 風險評估	<input type="checkbox"/>	<input type="checkbox"/>
Others (please specify) 其他 (請註明)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Drainage proposal and estimated traffic generation		
Note: May insert more than one '✓'. 註：可在多於一個方格內加上「✓」號		

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.

註：上述申請摘要的資料是由申請人提供以方便市民大眾參考。對於所載資料在使用上的問題及文義上的歧異，城市規劃委員會概不負責。若有任何疑問，應查閱申請人提交的文件。

**Proposed Temporary Animal Boarding Establishment (Dog Kennel) for
a Period of 3 Years and Filling of Land
at
Lot 1284 in D.D. 118, Tai Shu Ha Road West, Yuen Long, New
Territories**

Annex 1 Drainage Proposal

1.1 Existing Situation

A. Site particulars

- 1.1.1 The application site occupies an area of about 482m².
- 1.1.2 The site is serviced by a vehicular access leading from Tai Shu Ha Road West. The area adjacent to the proposed development is mainly rural in nature.

B. Level and gradient of the subject site & proposed surface channel

- 1.1.3 It has a gradient sloping from southwest to northeast from about +27.8mPD to +26.2mPD. (**Figure 4**)

C. Catchment area of the proposed drainage provision at the subject site

- 1.1.4 The land to the north, west and east is found lower in level than the application site. However, there is a knoll to the southwest of the application site. As such, an external catchment has been identified as shown in **Figure 4**.

D. Particulars of the existing drainage facilities to accept the surface runoff collected at the application site

- 1.1.5 As shown in **Figure 4**, a public drain is found at the opposite side of Tai Shu Ha Road West. The stormwater intercepted by the proposed surface drain at the application site will be dissipated to the said public drain.

1.2 Runoff Estimation

1.2.1 Rational method is adopted for estimating the designed run-off

$$Q = k \times i \times A / 3,600$$

Assuming that:

- i. The area of the catchment including the external catchment is approximately 2,140; **(Figure 4)**
- ii. The application site has been fully paved. It is assumed that the value of run-off co-efficient (k) is taken as 1.

$$\text{Difference in Land Datum} = 56.9\text{m} - 26.2\text{m} = 30.7\text{m}$$

$$L = 164\text{m}$$

$$\therefore \text{Average fall} = 30.7\text{m in } 164\text{m} \text{ or } 1\text{m in } 5.34\text{m}$$

According to the Brandsby-Williams Equation adopted from the “Stormwater Drainage Manual – Planning, Design and Management” published by the Drainage Services Department (DSD),

$$\text{Time of Concentration (t}_c\text{)} = 0.14465 [L / (H^{0.2} \times A^{0.1})]$$

$$t_c = 0.14465 [164 / 18.72^{0.2} \times 2,140^{0.1}]$$

$$t_c = 6.13 \text{ minutes}$$

With reference to the Intensity-Duration-Frequency Curves provided in the abovementioned manual, the mean rainfall intensity (i) for 1 in 50 recurrent flooding period is found to be 265 mm/hr

By Rational Method,

$$Q_1 = 1 \times 265 \times 2,140 / 3,600$$

$$\therefore Q_1 = 157.53 \text{ l/s} = 9,451.67 \text{ l/min} = 0.16\text{m}^3/\text{s}$$

In accordance with the Chart or the Rapid Design of Channels in “Geotechnical Manual for Slopes”, for an approximate gradient of about 1:20 in order to follow the gradient of the application site, 300mm surface U-channel along the site periphery is considered adequate to dissipate all the stormwater accrued by the application site and adjacent land.

1.3 Proposed Drainage Facilities

- 1.3.1 Subject to the calculations in 1.2 above, it is determined that proposed 300mm concrete surface U-channel along the site periphery is adequate to intercept storm water passing through and generated at the application site (**Figure 4**).
- 1.3.2 The collected stormwater will then be discharged directly to the public drain at the opposite side of Tai Shu Ha Road West.
- 1.3.3 All the proposed drainage facilities will be provided and maintained at the applicant's own expense. Also, sand trap and surface U-channel will be cleaned at regular interval to avoid the accumulation of rubbish/debris which would affect the dissipation of storm water.
- 1.3.4 The provision of the proposed surface channel will follow the gradient of the application site. All the proposed drainage facilities will be constructed and maintained at the expense of the applicant.
- 1.3.5 Prior to the commencement of the drainage works, the applicant will seek consent from District Lands Office/North and relevant land owners for the provision of drainage facilities outside the application site.
- 1.3.6 The proposed development would not affect the existing ditches, drains and obstruct the flow of the flow of surface runoff.
- 1.3.7 The provision of trees and surface channel at site boundary is detailed hereunder:
- (a) Soil excavation at site periphery, is inevitably for the provision of surface channel and landscaping. The accumulation of excavated soil at the site periphery would obstruct the free flow of the surface runoff from the surroundings. Hence, the soil will be cleared at the soonest possible after the completion of the excavation process.
 - (b) In view of that soil excavation may be continued for several working days, surface channel will be dug in short sections and all soil excavated will be cleared before the excavation of another short section.
 - (c) Holes will be provided at the toe of site hoarding to allow unobstructed flow of surface runoff.

1:1000

Annex 2 Estimated Traffic Generation

- 2.1 The application site is serviced by a vehicular access leading from Tai Shu Ha Road West. Having mentioned that the site is intended for dog kennel, traffic generated by the proposed development is not significant.
- 2.2 The proposed development would be opened to 2 customers at most. The applicant will provide one private car to deliver the dogs from customers so that 3 parking spaces proposed at the application site would be adequate.
- 2.3 The proposed parking spaces at the application site would only be opened to visitors with prior appointment.
- 2.4 There will be 3 parking spaces of 5m x 2.5m for private cars. The estimated traffic generation/attraction rate is shown below:

Type of Vehicle	<u>Average</u> Traffic Generation Rate (pcu/hr)	<u>Average</u> Traffic Attraction Rate (pcu/hr)	Traffic Generation Rate at <u>Peak Hours</u> (pcu/hr)	Traffic Attraction Rate at <u>Peak Hours</u> (pcu/hr)
Private cars	0.33	0.33	2	0




Note:

1. The operation hours of the proposed development is from 9:00a.m. to 6:00p.m. from Mondays to Sundays and public holidays;
 2. The pcu of private car are taken as 1; &
 3. Morning peak is defined as 7:00a.m. to 9:00a.m. whereas afternoon peak is defined as 5:00p.m. to 7:00p.m.
- 2.5 In association with the intended purpose, adequate space for manoeuvring would be provided within the application site. Sufficient space within the application site is provided so that no queueing up of vehicle would be occurred outside the application site.



Figure 7 Sightline Analysis

Scale 1:500



Note:

1. All dimensions are in millimetres.

C	General revision	Original signed	Oct 99
B	Joint groove details revised	-	Nov 96
A	Grade of concrete revised	-	Sept 96
	Former Drg. No. H1011A with general revision	-	June 94
REF.	REVISION	SIGNATURE	DATE

**TYPICAL DETAILS
OF RUN-IN
(SHEET 1 OF 2)**

HIGHWAYS DEPARTMENT

REFERENCE


DRAWING No.

CAD


SCALE

1:20

H 1113C



OPTION A



OPTION B

Notes:

- 100 diameter ducts are provided for cables of ATC or CCTV.
150 diameter ducts are provided for power cables.
- The choice of option depends on the site situations (e.g. width of footway, existing underground utilities).
- Position of both ends of the duct bank to be marked on footway thus CAD.

B	General revision	Original signed	Oct 19
A	Concrete cover revised		Sep 96
	Former Drg. No. H1011A with general revision		Jun 94
REF.	REVISION	SIGNATURE	DATE

TYPICAL DETAILS
OF RUN-IN
(SHEET 2 OF 2)

HIGHWAYS DEPARTMENT

REFERENCE

DRAWING No.

CAD

SCALE

1:20

H 1114B

N



Structure 1


Dog Kennel
GFA: Not exceeding 185m²
Height: Not exceeding 4m
No. of storey: 1

Structure 2

Toilet
GFA: Not exceeding 20m²
Height: Not exceeding 4m
No. of storey: 1

Structure 3

Site office
GFA: Not exceeding 20m²
Height: Not exceeding 4m
No. of storey: 1



8m wide
Ingress/Egress

Project 項目名稱:

Proposed Temporary Animal
Boarding Establishment (Dog
Kennel) for a Period of 3 Years at Lot
1284 in D.D. 118, Tai Shu Ha Road
West, Yuen Long, New Territories

Drawing Title 圖目:

Proposed Fire Service
Installations Plan

Remarks 備註:

☐ F.E. 5kg carbon dioxide
fire extinguisher

Drawing No. 圖號:

Figure 8

Scale 比例:

1:1000

☐ Urgent ☐ Return Receipt Requested ☐ Sign ☐ Encrypt ☐ Mark Subject Restricted ☐ Expand personal&publ



Fw: A/YL-TT/616

08/11/2023 12:19

From: tmylwdpo_pd/PLAND/HKSARG
To: Ophelia Cheuk Man WONG/PLAND/HKSARG@PLAND
Cc: Ling Chi CHEUNG/PLAND/HKSARG@PLAND, Bosco Tak Ko YUNG/PLAND/HKSARG@PLAND
File Ref:

----- Forwarded by tmylwdpo_pd/PLAND/HKSARG on 08/11/2023 12:19 -----

From: <tpbpd@pland.gov.hk>
To: <tmylwdpo@pland.gov.hk>
Cc: <kkfyiu@pland.gov.hk>
Date: 08/11/2023 10:11
Subject: Fw: A/YL-TT/616

From: [REDACTED]
Sent: Wednesday, November 8, 2023 4:35 AM
To: Aphmok <ocmwong@pland.gov.hk>
Cc: TPB <tpbpd@pland.gov.hk>
Subject: A/YL-TT/616

Dear Ophelia,

Please see attached response to the comments of the DEP. Thank you.

Best Regards,

Patrick Tsui



Mobile: [REDACTED] TT616-ltr-02.pdf

Total: 1 page

Date: 7 November 2023

TPB Ref.: A/YL-TT/616

By Email

Town Planning Board
15/F, North Point Government Offices
333, Java Road
North Point
Hong Kong
(Attn: The Secretary)

Dear Sir,

**Proposed Temporary Animal Boarding Establishment (Dog Kennel)
for a Period of 3 Years at Lot 1284 in D.D. 118, Tai Shu Ha Road
West, Yuen Long, New Territories**

Our response to the comments of the DEP is as follows:

DEP's comments	Applicant's response
(a) whether the septic tank and soakaway system will be provided and if affirmative, whether the septic tank and soakaway system will be designed and constructed according to the requirements of EPD's ProPECC PN 5/93, including requirements for minimum clearance distance, percolation test and certification by Authorized Person; and	Septic tank and soakaway system will be provided at the captioned site. The septic tank and soakaway system will be designed and constructed according to the requirements of EPD's ProPECC PN 5/93, including requirements for minimum clearance distance, percolation test and certification by Authorized Person.
(b) no usage of public announcement system, portable loudspeaker or any form of audio amplification system and whistle blowing will be used at the Site.	The applicant confirmed that no usage of public announcement system, portable loudspeaker or any form of audio amplification system and whistle blowing will be used at the Site.

Should you have any enquiries, please feel free to contact the undersigned at [REDACTED] at your convenience.

Yours faithfully,



Patrick Tsui

c.c. Tuen Mun and Yuen Long West District Planning Office (Attn: Ms. Ophelia WONG) – By Email

Previous Applications covering the Application Site

Approved Application

	<u>Application No.</u>	<u>Proposed Use(s)/ Development(s)</u>	<u>Date of Consideration (RNTPC)</u>	<u>Approval Condition(s)</u>
1	A/YL-TT/512	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years	25.6.2021 (revoked on 15.4.2023)	(1), (2), (3), (4)

Approval conditions

1. No night operations.
2. Only private cars are allowed to enter.
3. No vehicle is allowed to queue back to or reverse onto/from public road.
4. No site formation and hard paving is allowed.
5. All dogs shall be kept inside enclosed structures with soundproofing materials, mechanical ventilation and air-conditioning system.
6. No public announcement system, whistle blowing, portable loudspeaker or any form of audio amplification system.
7. Maintenance of existing boundary fencing.
8. Submission and implementation of run-in/out proposal.
9. Submission and implementation of drainage proposal and maintenance of drainage facilities.
10. Submission and implementation of fire service installations proposal.

**Similar s.16 Applications within/straddling the same “Agriculture” Zone on
the Tai Tong Outline Zoning Plan in the past 5 years**

Approved Applications

	<u>Application No.</u>	<u>Proposed Use(s)/Development(s)</u>	<u>Date of Consideration (RNTPC)</u>
1	A/YL-TT/525	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years	15.10.2021 (revoked on 15.4.2023)
2	A/YL-TT/551	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years and Filling of Land	24.6.2022
3	A/YL-TT/562	Proposed Temporary Animal Boarding Establishment (Dog Kennel) for a Period of 3 Years	9.9.2022 (revoked on 9.3.2023)
4	A/YL-TT/573	Proposed Temporary Animal Boarding Establishment for a Period of 5 Years and Associated Filling of Land	17.2.2023
5	A/YL-TT/574	Proposed Temporary Animal Boarding Establishment for a Period of 3 Years and Associated Filling of Land	25.11.2022

6	A/YL-TT/577	Proposed Temporary Animal Boarding Establishment for a Period of 3 Years and Associated Filling of Land	3.3.2023
7	A/YL-TT/582	Proposed Temporary Animal Boarding Establishment for a Period of 3 Years and Associated Filling of Land	3.2.2023
8	A/YL-TT/584	Proposed Temporary Animal Boarding Establishment for a Period of 3 Years and Associated Filling of Land	3.3.2023
9	A/YL-TT/589	Proposed Temporary Animal Boarding Establishment for a Period of 3 Years and Associated Filling of Land	14.7.2023

Government Departments' General Comments

1. Traffic

(a) Comments of the Commissioner for Transport:

- no adverse comment on the application; and
- the local track and footpath leading to the Site is not under her purview.

(b) Comments of the Chief Highway Engineer/New Territories West, Highways Department:

No adverse comment on the application.

2. Environment

(a) Comments of the Director of Environmental Protection:

- no adverse comment on the application from environmental planning perspective;
- no substantiated environmental complaint concerning the application site (the Site) received in the past three years; and
- should the Town Planning Board (the Board) consider the application acceptable from planning point of view, approval conditions requiring (i) no public announcement system, portable loudspeaker or any form of audio amplification system and whistle blowing is allowed to be used on the Site during the planning approval period, and (ii) all dogs shall be kept inside the enclosed structures with soundproofing materials, mechanical ventilation and air conditioning system, as proposed by the applicant, at all times during the planning approval period.

(b) Comments of the Director of Agriculture, Fisheries and Conservation Department:

- the Site falls within the “AGR” zone and is generally occupied by some structures. The agricultural activities are active in the vicinity and agricultural infrastructures such as road access and water source are available. The Site can be used for agricultural activities such as open-field cultivation, greenhouses and plant nurseries, etc., though whether there will be agricultural activities on a specific site will hinge on a lot of factors;
- the Site does not associate with any license granted by his department, nor has any application regarding the Site has been received; and
- no comments from nature conservation perspective;

3. **Drainage**

Comments of the Chief Engineer/Mainland North, Drainage Services Department:

- no objection in principle to the proposed development from drainage point of view; and
- should the Board consider the application acceptable from planning point of view, approval conditions requiring the submission, implementation and maintenance of a drainage proposal for the development to the satisfaction of the Director of Drainage Services or of the Board should be stipulated.

4. **Fire Safety**

Comments of the Director of Fire Services:

No objection in principle to the proposal subject to fire service installations (FSIs) being provided to his satisfaction. The submitted FSIs proposal is considered acceptable and his advisory comments at **Appendix IV**.

5. **Building Matters**

Comments of the Chief Building Surveyor/New Territories West, buildings Department:

No objection to the application.

6. **Other Departments' Comments**

Chief Engineer/Construction, Water Supplies Department and Commissioner of Police have no comment on/no objection to the application.

Recommended Advisory Clauses

- (a) the planning permission is given to the development/uses under application. It does not condone any other development/use (i.e. warehouse) which currently exists on the application site (the Site) but not covered by the application. Immediate action should be taken to discontinue such development/use not covered by the permission;
- (b) should you fail to comply with any of the approval conditions again resulting in the revocation of planning permission, sympathetic consideration may not be given to any further applications;
- (c) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:

the lot owner(s) will need to apply to his office to permit the structures to be erected or regularize any irregularities on site and cease existing occupation of government land (GL) at the southwest of the site, if any. Besides, given the proposed use is temporary in nature, only application for regularization or erection of temporary structure(s) will be considered. Applications for any of the above will be considered by his office acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application is approved, it will be subject to such terms and conditions, including among others the payment of rent or fee, as may be imposed by his office;
- (d) to note the comments of the Commissioner for Transport:
 - (i) consent of the owners/managing departments of the local track and footpath for using it as the access to the Site shall be obtained; and
 - (ii) sufficient manoeuvring space shall be provided within the Site. No vehicles are allowed to queue back to public roads or reverse onto from public roads;
- (e) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department that:
 - (i) adequate drainage measures shall be provided to prevent surface water running from the Site to the nearby public roads and drains; and
 - (ii) the access road connecting the Site with Tai Shu Ha Road West is not and will not be maintained by his office. His office should not be responsible for maintaining any access connecting the Site with Tai Shu Ha Road West;
- (f) to note the comments of the Director of Environmental Protection:
 - (i) adequate supporting infrastructure/facilities for proper collection, treatment and disposal of waste/wastewater generated from the proposed use should be provided. If septic tank and soakaway system will be used in case of unavailability of public sewer, its design and construction shall follow his department's Practice Note for Professional Persons Environmental Consultative Committee Practice Notes (ProPECC PN) 5/93 "Drainage Plans Subject to Comment by the Environmental

Protection Department”, including completion of percolation test and certification by Authorized Person; and

- (ii) it is the obligation of the applicant to meet the statutory requirements under relevant pollution control ordinances;
- (g) to note the comments of the Director of Agriculture, Fisheries and Conservation Department:

under the Public Health (Animals) (Boarding Establishment) Regulations (Cap. 139I), any person who provides food and accommodation for animals in return for a fee paid by the owner must apply for a Boarding Establishment Licence from his department. The establishment and ancillary facilities which are licensed under Cap. 139I must always fulfill the criteria listed in the Regulations. Besides, the dogs kept by you should be properly licensed in accordance with the Rabies Ordinance (Cap. 421). The Prevention of Cruelty to Animals Ordinance (Cap. 169) should be observed at all times. Detailed information and guidance on animal boarding establishment will be provided when license application is received;

- (h) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department on the submitted drainage proposal:
 - (i) cross sections showing the existing and proposed ground levels of the Site with respect to the adjacent areas should be given;
 - (ii) please demonstrate the hydraulic calculation that the proposed drainage facility (300mm surface U-channel with gradient 1:60) are adequate to collect, convey and discharge the surface runoff accrued on the Site and the overland flow intercepted from the adjacent lands;
 - (iii) the cover levels and invert levels of the proposed u-channels, catchpits/sand traps should be shown on the drainage plan;
 - (iv) please provide the connection details (any catchpit/manholes provided) from the proposed 300mm surface U-channel with gradient 1:60 to the proposed 300mm diameter underground pipe and then to the existing watercourse at Tai Shu Ha Road West for further comments;
 - (v) the existing watercourse, to which the applicant proposed to discharge the stormwater from the Site was not maintained by this office. The applicant should identify the owner of the existing drainage facilities and obtain consent from the owner prior to commencement of the proposed works. In the case that it is a local village drains, District Officer, Yuen Long should be consulted;
 - (vi) sand trap or provision alike should be provided before the collected runoff is discharged to the public drainage facilities;
 - (vii) standard details should be provided to indicate the sectional details of the proposed u-channel and the catchpit/sand trap;
 - (viii) please confirm if any walls or hoarding are/to be erected or laid along the site boundary. If affirmative, adequate opening should be provided to intercept the existing overland flow passing through the Site and please provide its details for comments;

- (ix) the development should neither obstruct overland flow nor adversely affect existing natural streams, village drains, ditches and the adjacent areas, etc; and
 - (x) the applicant should consult DLO/YL, LandsD and seek consent from the relevant owners for any drainage works to be carried out outside his lot boundary before commencement of the drainage works;
- (i) to note the comments of the Director of Fire Services that:
- (i) the installation/maintenance/modification/repair work of fire service installations (FSIs) shall be undertaken by a Registered Fire Service Installation Contractor (RFSIC). The RFSIC shall after completion of the installation/maintenance/modification/repair work issue to the person on whose instruction the work was undertaken a certificate (F.S. 251) and forward a copy of the certificate to his department; and
 - (ii) if the proposed structures are required to comply with the Buildings Ordinance (Cap. 123), detailed fire services requirements will be formulated upon receipt of formal submission of general building plans;
- (j) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD) that:
- (i) the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively;
 - (ii) the Site does not abut on a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at the building plan submission stage;
 - (iii) before any new building works (including containers/open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on the Site, prior approval and consent of Building Authority (BA) should be obtained, otherwise they are unauthorized building works (UBW) under the BO. An Authorized Person should be appointed as the coordinator for the proposed building works in accordance with the BO;
 - (iv) for UBW erected on leased land, enforcement action may be taken by BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under BO;
 - (v) if the proposed use under application is subject to issue of a license, the applicant should be reminded that any existing structures on Site intended to be used for such purposes are required to comply with the building safety and other relevant requirements as may be imposed by the licensing authority;
 - (vi) any temporary shelters or converted containers for office, storage, washroom or other uses are considered as temporary buildings are subject to the control of Part VI of the B(P)R; and
 - (vii) detailed checking under the BO will be carried out at building plan submission stage.

☐ Urgent ☐ Return Receipt Requested ☐ Sign ☐ Encrypt ☐ Mark Subject Restricted ☐ Expand personal&publi



A/YL-TT/616 DD 118 Tai Shu Ha Road West
07/11/2023 02:31

From:
To: tpbpd <tpbpd@pland.gov.hk>
File Ref:

DEAR TPB MEMBERS,

JUST ONE OF THE MANY EXAMPLES OF APPLICATIONS FOR ABE FOR WHICH NUMEROUS EXTENSIONS OF TIME WERE GRANTED IN BREACH OF THE GUIDELINES.

APPROVAL WAS NOT REVOKED, CALLING INTO QUESTION THE THE INTEGRITY OF BOTH THE PLANNING DEPT AND THE TPB PROCESS

21/07/2023

Type Of Consideration	Minor Amendment (S16A - Extension of Time)
Decision	Approved/Agreed
Authority	Assistant Director of Planning

THAT THE ABE APPLICATIONS ARE NOTHING MORE THAN A SHAM PROCESS TO EXPEDITE THE CONVERSION OF FARMLAND TO BROWNFIELD IS VERY EVIDENT.

TPB MEMBERS BY APPROVING ROLL OVER APPLICATIONS LIKE THIS ARE PLAYING A PART IN THE UNETHICAL PROCESS.

Mary Mulvihill

From: |
To: tpbpd <tpbpd@pland.gov.hk>
Date: Tuesday, 19 January 2021 2:55 AM HKT
Subject: A/YL-TT/512 DD 118 Tai Shu Ha Road West

A/YL-TT/512
Lot 1284 in D.D. 118, Tai Shu Ha Road West, Yuen Long
Site area : About 482sq.m
Zoning : "Agriculture"
Applied use : Animal Boarding Establishment (Dog Kennel) / 3 Vehicle Parking

Dear TPB Members,

Strongly object. Agriculture land is for growing crops, there is active farming in the immediate area.

There is no previous history of approval. Buildings and parking would cover most

of the site and the discharges of both sewerage and chemical laden water used in washing animals would destroy the quality of the soil.

Another No Names application for an animal boarding establishment.

For far too long these No Names applications with zero information on the applicants status and suitability with regard to caring for animals have been routinely rubber stamped.

Consequently the result is significant cruelty to animals. .

<https://www.scmp.com/news/hong-kong/law-and-crime/article/3008003/animal-shelter-nightmare-rescue-continues-new>

Animal shelter nightmare: inspectors discover 36 dead cats and dogs at decrepit New Territories facility as rescue mission continues

• Eight cats and 28 dogs found dead 'on the ground, beds, cupboards or in cages'

• Inspector believes many died of thirst, starvation or disease

Is this a registered facility? Has it been approved? Is it a 'puppy mill'? No information on the number of animals to be housed there. Do Ag and Fish even know it exists? Moreover the site is zoned primarily for agriculture, the toxic waste has to go somewhere, obviously into the ground or nearby streams. This is poisoning land.

The community is very concerned about animal welfare. In recent weeks there have been reports of dead animals in cages washing up on beaches. Only legitimate and well managed facilities can be tolerated. There have been a number of similar applications for this district, Members should request data on supply and demand for such facilities.

Mary Mulvihill

ReplyReply to AllForward
More

Button