This document is received on 10 MAY 2023
The fown Planning Board will formally acknowledge the date of receipt of the application only upon receipt of all the required information and documents.

<u>Form No. S16-III</u> 表格第 S16-III 號

APPLICATION FOR PERMISSION UNDER SECTION 16 OF THE TOWN PLANNING ORDINANCE (CAP.131)

根據《城市規劃條例》(第131章) 第16條遞交的許可申請

Applicable to Proposal Only Involving Temporary Use/Development of Land and/or Building Not Exceeding 3 Years in Rural Areas or Renewal of Permission for such Temporary Use or Development*

<u>適用於祇涉及位於鄉郊地區土地上及/或建築物內進行為期不超過三年</u> 的臨時用途/發展或該等臨時用途/發展的許可續期的建議*

*Form No. S16-I should be used for other Temporary Use/Development of Land and/or Building (e.g. temporary use/developments in the Urban Area) and Renewal of Permission for such Temporary Use or Development.

*其他土地上及/或建築物內的臨時用途/發展 (例如位於市區內的臨時用途或發展)及有關該等臨時用途/發展的許可續期,應使用表格第 S16-I 號。

Applicant who would like to publish the <u>notice of application</u> in local newspapers to meet one of the Town Planning Board's requirements of taking reasonable steps to obtain consent of or give notification to the current land owner, please refer to the following link regarding publishing the notice in the designated newspapers: https://www.info.gov.hk/tpb/en/plan application/apply.html

申請人如欲在本地報章刊登<u>申請通知</u>,以採取城市規劃委員會就取得現行土地擁有人的同意或通知現行土地擁有人所指定的其中一項合理步驟,請瀏覽以下網址有關在指定的報章刊登通知: https://www.info.gov.hk/tpb/tc/plan application/apply.html

General Note and Annotation for the Form

填寫表格的一般指引及註解

- "Current land owner" means any person whose name is registered in the Land Registry as that of an owner of the land to which the application relates, as at 6 weeks before the application is made
 - 「現行土地擁有人」指在提出申請前六星期,其姓名或名稱已在土地註冊處註冊為該申請所關乎的土地的擁有人的人
- & Please attach documentary proof 請夾附證明文件
- ^ Please insert number where appropriate 請在適當地方註明編號

Please fill "NA" for inapplicable item 請在不適用的項目填寫「不適用」

Please use separate sheets if the space provided is insufficient 如所提供的空間不足,請另頁說明

Please insert a 「✔」 at the appropriate box 請在適當的方格內上加上「✔」號

2301260 5/s by hand

For Official Use Only 請勿填寫此欄 Application No. 申請編號 Al YL - TYST / 1216
Date Received 收到日期 10 MAY 2023

- 1. The completed form and supporting documents (if any) should be sent to the Secretary, Town Planning Board (the Board), 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 申請人須把填妥的申請表格及其他支持申請的文件 (倘有),送交香港北角渣華道 333 號北角政府合署 15 樓城市規劃委員會(下稱「委員會」)秘書收。
- 2. Please read the "Guidance Notes" carefully before you fill in this form. The document can be downloaded from the Board's website at http://www.info.gov.hk/tpb/. It can also be obtained from the Secretariat of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong (Tel: 2231 4810 or 2231 4835), and the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) (17/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong and 14/F, Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, New Territories). 請先細閱《申請須知》的資料單張,然後填寫此表格。該份文件可從委員會的網頁下載(網址: http://www.info.gov.hk/tpb/),亦可向委員會秘書處(香港北角渣華道 333 號北角政府合署 15 樓-電話: 2231 4810 或 2231 4835)及規劃署的規劃資料查詢處(熱線: 2231 5000) (香港北角渣華道 333 號北角政府合署 17 樓及新界沙田上禾鲞路 1 號沙田政府合署 14 樓)索取。
- 3. This form can be downloaded from the Board's website, and obtained from the Secretariat of the Board and the Planning Enquiry Counters of the Planning Department. The form should be typed or completed in block letters. The processing of the application may be refused if the required information or the required copies are incomplete. 此表格可從委員會的網頁下載,亦可向委員會秘書處及規劃署的規劃資料查詢處索取。申請人須以打印方式或以正楷填寫表格。如果申請人所提交的資料或文件副本不齊全,委員會可拒絕處理有關申請。

1. Name of Applicant 申請人姓名/名稱

(□Mr. 先生 /□Mrs. 夫人 /□Miss 小姐 /□Ms. 女士 / ☑ Company 公司 /□ Organisation 機構)

Well Vision Holdings Limited

2. Name of Authorised Agent (if applicable) 獲授權代理人姓名/名稱(如適用)

(□Mr. 先生/□Mrs. 夫人/□Miss 小姐/□Ms. 女士/♥Company 公司/□Organisation 機構)

Aikon Development Consultancy Limited (毅勤發展顧問有限公司)

3.	Application Site 申請地點	
(a)	Full address / location / demarcation district and lot number (if applicable) 詳細地址/地點/丈量約份及地段號碼(如適用)	Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories
(b)	Site area and/or gross floor area involved 涉及的地盤面積及/或總樓面面 積	☑Site area 地盤面積 158 sq.m 平方米☑About 約 ☑Gross floor area 總樓面面積 144 sq.m 平方米☑About 約
(c)	Area of Government land included (if any) 所包括的政府土地面積(倘有)	sq.m 平方米 ☑About 約

(d)	statutory plan(s)	Name and number of the related statutory plan(s) 有關法定圖則的名稱及編號 Approved Tong Yan San Tsuen Outline Zoning Plan No. S/YL-TYST/14		
(e)	Land use zone(s) involved 涉及的土地用途地帶 "Residential (Group B)1" ("R(B)1")			1")
(f)	Current use(s) 現時用途 (If there are any Government, institution or community facilities, please illustrate on plan and specify the use and gross floor area) (如有任何政府、機構或社區設施,請在圖則上顯示,並註明用途及總樓面面積)			
4.	"Current Land Ow	ner" of A	pplication Site 申請地點的「現行土地	2擁有人」
The	applicant 申請人 —			
	is the sole "current land d 是唯一的「現行土地擁	owner'' ^{#&} (pl [有人」 ^{#&} (訂	ease proceed to Part 6 and attach documentary proof o f繼續填寫第 6 部分,並夾附業權證明文件)。	of ownership).
\checkmark	is one of the "current land owners"** (please attach documentary proof of ownership). 是其中一名「現行土地擁有人」** (請夾附業權證明文件)。			
	is not a "current land owner" [#] . 並不是「現行土地擁有人」 [#] 。			
	The application site is entirely on Government land (please proceed to Part 6). 申請地點完全位於政府土地上(請繼續填寫第 6 部分)。			
5.	Statement on Owner's Consent/Notification 就土地擁有人的同意/通知土地擁有人的陳述			
(a)	According to the record(s) of the Land Registry as at			
(b)	The applicant 申請人 -			
38 - 193	TO THE RESIDENCE OF THE PROPERTY OF THE PROPER		1 "current land owner(s)".	
	已取得	名「	現行土地擁有人」"的同意。	
	Details of consent	t of "current	land owner(s)"# obtained 取得「現行土地擁有人	」"同意的詳情
	No. of 'Current Land Owner(s)' 「現行土地擁有 人」數目	Registry wl	/address of premises as shown in the record of the Land here consent(s) has/have been obtained 注冊處記錄已獲得同意的地段號碼/處所地址	Date of consent obtained (DD/MM/YYYY) 取得同意的日期 (日/月/年)
	1	2 10 10 10 10 10 10 10 10 10 10 10 10 10	1023 S.B RP, 1033 S.C, S.A RP in D.D. 121	05/05/2023
	(Please use separate s	sheets if the sr	ace of any box above is insufficient. 如上列任何方格的空	[] [間不足,請另頁說明]

	Details of the "current land owner(s)" notified 已獲通知「現行土地擁有人」"的詳細資料 No. of 'Current Land owner(s)" Date of notification						
	Land Owner(s)' 「現行土地擁 有人」數目	Lot number/address of premises as shown in the record of the Land Registry where notification(s) has/have been given 根據土地註冊處記錄已發出通知的地段號碼/處所地址	given (DD/MM/YYYY) 通知日期(日/月/年)				
		×					
(Please use separate s	heets if the space of any box above is insufficient. 如上列任何方格的空	間不足,請另頁說明)				
		e steps to obtain consent of or give notification to owner(s):取得土地擁有人的同意或向該人發給通知。詳情如下:					
Ē		Obtain Consent of Owner(s) 取得土地擁有人的同意所採取的					
		r consent to the "current land owner(s)" on (日/月/年)向每一名「現行土地擁有人」"郵遞要求同					
F	Reasonable Steps to Give Notification to Owner(s) 向土地擁有人發出通知所採取的合理步驟						
[ces in local newspapers on(DD/MM/YY (日/月/年)在指定報章就申請刊登一次通知&	YY) ^{&}				
[8	n a prominent position on or near application site/premises on(DD/MM/YYYY)&					
	於	(日/月/年)在申請地點/申請處所或附近的顯明位置	貼出關於該申請的通				
[relevant owners' corporation(s)/owners' committee(s)/mutual aid al committee on (DD/MM/YYYY)&	committee(s)/manager				
	於 處,或有關的		員會/互助委員會或領				
(Others 其他						
[others (please 其他(請指明	3 TO 18 TO 1					
	Parameter and the second						
	12						

Type(s) of Application	n 申請類別		
位於鄉郊地區土地上及 (For Renewal of Permission	/或建築物內進行為期不超過三年的	in Rural Areas, please proceed to Part (B))	
(a) Proposed use(s)/development 擬議用途/發展	(Please illustrate the details of the proposal	on a layout plan) (請用平面圖說明擬議詳情)	
(b) Effective period of permission applied for 申請的許可有效期	□ year(s) 年 □ month(s) 個月		
(c) Development Schedule 發展	田節表		
Proposed uncovered land area	擬議露天土地面積	sq.m □About 約	
Proposed covered land area 携	建議有上蓋土地面積	sq.m □About 約	
Proposed number of buildings	s/structures 擬議建築物/構築物數目	******	
Proposed domestic floor area	擬議住用樓面面積	sq.m □About 約	
Proposed non-domestic floor	area 擬議非住用樓面面積	sq.m □About 約	
Proposed gross floor area 擬詞	義總樓面面積	sq.m □About 約	
Proposed height and use(s) of different floors of buildings/structures (if applicable) 建築物/構築物的擬議高度及不同樓層的擬議用途 (如適用) (Please use separate sheets if the space below is insufficient) (如以下空間不足,請另頁說明)			
Proposed number of car parking	spaces by types 不同種類停車位的擬語	義數目	
Private Car Parking Spaces 私家 Motorcycle Parking Spaces 電單 Light Goods Vehicle Parking Spaces Medium Goods Vehicle Parking Heavy Goods Vehicle Parking Spaces Others (Please Specify) 其他(記	超車車位 aces 輕型貨車泊車位 Spaces 中型貨車泊車位 paces 重型貨車泊車位		
Proposed number of loading/unlo	pading spaces 上落客貨車位的擬議數目		
Taxi Spaces 的士車位 Coach Spaces 旅遊巴車位 Light Goods Vehicle Spaces 輕 Medium Goods Vehicle Spaces Heavy Goods Vehicle Spaces 重 Others (Please Specify) 其他(詞	中型貨車車位 . 型貨車車位 .		
	3		

Rror	Rroposed operating hours 擬議營運時間				
There are a bearing many to the state of the					
(d)	Any vehicular acce the site/subject build 是否有車路遠往地 有關建築物?	ess to ing? 乙盤/	es 是 There is an existing access. (please indicate the sappropriate) 有一條現有車路。(請註明車路名稱(如適用)) There is a proposed access. (please illustrate on plan an 有一條擬議車路。(請在圖則顯示,並註明車路的	d specify the width)	
			0 否 □		
(e)	(If necessary, please	use separat	sal 擬議發展計劃的影響 e sheets to indicate the proposed measures to minimise possible adve oviding such measures. 如需要的話,請另頁註明可盡量減少可能		
(i)	Does the development proposal involve alteration of existing building? 擬議發展計劃是否包括現有建築物的改動?	Yes 是 No 否	Please provide details 請提供詳情		
(ii)	Does the development proposal involve the operation on the right? 擬議發展是否涉及右列的工程?	Yes 是 No 否	□ Excavation of land 挖土 Area of excavation 挖土面積	□About 約 □About 約 □About 約 □About 約	
(iii)	Would the development proposal cause any adverse impacts? 擬議發展計劃會否造成不良影響?	On traffic On water On drains On slope Affected Landscap Tree Fell Visual In	supply 對供水 Yes 會 □ age 對排水 Yes 會 □ s 對斜坡 Yes 會 □ by slopes 受斜坡影響 Yes 會 □ ae Impact 構成景觀影響 Yes 會 □ ing 砍伐樹木 Yes 會 □	No 不會 □ No 不會 □ No 不不會	

diameter 請註明素 幹直徑	tate measure(s) to minimise the impact(s). For tree felling, please state the number, r at breast height and species of the affected trees (if possible) 盡量減少影響的措施。如涉及砍伐樹木,請說明受影響樹木的數目、及胸高度的樹皮品種(倘可) Temporary Use or Development in Rural Areas 展的許可續期
(a) Application number to which the permission relates 與許可有關的申請編號	A/YL-TYST_/1029
(b) Date of approval 獲批給許可的日期	10/07/2020 (DD 日/MM 月/YYYY 年)
(c) Date of expiry 許可屆滿日期	10/07/2023 (DD 日/MM 月/YYYY 年)
(d) Approved use/development 已批給許可的用途/發展	Temporary Shop and Services for a Period of 3 Years
(e) Approval conditions 附帶條件	□ The permission does not have any approval condition 許可並沒有任何附帶條件 ☑ Applicant has complied with all the approval conditions 申請人已履行全部附帶條件 □ Applicant has not yet complied with the following approval condition(s): 申請人仍未履行下列附帶條件: □ Reason(s) for non-compliance: 仍未履行的原因: □ (Please use separate sheets if the space above is insufficient) (如以上空間不足,請另頁說明)
(f) Renewal period sought 要求的續期期間	✓ year(s) 年 3 □ month(s) 個月

7. Justifications 理由

The applicant is invited to provide justifications in support of the application. Use separate sheets if necessary. 現請申請人提供申請理由及支持其申請的資料。如有需要,請另頁說明)。

The current application aims to renew the latest planning approval granted on 10.07.2020 under Application No. A/YL-TYST/1029 (hereinafter referred to "the last approved application") which will be expired on 10.07.2023 such that the Applicant will be given an opportunity to continue utilising the application site for the proposed use (i.e. Temporary Shop and Services for a Period of 3 Years).

The nature of the current application in terms of approval period sought and proposed uses is the same as that proposed in the last approved application. Apart from the fact that there would be no changes in the proposed development parameters and in the nature/operation of the proposed uses, the physical settings surrounding the application site compared to the last approved application would also be unchanged. In addition, no adverse planning implications by allowing the current application is likely to be anticipated and the Applicant has in fact complied with all planning conditions under the previous approval within specified time limits.

Considering the current application carries the same site context, scale and nature as the latest previously approved application, the approval of the current application would be in line with the previous decision of the Board and would by no means set an undesirable precedent for other similar applications. Furthermore, the applied use in temporary nature will provide flexibility for future planning circumstance and would not jeopardise the long-term planning intention of the "Residential (Group B) 1" zone.

There will be no changes in terms of nature of the proposed uses, operation hours, no. of trips involved, and more importantly, the existing trees, drainage facilities and fire service installations would be continued to be properly maintained in good conditions all the time upon granting of planning approval for the current application. Given the above and the fact that there have never been any complaints against the proposed uses since the last approved application, no infrastructural nor environmental impacts are envisaged should the permission for the proposed uses be renewed/granted by the Board.

Relevant landscape and tree preservation, as-built drainage, sewerage drainage and fire service installations proposal along with the photographic records of existing drainage and fire service installation facilities and Town Planning Board letter and compliance letters under the last approved application are submitted in the current application.

8. Declaration 聲明			
I hereby declare that the particulars given in this application are correct and true to the best of my knowledge and belief. 本人謹此聲明,本人就這宗申請提交的資料,據本人所知及所信,均屬真實無誤。			
I hereby grant a permission to the Board to copy all the materials sto the Board's website for browsing and downloading by the publi本人現准許委員會酌情將本人就此申請所提交的所有資料複數	c free-of-charge at the Board's discretion.		
Signature 簽署	Applicant 申請人 / □ Authorised Agent 獲授權代理人		
Thomas LUK	Managing Director		
Name in Block Letters 姓名(請以正楷填寫)	Position (if applicable) 職位 (如適用)		
Professional Qualification(s) 專業資格	□ HKIA 香港建築師學會 / □ HKIE 香港工程師學會 / □ HKIUD 香港城市設計學會		
on behalf of 代表 Aikon Development Consult Company 公司 / Organisation Name and C	1000000		
Date 日期 05/05/2023 (I	DD/MM/YYYY 日/月/年)		

Remark 備註

The materials submitted in this application and the Board's decision on the application would be disclosed to the public. Such materials would also be uploaded to the Board's website for browsing and free downloading by the public where the Board considers appropriate.

委員會會向公眾披露申請人所遞交的申請資料和委員會對申請所作的決定。在委員會認為合適的情況下,有關申請資料亦會上載至委員會網頁供公眾免費瀏覽及下載。

Warning 警告

Any person who knowingly or wilfully makes any statement or furnish any information in connection with this application, which is false in any material particular, shall be liable to an offence under the Crimes Ordinance. 任何人在明知或故意的情况下,就這宗申請提出在任何要項上是虛假的陳述或資料,即屬違反《刑事罪行條例》。

Statement on Personal Data 個人資料的聲明

- 1. The personal data submitted to the Board in this application will be used by the Secretary of the Board and Government departments for the following purposes:
 - 委員會就這宗申請所收到的個人資料會交給委員會秘書及政府部門,以根據《城市規劃條例》及相關的城市規劃委員會規劃指引的規定作以下用途:
 - (a) the processing of this application which includes making available the name of the applicant for public inspection when making available this application for public inspection; and 處理這宗申請,包括公布這宗申請供公眾查閱,同時公布申請人的姓名供公眾查閱;以及
 - (b) facilitating communication between the applicant and the Secretary of the Board/Government departments. 方便申請人與委員會秘書及政府部門之間進行聯絡。
- 2. The personal data provided by the applicant in this application may also be disclosed to other persons for the purposes mentioned in paragraph 1 above. 申請人就這宗申請提供的個人資料,或亦會向其他人士披露,以作上述第 1 段提及的用途。
- 3. An applicant has a right of access and correction with respect to his/her personal data as provided under the Personal Data (Privacy) Ordinance (Cap. 486). Request for personal data access and correction should be addressed to the Secretary of the Board at 15/F, North Point Government Offices, 333 Java Road, North Point, Hong Kong. 根據《個人資料(私隱)條例》(第 486 章)的規定,申請人有權查閱及更正其個人資料。如欲查閱及更正個人資料,應向委員會秘書提出有關要求,其地址為香港北角渣華道 333 號北角政府合署 15 樓。

Gist of Application 申請摘要

(Please provide details in both English and Chinese <u>as far as possible</u>. This part will be circulated to relevant consultees, uploaded to the Town Planning Board's Website for browsing and free downloading by the public and available at the Planning Enquiry Counters of the Planning Department for general information.)

(請<u>盡量以英文及中文填寫。此部分將會發送予相關諮詢人士、上載至城市規劃委員會網頁供公眾免費瀏覽及下載及於規劃署規劃資料查詢處供一般參閱。)</u>

Application No. 申請編號	(For Official Use Only) (請勿填寫此欄)
Location/address 位置/地址	Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories 新界元朗唐人新村丈量約份第 121 約地段第 1023 號 B 分段餘段、第 1033 號 C 分段及第 1034 號 A 分段餘段(部分)和毗連政府土地
Site area 地盤面積	158 sq. m 平方米 ☑ About 約 (includes Government land of 包括政府土地 30 sq. m 平方米 ☑ About 約)
Plan 圖則	Approved Tong Yan San Tsuen Outline Zoning Plan (OZP) No. S/YL-TYST/14 唐人新村分區計劃大綱核准圖(編號:S/YL-TYST/14)
Zoning 地帶	"Residential (Group B) 1" ("R(B)1") 住宅(乙類)1地帶
Type of Application 申請類別	□ Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區的臨時用途/發展為期 □ Year(s) 年 □ Month(s) 月 □ □
	 ☑ Renewal of Planning Approval for Temporary Use/Development in Rural Areas for a Period of 位於鄉郊地區臨時用途/發展的規劃許可續期為期 ☑ Year(s) 年 ☐ Month(s) 月
Applied use/ development 申請用途/發展	Temporary Shop and Services for a Period of 3 Years 擬議臨時商店及服務行業(為期3年)

(i) Gross floor area		sq.m 平方米		Plot Ratio 地積比率		
	and/or plot ratio 總樓面面積及/或 地積比率	Domestic 住用	N/A	□ About 約 □ Not more than 不多於	N/A	□About 約 □Not more than 不多於
	×	Non-domestic 非住用	144	☑ About 約 □ Not more than 不多於	N/A	☑About 約 □Not more than 不多於
(ii)	No. of block 幢數	Domestic 住用	N/A			× 4 8
		Non-domestic 非住用	3	#1 x		- 2 2
(iii)	Building height/No. of storeys 建築物高度/層數	Domestic 住用	N/A	2	□ (Not	m 米 more than 不多於)
	50 g	e e	N/A	an an	☐ (Not	Storeys(s) 層 more than 不多於)
		Non-domestic 非住用	7		☑ (Not	m 米 more than 不多於)
3		15 15	2		☑ (Not	Storeys(s) 層 more than 不多於)
(iv)	Site coverage 上蓋面積		N/A		%	□ About 約
(v)	No. of parking	Total no. of vehicle	e parking space	s 停車位總數		1
	spaces and loading / unloading spaces 停車位及上落客貨 車位數目	Private Car Parking Spaces 私家車車位 Motorcycle Parking Spaces 電單車車位 Light Goods Vehicle Parking Spaces 輕型貨車泊車位 Medium Goods Vehicle Parking Spaces 中型貨車泊車位 Heavy Goods Vehicle Parking Spaces 重型貨車泊車位 Others (Please Specify) 其他 (請列明)				
		Total no. of vehicle	e loading/unloa	ding have/lav_hve	× •	2
	n 	上落客貨車位/ Taxi Spaces 的士	停車處總數:車位	unig vays/lay-vys	¥ (5)	1
37 P	ş	Coach Spaces 旅 Light Goods Vehi Medium Goods V Heavy Goods Vel Others (Please Sp	cle Spaces 輕 ehicle Spaces nicle Spaces 重	中型貨車位 型貨車車位		1

Submitted Plans, Drawings and Documents 提交的圖則、繪圖及文件		25
	Chinese	English
	中文	英文
Plans and Drawings 圖則及繪圖		
Master layout plan(s)/Layout plan(s) 總綱發展藍圖/布局設計圖		\square
Block plan(s) 樓宇位置圖		
Floor plan(s) 樓宇平面圖		
Sectional plan(s) 截視圖		
Elevation(s) 立視圖		
Photomontage(s) showing the proposed development 顯示擬議發展的合成照片		
Master landscape plan(s)/Landscape plan(s) 園境設計總圖/園境設計圖		
Others (please specify) 其他(請註明)		
Location plan, Lot Index Plan extract, Outline Zoning Plan extract, Photographic Records,	Landscape	and Tree
Preservation Plan, As-built Drainage Plan, Sewerage Drainage Proposal, Fire Service Ins	taliations Pr	oposai ,
Reports 報告書		
Planning Statement/Justifications 規劃綱領/理據		
Environmental assessment (noise, air and/or water pollutions)		
環境評估(噪音、空氣及/或水的污染)	-	
Traffic impact assessment (on vehicles) 就車輛的交通影響評估		
Traffic impact assessment (on pedestrians) 就行人的交通影響評估		
Visual impact assessment 視覺影響評估		
Landscape impact assessment 景觀影響評估		
Tree Survey 樹木調查		
Geotechnical impact assessment 土力影響評估		
Drainage impact assessment 排水影響評估		
Sewerage impact assessment 排污影響評估		Ц
Risk Assessment 風險評估		
Others (please specify) 其他(請註明) TPB and Compliance Letters		(V)
The and compliance reflers		
Note: May insert more than one 「 🗸 」. 註:可在多於一個方格內加上「 🗸 」號		

Note: The information in the Gist of Application above is provided by the applicant for easy reference of the general public. Under no circumstances will the Town Planning Board accept any liabilities for the use of the information nor any inaccuracies or discrepancies of the information provided. In case of doubt, reference should always be made to the submission of the applicant.


註: 上述申請摘要的資料是由申請人提供以方便市民大眾參考。對於所載資料在使用上的問題及文義上的歧異,城市規劃委員會概不負責。若有任何疑問,應查閱申請人提交的文件。

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

List of Figures

Figure 1	Location Plan
Figure 2	Extract of Lot Index Plan (No. ags_S00000111012_0001)
Figure 3	Extract of the Approved Tong Yan San Tsuen Outline Zoning Plan No. S/YL-TYST/14



Project:

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Title:


Location Plan

Ref.: ADCL/PLG-10261/L001/F001

Figure:

Scale: Not to Scale





Project:

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Title:

Extract of Lot Index Plan (No. ags S00000111012 0001)

Ref.: ADCL/PLG-10261/L001/F002

Figure:

Scale: Not to Scale





Project:

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Title:

Extract of the Approved Tong Yan San Tsuen Outline Zoning Plan No. S/YL-TYST/14

Ref.: ADCL/PLG-10261/L001/F003

Figure:

Scale: Not to Scale



Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

List of Illustrations

Illustration 1 Existing Condition of Drainage Facilities
Illustration 2 Existing Condition of Fire Service Installations

Aikon Development Consultancy Ltd. 毅 勤 發 展 顧 問 有 限 公 司



Site Boundary

⋖ Viewpoint

(For Identification Only)











Project:

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Title:


Existing Condition of Drainage Facilities

Ref.: ADCL/PLG-10261/L001/I001

Illustration:

Scale: Not to Scale







Site Boundary



(For Identification Only)











Project:

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Title:

Existing Condition of Fire Service Installations

Ref.: ADCL/PLG-10261/L001/I002

Illustration:

Scale: Not to Scale



Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

List of Appendices

Appendix I	Approved Layout Plan under Planning Application No.
	A/YL-TYST/1029
Appendix II	Approved Landscape and Tree Preservation Plan under Planning
	Application No. A/YL-TYST/1029
Appendix III	Approved As-built Drainage Plan under Planning Application No.
	A/YL-TYST/1029
Appendix IV	Approved Fire Service Installations Proposal under Planning
	Application No. A/YL-TYST/1029
Appendix V	Proposed Sewerage Drainage Proposal
Appendix VI	Approval Letter of the Previous Application No. A/YL-TYST/1029
Appendix VII	Discharge Letters for the Approval Conditions under Application
	No. A/YL-TYST/1029

Section 16 Planning Application for Temporary Shop and Services for a Period of 3	Ref.: ADCL/PLG-10261/L001
Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining	Nej ADCL/FLO-10201/1001
Government Land, Tong Yan San Tsuen, Yuen Long, New Territories	
(Renewal of Planning Approval under Application No. A/YL-TYST/1029)	
	Appendix I
Approved Layout Plan under Planning Application No. A/YL-TYST/10	29



Structure 2

Water tank GFA: Not exceeding 5m² Height: Not exceeding 5m

No. of storey: 1

Structure 3

F.S. pump room GFA: Not exceeding 9m² Height: Not exceeding 5m No. of storey: 1

One 5m x 2.5m parking space for private car

One 7m x 3.5m loading/unloading bay for light goods vehicle

Structure 1

Shop and service (store) with toilet

GFA: Not exceeding 130m² Height: Not exceeding 7m

Toilet

No. of storey: 2

Store

Entrance 4

G/F Layout

Store

1/F Layout

Project 項目名稱:

Proposed Temporary Shop Services (Store) for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C & 1034 S.A RP (Part) in D.D. 121 & Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, N.T.

Drawing Title 圖目:

Approved Layout Plan under Planning Application No. A/YL-TYST/1029

Drawing No. 圖號:

Remarks 備註:

Scale 比例

1:1000

Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

Appendix II
Approved Landscape and Tree Preservation Plan under Planning Application No. A/YL-TYST/1029

Tree	Approximate Height	Spacing
Existing Ficus microcarpa To be preserved	2.75m	4m

Structure 2 Water tank GFA: Not exceeding 5m² Height: Not exceeding 5m No. of storey: 1

One 5m x 2.5m parking space for private car

One 7m x 3.5m loading/unloading bay for light goods vehicle

Structure 3 F.S. pump room GFA: Not exceeding 9m² Height: Not exceeding 5m No. of storey: 1

Structure 1

Shop and service (store) with toilet GFA: Not exceeding 130m² Height: Not exceeding 7m No. of storey: 2

Toilet

Project 項目名稱:

Proposed Temporary Shop Services (Store) for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C & 1034 S.A RP (Part) in D.D. 121 & Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, N.T.

Drawing Title 關目:

Approved Landscape & Tree Preservation Plan under Planning Application No. A/YL-TYST/1029

Drawing No. 阅號:

Remarks (衛柱)


Scale 比例:

1:1000

Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)	
(Renewal of Planning Approval under Application No. A/TL-1151/1029)	
	A n n n n d : v
Approved As-built Drainage Plan under Planning Application N	Appendix III
No. 1 of the state	10.7912 1131/1023
	0.74 12 1131/1023
	0.74 12 1131/1023
	0.74 12 1131/1023
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	0.74 12 1131/1323
	10.74 IL 1131/1323

Section 16 Planning Application for Temporary Shop and Services for a Period of 3

Ref.: ADCL/PLG-10261/L001




Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

Appendix IV
Approved Fire Service Installations Proposal under Planning Application No. A/YL-TYST/1029





Structure 2
Fire service installations
(water tank and pump room)
GFA: Not exceeding 5m²
Height: Not exceeding 3.5m
No. of storey: 1

Store with toilet GFA: Not exceeding 65m² Height: Not exceeding 7m No. of storey: 1

F.S Note:

- Sufficient Emergency lighting shall be provided throughout the entire building / Structures in accordance with BS 5266: Part 1 and BS EN 1838.
- Sufficient directional and Exit sign shall be provided in accordance with 83 5266 part 1 and FSD Circluar Letter 5/2008.
- 3. Fire Alarm system shall be provided to the entire building in accordance with 8S 5839; Part 1: 2002 + A2: 2008 and FSD Circluar Letter No: 1/2009. One actuation point and one audio warning advice to be located at each Hose reel point. This actuation point should include facilities for the start and / visual warning device initiation.
- 4. Hose reel system supplied by 2m³ FS Water tank shall be provided. There shall be sufficient Hose reel to ensure that every part of each building / Structure can be reached by a length of not more than 30m of Hose reels tubing.
- 5. Portable hand-operate approved appliance shall be provided as required by occupancy

	Legend:		
		消防泵	Hose Reel Pump
	\boxtimes	消防水缸	2m³ FS Water Tank
		消防喉轆泵控制箱	Fire Alarm Hosereel Pump Control Pane
	H.R.	消防喉嚨	Hosereel
	Œ	5.0公斤二氧化碳氣體滅火筒	5.0kg CO ² Gas type Fire Extinguisher
	(SB)	沙筒	Sand Bucket
-	Ω	警鐘	Fire Alarm Bell
	•	手動報警按鈕	Manual Fire Alarm Call Point
	內	視像火警警報器	Visual Fire Alarm
	EXIT	出口	Exit Sign
	20	緊急照明燈	Emergency Light

Project 項目名稱:

Proposed Temporary Shop and Services (Store) for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C & 1034 S.A RP (Part) in D.D. 121 & Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, N.T.

Diawing file IIII

Approved Fire Service Installations Proposal under Planning Application No. A/YL-TYST/1029

Drawing No. 關號:

Remarks 備註:

Scale 比例

1:500

Section 16 Planning Application for Temporary Shop and Services for a Period of 3
Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining
Government Land, Tong Yan San Tsuen, Yuen Long, New Territories
(Renewal of Planning Approval under Application No. A/YL-TYST/1029)

Ref.: ADCL/PLG-10261/L001

Appendix V

Proposed Sewerage Drainage Proposal

GENERAL NOTES

- 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- 2. ALL LEVELS ARE IN mPD UNLESS OTHERWISE STATED. 3. DIMENSIONS SHALL NOT BE SCALED FROM THE DRAWINGS.
- 4. COORDINATES ARE BASED ON THE HONG KONG METRIC GRID (1980).

NOTES FOR CONCRETE WORKS

- . ALL CONCRETE WORKS ARE DESIGNED IN ACCORDANCE WITH CODE OF PRACTICE FOR THE STRUCTURAL USE OF CONCRETE 2013 AND BS8007:1987
- CONCRETE MIX SHALL BE GRADE 40D/20 COMPLYING WITH CS1:2010 EXCEPT SECTION 7.1.
- ALL REINFORCEMENT SHALL BE GRADE S275JO CLASS 1 STEEL COMPLY WITH THE CODE OF
- PRACTICE FOR THE STRUCTURAL USE OF STEEL, 2011 THE CONCRETE COVER FOR MANHOLE AND SUMP PUMP PIT SHALL BE 25mm.
- THE REACTIVE ALKALI OF CONCRETE EXPRESSED AS THE EQUIVALENT SODIUM OXIDE PER CUBIC METER OF CONCRETE SHOULD NOT EXCEED 3.0kg WHEN DETERMINED IN ACCORDANCE WITH THE SPECIFICATION ITEMS GIVEN IN APPENDIX A OF PRACTICE FOR PNAP 180.
- PFA CONCRETE TO BE USED IF NECESSARY. THE PFA CONTENT SHOULD NOT EXCEED 25% BY MASS OF THE CEMENTITIOUS CONTENT (OPC PLUS PFA) OF THE CONCRETE AND COMPLY WITH
- APP-33 (PNAP90) BLEND CEMENT CONTAINING PFA SHOULD COMPLY WITH BS6588:1985). MINIMUM ÀNCHORÁGE BOND LENGTH AND LAP LENGTH FOR CONCRETE GRADE 40D.

	HIGH TENSION STEEL
FULL TENSION ANCHORAGE/ LAP	35 DIA.
FULL COMPRESSION ANCHORAGE/ LAP	35 DIA.

- . DESIGN GROUND WATER LEVEL SHALL BE OF GROUND LEVEL. 9. DESIGN LOADING:
- LIVE LOAD
- BUILDING SURCHARGE LOAD = 10kPa 10. 75mm BLINDING LAYER SHALL BE PROVIDED

NOTES OF DRAINAGE WORKS:

1) ALL DRAINAGE SYSTEM, PIPEWORK INSTALLATION & CONNECTION SHALL FULFILL MANUFACTURER'S REQUIREMENTS, BUILDING DEPARTMENT & DRAINAGE SERVICES DEPARTMENT REQUIREMENTS AND ALL RELEVANT REGULATIONS.

2) WHETHER SHOWN ON THE DRAWING OR NOT, SUFFICIENT ACCESS SHALL BE PROVIDED BY MEANS OF CLEANING EYES OR OTHER APPROVED METHOD TO ENABLE ALL DRAINAGE PIPES TO BE CLEARED OF ANY OBSTRUCTION SUCH ACCESS POINTS SHALL BE SO SITED AS TO ALLOW CLEARANCE FOR THE EASY ENTRY OF CLEANING ROD / TOOL.

3) ALL BENDS, BRANCHES OR TEE-JOINTS, ETC. SHALL HAVE AN OBTUSE ANGLE AND HAVE

THE LARGEST PRACTICABLE RADIUS OF CURVATURE. THE BENDS, BRANCHES OR TEE—JOINTS SHALL NOT CHANGE IN ANY WAY OF THE CROSS SECTION OF THE PIPE AND A CLEANING EYE SHALL BE PROVIDED AT OR NEAR SUCH JOINTS. (4) SUFFICIENT ANCHORAGE AND SUPPORT SHALL BE PROVIDED TO ALL PIPEWORKS TO TAKE

ÙP THE WEIGHT OF THE PIPEWORK SYSTEM AND, IN ADDITION, THE THRUST DEVELOPED IN THE PIPEWORKS AND FITTINGS WHILE THE PIPES DISCHARGING RAIN WATER / SOIL AND WASTE (5) ALL PIPES PASSING THROUGH FIRE COMPARTMENT SHOULD COMPLY WITH FRC 10.5 & 10.6. PIPEWORKS RUN THROUGH WALL AND FLOOR SHALL BE PROVIDED WITH PIPE SLEEVES OF MIN.

(6) THE CONTRACTOR SHALL ENSURE THAT NO WATER BORNE PIPING SHALL BE EMBEDDED IN ÀNY LOAD BEARING STRUCTURAL ELEMENT. NO DRAINAGE PIPING SHALL BE EMBEDDED IN

COMMERCIAL SIZE LARGER THAN THE PIPE LINES. AFTER INSTALLATION OF PIPEWORKS, THE SPACE / GAP IN BETWEEN SHALL BE SEALED OFF WITH APPROVED TYPE OF FIRE RESISTANT

(7) ALL C.I. PIPES SHOULD COMPLY WITH PNAP 282. THE JOINTS OF C.I. SOCKETED PIPES SHALL BE MADE WITH A GASKET OF HAMP OR YARN, AND SHALL BE PROPERLY CAULKED WITH METALLIC LEAD OR OTHER APPROVED MATERIAL. YET, FLANGED PIPE JOINTS SHALL BE MADE BY BOLTING THE FLANGES TOGETHER SECURELY WITH A SUITABLE METALLIC GASKET.

(8) ALL HORIZONTAL DRAINAGE PIPEWORK INSTALLATION SHALL RUN TO MIN. GRADIENT OF 1: 40 (FOR =< 100mm DIA.), 1:70 (150mm DIA.) UNLESS OTHERWISE SPECIFIED. ALSO, ALL PIPEWORK SHALL BE CONNECTED WITH SUFFICIENT CLEANING EYE AT ALL TURNS, BRANCHES AND WC POSITIONS FOR EASY MAINTENANCE IN FUTURE.

(9) HORIZONTAL VENT PIPES SHALL BE SLIGHTLY INCLINED UPWARD CONNECTED TO VENT STACK. IT SHALL ALSO BE INSTALLED WITH A CONTINUOUS FALL BACK INTO THE DISCHARGE

(10) THE MANHOLE SHALL BE FITTED AT A LEVEL FLUSHED WITH FLOOR LEVEL WITH A DOUBLE SEALED CAST IRON AIR TIGHT COVER OF ADEQUATE STRENGH AND APPROVED DESIGN. THE MANHOLE COVER SHALL BE MED. DUTY TYPE DOUBLE SEAL.

(11) SHORT FORMS OF DRAIN PIPEWORK: (12) ABBREVIATIONS: SP - SOIL WATER DRAIN PIPE FD - FLOOR DRAIN & VG - VERTICAL GRATING SP - SOIL WATER DRAIN PIPE

STRUCTURAL ELEMENTS AS STATED ON PNAP 230.

- WP WASTE WATER DRAIN PIPE F/A - FROM ABOVE & F/B - FROM BELOW SWP - SOIL & WASTE WATER DRAIN PIPE T/A - TO ABOVE & T/B - TO BELOW VP - VENT PIPE
- H/L HIGH LEVEL & M/L MID LEVEL & L/L - LOW LEVEL F/LL - FROM LOW LEVEL & F/HL - FROM HIGH
 - T/LL TO LOW LEVEL & T/HL TO HIGH LEVEL
 - U/G UNDERGROUND
- 13) DIMENSIONS FOR PIPE SIZES SHOWN ON DRAWINGS ARE IN MILLIMETRE, UNLESS ÒTHERWISE STATED.

PIPE MATERIAL SCHEDULE

TYPE OF PIPE	DIAMETER	MATERIAL OF PIPE
SOIL AND WASTE WATER PUMPED PIPE (ABOVE GROUND & UNDER GROUND)	80 & ABOVE	DUCTILE IRON PIPE AND FITTING TO BS EN 598
SOIL AND WASTE WATER PIPE (ABOVE GROUND & UNDER GROUND)	80 & ABOVE	CAST IRON PIPES AND FITTINGS TO B.S. 437 WITH TYTON JOINT OR SOCKET JOINT, LEAD CAULKED.
SOIL AND WASTE WATER PIPE CONNECTION TO EX. PUBLIC SEWAGE MANHOLE	80 & ABOVE	POLYETHYLENE PIPE PE100 SDR 17, ELECTRO FUSION JOINT, EXTERNAL BLACK COLOUR, INTERNAL LIGHT COLOUR.

MANHOLE SCHEDULE

FOUL WATER MANHOLE						
MANHOLE NC FWH.—XX	. COVER LEVEL (C.L.)	INVERT LEVEL (I.L.)	DISCON. TRAP INVERT LEVEL (D.T.I.L.)	TYPE	DEPTH (m) (MEASURED FROM ROAD LEVEL TO LOWEST INVERT)	OUTLET PIPE SIZE (mm)
TSMH 1	17.91	16.70	16.55	T1	1.36	150

NOTES FOR FILLING MATERIALS AND COMPACTION:

- 1. ALL EARTH FILLING MATERIAL SHALL BE OBTAINED FROM EXCAVATION ON SITE OR APPROVED BORROW AREAS OR FROM OTHER SOURCES APPROVED BY THE
- ENGINEER. 2. FILLING MATERIAL SHALL BE FREE FROM UNSUITABLE MATERIAL INCLUDING ORGANIC MATERIAL TOPSOIL (OR THE SURFACE LAYER OF SOIL WHICH CAN SUPPORT VEGETATION) SUPPLY, PERISHABLE MATERIALS, FROM MARSHES OR LOGS, STUMPS AND OTHER DELETERIOUS SUBSTANCES FILLING MATERIAL
- THE CONTRACTOR SHALL PROVIDE AT HIS OWN EXPENSE A MEANS OF SCREENING THE MATERIAL TO ELIMINATE OVER-SIZED STONES.

SHALL CONTAIN IN MATERIAL EXCEEDING 200mm IN SIZE.

- 4. UNLESS OTHERWISE SPECIFIED THE BACKFILLING MATERIAL SHALL BE GENERAL FILLING MATERIAL PLACED IN LAYERS NOT EXCEEDING 300mm THICK 5. THE INSITU DENSITY OF COMPACTION MATERIAL FORMING THE FILL SHALL NOT
- BE LESS THAN 95% OF THE MAXIMUM DRY DENSITY 6. THE RESULTS OF COMPACTED FILL SHALL BE SUBMITTED TO BD DURING BA14 APPLICATION
- FILLING WORKS SHALL COMPLY WITH APP-15 8. SOIL TEST FOR BACKFILL MATERIALS SHALL COMPLY WITH APP-64

NOTES ON DEWATERING: (FOR INFORMATION ONLY)


- 1. SUFFICIENT NO. OF DEWATERING PUMPS SHALL BE PROVIDED TO KEEP THE EXCAVATION DRY IN CASE DEWATERING IS FOUND TO BE NECESSARY.
- 2. ALL THE DISCHARGED WATER PUMPED OUT FROM THE EXCAVATION SHALL BE DESILTED PRIOR TO DISCHARGE OFF SITE.
- 3. IN ANY CASE ANY LOSS OF FINES ARE OBSERVED DURING DEWATERING, THE LOOSEN UP SOILS SHALL BE TOPPED WITH GRANULAR MATERIAL AND BE SEALED BY CEMENT MORTAR.


INITIAL DEFECT SURVEY:

- 1. PRIOR TO COMMENCEMENT OF EXCAVATION WORKS, A DEFECT SURVEY WILL BE CARRIED OUT ON EXISTING CARRIAGEWAY AND ADJACENT STRUCTURES WITHIN 25m FROM THE ALIGNMENT OF EXCAVATION WORKS, AND ANY DEFECTS FOUND WILL BE FULLY DOCUMENTED WITH COLOUR PHOTOGRAPHS.
- <u>notes on protection of earthworks against</u>

THE CONTRACTOR SHALL EMPLOY THE FOLLOWING MINIMUM MEASURES TO SAFEGUARD AGAINST FLOODING IN HEAVY RAINFALL.

- 1. SURFACE WATER FLOWING INTO THE SITE FROM OUTSIDE SHALL BE INTERCEPTED AND CONDUCTED FROM THE SITE TO INDICATED SAFE DISCHARGE POINT. AT EACH INTERSECTION AND ABRUPT CHANGE IN DIRECTION OF SURFACE DRAINAGE CHANNELS ANACCESSIBLE CATCHPIT SHALL BE PROVIDED. ALL DRAINAGE WORKS SHALL BE KEPT CLEAR OF DEBRIS.
- 2. WHERE PRACTICALLY COMPLETED DRAINAGE WORKS DISCHARGE WITHIN THE SITE, A TEMPORARY CONDUIT SHALL BE PROVIDED TO THE DISCHARGE POINTS.
- 3. ALL SURFACES SHALL BE GRADED AND SEALED TO ENSURE EFFICIENT RUN-OFF AND TO AVOID PONDING.
- 4. A METHOD OF WORKING SHALL BE ADOPTED IN WHICH THE MINIMUM OF BARE SOIL IS EXPOSED AT ANY TIME. EARTHWORK TO FORM THE FINAL FACE SHALL BE FOLLOWED UP IMMEDIATELY WITH SURFACE PROTECTION AND DRAINAGE
- 5. WHERE TEMPORARY BARE SLOPE FACES ARE UNAVOIDABLE THEY SHALL BE PROTECTED WITH SHEETING WELL SECURED AGAINST THE WIND. WHERE SLOPE FACE IS TO BE TEMPORARILY EXPOSED FOR MORE THAN TWO WEEKS, TEMPORARY HARD SURFACE SHALL BE PROVIDED AND TEMPORARY DRAINS SHALL BE INSTALLED.
- 6. PRECAUTIONS SHALL ALWAYS BE TAKEN TO PREVENT WATER FROM ENTERING AND COLLECTING IN THE TRENCH OR SHAFT.






SECTION B-B


PLAN OF SEWER MANHOLE COVER


FRESH AIR INLET-

FRONT ELEVATION DETAILS OF FRESH AIR INLET


Structural & Geotechnical Engineer









SECTION A-A






PLAN VIEW OF TERMINAL MANHOLE

ALL VERT. BARS & HORI. BARS TO BE T12-150 PIPE DIAMETER OF PIPE TO BE LESS THAN OR EQUAL TO 450mm.





EXISTING SEWAGE MANHOLE

PP' T ON ' T

PROPOSED SEWAGE TERMINAL MANHOLE

FTHE SITE

BLOCK PLAN

SCALE 1:1000

LONGITUDINAL SECTION

ALL VERT. BARS & HORI. BARS TO BE T12-150

Architect

翱翔顧問工程師有限公司 WINGS & ASSOCIATES CONSULTING ENGINEERS LTD

Rev.	Date	Description	Drawn by	Checked by	Approved by
-	05.2023	1ST SUBMISSION	KT	RM	VT

)JECT	TITLE EXTERNAL SEWERAGE DRAINAGE
	WORKS AT TONG YAN SAN TSUEN,
	YUEN LONG LOT 1034 S.A. RP IN DD121

LOCATION PLAN, SECTION, DETAILS

GENERAL NOTE, BLOCK PLAN,

SCALE	AS SHOWN	
PROJECT R	EF. P21012	
CAD REF.	External Dr	ainage Drawing.dwg

DRAWING NO. **P21012/DR/101**

B.D. REF.

REV NO	OFFICE USE:
nage Drawing.dwg	
FSD REF.	* ALL DIMENSIONS ARE IN MILLIMETER EXCEPT OTHERWISE NOTED THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY FOK LIK KAN WHOSE CONSENT MUST BE OBTAINED BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MAD

Section 16 Planning Application for Temporary Shop and Services for a Period of 3	Ref.: ADCL/PLG-10261/L001
Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining	, ,
Government Land, Tong Yan San Tsuen, Yuen Long, New Territories	
(Renewal of Planning Approval under Application No. A/YL-TYST/1029)	
(Heriewal of Flamming Approval ander Apprecation No. 74 12 1131/1253)	
	Appendix VI
Approval Letter of the Previous Application No. A/YL-TYST/1029	

24-JUL-2020 16:10 RECEIVED 24/07/2020 15:47 PROM TOWN PLANNING BOARD

21484501 TO 21484501

METRO P.001/005

城市規劃委員會

香港北角波耶道三百三十三號 北角政府合署十五樓

H Fax: 2877 0245 / 2522 8426

E Tel: 2231 4810

※前標號 Your Reference:

覆函裔註明本會檔號 In reply please quote this rof.: TPB/A/YL-TYST/1029 TOWN PLANNING BOARD

15/F., North Point Government Offices 333 Java Road, North Point, Hong Kong.

By Post & Fax (2148 4501)

24 July 2020

Metro Planning and Development Co. Ltd. Unit L, 7/F, International Centre 2-8 Kwei Tei Street Fo Tan, Sha Tin, New Territories (Attn.: Patrick Tsui)

Dear Sir/Madam,

Proposed Temporary Shop and Services for a Period of 3 Years in "Residential (Group B) 1" Zone, Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long

I refer to my letter to you dated 8.7.2020.

After giving consideration to the application, the Town Planning Board (TPB) approved the application for permission under section 16 of the Town Planning Ordinance on the terms of the application as submitted to the TPB. The permission shall be valid on a temporary basis for a period of 3 years until 10.7.2023 and is subject to the following conditions:

- (a) no operation between 9:00 p.m. and 7:00 a.m., as proposed by you, is allowed on the site during the planning approval period;
- (b) no medium or heavy goods vehicles exceeding 5.5 tonnes, including container tractors/trailers, as defined in the Road Traffic Ordinance, are allowed to be parked/stored on or enter/exit the site, as proposed by you, at any time during the planning approval period;
- no vehicle is allowed to queue back to or reverse onto/from public road at any time during the planning approval period;
- (d) the existing trees and landscape plantings on the site shall be maintained at all times during the planning approval period;
- the existing drainage facilities on the site shall be maintained at all times during the planning approval period;
- (f) the submission of the records of the existing drainage facilities on the site within 3 months from the date of planning approval to the satisfaction of the Director of Drainage Services or of the TPB by 10.10.2020;

24-JUL-2020

16:11

blion to the functionism as anothered value of aslq 54" - noisiv two them was to the beat fire to the private and

RECEIVED 24/07/2020 15:47 21484501 FROM TOWN PLANNING BOARD

TO 21484501

P.002/005

P. 001

- 2 -

- the submission of a fire service installations proposal within 6 months from (g) the date of planning approval to the satisfaction of the Director of Fire Services or of the TPB by 10.1.2021;
- in relation to (g) above, the implementation of the fire service installations (h) proposal within 9 months from the date of planning approval to the satisfaction of the Director of Fire Services or of the TPB by 10.4.2021;
- if any of the above planning conditions (a), (b), (c), (d) or (e) is not complied (i) with during the planning approval period, the approval hereby given shall cease to have effect and shall be revoked immediately without further notice; and
- if any of the above planning conditions (f), (g) or (h) is not complied with by (j) the specified date, the approval hereby given shall cease to have effect and shall on the same date be revoked without further notice.

The TPB also agreed to advise you to note the advisory clauses as set out at Appendix IV of the TPB Paper.

You are reminded to strictly adhere to the time limit for complying with the above planning conditions. If any of the above planning conditions are not complied with by the specified time limit, the permission given shall be revoked without further notice and the development will be subject to enforcement action. If you wish to apply for extension of time for compliance with planning conditions, you should submit a section 16A application to the TPB no less than six weeks before the expiry of the specified time limit. This is to allow sufficient time for processing of the application in consultation with the concerned departments. The TPB will not consider any application for extension of time if the time limit specified in the permission has already expired at the time of consideration by the TPB. For details, please refer to the TPB Guidelines No. 34C and 36B. The Guidelines, application form (Form No. S16A) and the Guidance Notes for applications are available at the TPB's website (www.info.gov.hk/tpb/), the Planning Enquiry Counters of the Planning Department (Hotline: 2231 5000) at 17/F, North Point Government Offices, 333 Java Road, North Point; 14/F, Sha Tin Government Offices, I Sheung Wo Che Road, Sha Tin; and the Secretariat of the TPB at 15/F, North Point Government Offices.

This temporary permission will lapse on 11.7,2023. You may submit an application to the TPB for renewal of the temporary permission no less than two months before its expiry by completing an application form (Form No. S16-III). For details, please refer to TPB Guidelines No. 34C. However, the TPB is under no obligation to renew the temporary permission.

For amendments to the approved scheme that may be permitted with or without application under section 16A, please refer to TPB Guidelines No. 36B for details.

A copy of the TPB Paper in respect of the application (except the supplementary planning statement/technical report(s), if any) and the relevant extract of minutes of the TPB meeting held on 10.7.2020 are enclosed herewith for your reference.

24-JUL-2020 16:11

RECEIVED 24/07/2020 15:47 FROM TOWN PLANNING BOARD 21484501 TO 21484501 METRO

P.003

- 3 -

Under section 17(1) of the Town Planning Ordinance, an applicant aggrieved by a decision of the TPB may apply to the TPB for a review of the decision. If you wish to seek a review, you should inform me within 21 days from the date of this letter (on or before 14.8.2020). I will then contact you to arrange a hearing before the TPB which you and/or your authorized representative will be invited to attend. The TPB is required to consider a review application within three months of receipt of the application for review. Please note that any review application will be published for three weeks for public comments.

This permission by the TPB under section 16 of the Town Planning Ordinance should not be taken to indicate that any other government approval which may be needed in connection with the development, will be given. You should approach the appropriate government departments on any such matter.

If you have any queries regarding this planning permission, please contact Mr. Steven Siu of Tuen Mun & Yuen Long West District Planning Office at 2158 6000. In case you wish to consult the relevant Government departments on matters relating to the above approval conditions, a list of the concerned Government officers is attached herewith for your reference.

Yours faithfully,

(Raymond KAN) for Secretary, Town Planning Board

RK/CC/el

Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Renewal of Planning Approval under Application No. A/YL-TYST/1029)		
Discharge Letters for the Approval Conditions under Application	Appendix VII	
Discharge Letters for the Approval Conditions under Application i	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application is	NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	
Discharge Letters for the Approval Conditions under Application (NO. A/YL-1YS1/1U29	

Section 16 Planning Application for Temporary Shop and Services for a Period of 3

Ref.: ADCL/PLG-10261/L001



屯門及元朗西規劃處 香港新界沙田上禾輋路一號 沙田政府合署 14 樓



By Fax (2148 4501) & Post Planning Department

Tuen Mun and Yuen Long West District Planning Office 14/F., Sha Tin Government Offices, 1 Sheung Wo Che Road, Sha Tin, N.T. Hong Kong

來函檔號

Your Reference

本署檔號

Our Reference

() in TPB/A/YL-TYST/1029

電話號碼

Tel. No.:

2158 6296

傳真機號碼 Fax No.:

2489 9711

30 September 2020

Metro Planning and Development Co. Ltd.

Flat L, 7/F, International Centre

2-8 Kwei Tei Street

Fo Tan, Sha Tin, New Territories

(Attn.: Mr. Patrick TSUI)

Dear Sir,

Compliance with Approval Condition (f) Planning Application No. A/YL-TYST/1029

I refer to your submission dated 17.8.2020 for compliance with the captioned approval condition on the submission of a condition record of the existing drainage facilities on the site. Drainage Services Department (DSD) has been consulted on your submission. Your submission is considered:

- Acceptable. The captioned condition has been complied with. Please find detailed departmental comments at APPENDIX.
- ☐ Acceptable. Since the captioned condition requires both the submission and implementation of the proposal, it has not been fully complied with. Please proceed to implement the accepted proposal for full compliance with the approval condition.
- ☐ Not acceptable. The captioned condition has **not** been complied with.

Should you have any queries on the departmental comments, please contact Mr. Bill C H CHAN (Tel: 2781 4107) of DSD.

Yours faithfully.

for District Planning Officer/ Tuen Mun and Yuen Long West Planning Department

c.c.

CE/MN, DSD

(Attn.: Mr. Bill C H CHAN)

Internal

CTP/TPB (2)

KKN/CL/cl



Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD)

You are reminded to maintain all the drainage facilities on site in good condition and ensure that the proposed development would neither obstruct overland flow nor adversely affect existing natural streams, village drains, ditches and the adjacent area, etc. You are required to rectify the drainage system at your own expense to the satisfaction of the government parties concerned if they are found to be inadequate or ineffective during operation.

22-SEP-2020 13:42

RECEIVED 22/09/2020 13:22 FROM TM&YLW/DPO

21484501

21484501 TO

P.001/002

規劃署

屯門及元明西規劃處 香港新界沙田上未登路一號 沙田政府合署 14 楼



By Fax (2148 4501) & Post Planning Department

METRO

Tuen Mun and Yuen Long West District Planning Office 14/F., Sha Tin Government Offices 1 Sheung Wo Che Road, Sha Tin , N.T. Hong Kong

來的信號

Your Reference

本署福號

Our Reference () in TPB/A/YL-TYST/1029

電話號碼

Tel. No. :

2158 6296

傳真機號碼 Fax No:

2489 9711

22 September 2020

Metro Planning and Development Co. Ltd. Flat L, 7/F, International Centre 2-8 Kwei Tci Street Fo Tan, Sha Tin, New Territories (Attn.: Mr. Patrick TSUI)

Dear Sir.

Compliance with Approval Condition (g) Planning Application No. A/YL-TYST/1029

I refer to your submission dated 17.8.2020 for compliance with the captioned approval condition on the submission of a fire service installations (FSIs) proposal. The Fire Services Department (FSD) has been consulted on your submission. Your submission is considered:

- The captioned condition has been complied with. detailed advisory departmental comments at APPENDIX.
- □ Acceptable. Since the captioned condition requires both the submission and implementation of the proposal, it has not been fully complied with. Please proceed to implement the accepted proposal for full compliance with the approval condition.
- ☐ Not acceptable. The captioned condition has not been complied with.

Should you have any queries on the departmental comments, please contact Mr. HUNG Tsz-kwan (Tel: 2733 7758) of FSD.

Yours faithfully,

for District Planning Officer/ Tuen Mun and Yuen Long West

Planning Department

C.C. DofFS

(Attn.: Mr. YEN Chung-ming)

Internal CTP/TPB (2) KKN/CL/cl

Servino ins comme

「透過規劃工作,使香港成為世界知名的國際都市。 我們的理想 - 「經學是 Hong Kong an International city of world prominence."

規劃署

中門及完朗西根劃處 皮維斯界沙田上來數碼一號 沙班政府台灣 14 韓



By Fax (2148 4501) & Post Planning Department

Tuen Man and Yuen Long West
District Papeaug Office
147R, Sha Tin Government Offices
1 Shearing We Cas Road, Sha Tim , N.T.
Hoog Keng

25 January 2021

SCHOOLS. Your Reference

本管细数

Our Reference () in TPB/A/YL-TYST/1029

WELLIGHTED.

Tel. No.: 2158 6298

傳真機號碼 Fax No. 1 2489 9711

Metro Planning and Development Co. Ltd. Flat L, 7/F, International Centre 2-8 Kwei Tei Street Fo Tan, Sha Tin, New Territories (Attn.: Mr. Patrick TSUI)

Dear Sir.

Compliance with Approval Condition (h) Planning Application No. A/YL-TYST/1029

I refer to your submission dated 14.12.2020 for compliance with the captioned approval condition on the implementation of a fire service installations (FSIs) proposal. The Fire Services Department (FSD) has been consulted on your submission. Your submission is considered:

Acceptable. The captioned condition has been complied with

- ☐ Acceptable. Since the captioned condition requires both the submission and implementation of the proposal, it has not been fully complied with. Please proceed to implement the accepted proposal for full compliance with the approval condition.
- ☐ Not acceptable. The captioned condition has <u>not</u> been complied with.

Should you have any queries on the departmental comments, please contact Mr. WONG Ho-yin (Tel.: 2733 7737) or Mr. HUNG Tsz-kwan (Tel.: 2733 7758) of FSD.

Yours faithfully.

Va (Johnny TAM) for District Planning Officer/ Tuen Mun and Yuen Long West Planning Department

C.C. DofFS (Attn.: Mr. WONG Ho-yin)

Internal CTP/TPB (2)

JT/am

我們的理想一「透過規劃工作,使香港成為世界知名的高陸都市。 Our Vision - We plan to make Hong Kong an international city of world prominence."



Appendix Ia of RNTPC Paper No. A/YL-TYST/1216

Tel 電話: (852) 3180 7811 Fax 傳真: (852) 3180 7611 Email 電郵: info@aikon.hk Web 網址: www.aikon.hk

Date : 7th June 2023

Our Ref. : ADCL/PLG-10261/L003

The Secretary
Town Planning Board
15/F., North Point Government Offices
333 Java Road, North Point, Hong Kong

! y EmMi) Mn! FMx ", "2, 77 02()

Dear Sir/Madam,

E !" "i, n 16)Mnning --)i Mi, n f, ""m-, My!h, - Mn!!" vi "! f, M " i,!, f 3 "M! M' ,"!
1023!"! 1033!"" 103(!" M" in D'D"121 Mn!!j, ining G, v" nm"n" Mn! ", ng Mn
!Mn "!u"n u"n , ng ""w "" i", i"!
)Mnning --)i Mi, n ", " / !" !"/1216

Further to our submission to the TPB dated 7.6.2023 (Our Ref.: ADCL/ PLG-10261/L002) (hereinafter referred to as "the Previous Submission") with the latest FSI proposal and the full set of valid FS251 to address the latest comments from Fire Services Department, please find herewith the revised submission which strives to supersede the Previous Submission.

We would like to clarify that the current renewal application in terms of approval period sought and proposed uses is the same as that proposed in the last approved application (i.e. Planning Application No. A/YL-TYST/1029) and would involve no changes in the proposed layout and development parameters.

Thank you for your kind attention and should you have any queries, please do not hesitate to contact our Miss Zoe LAU or Mr. Thomas LUK at 3180 7811.

Yours faithfully, For and on behalf of


i(, n D"v"), - m"n"", n!u)"Mn y imi""!

Encl.

c.c. DPO/TMYLW, PlanD (<u>Attn.: Mr. Edwin YEUNG</u>) - By Email (ewsyeung@pland.gov.hk) Client – By Email







Structure 2
Fire service installations
(water tank and pump room)
GFA: Not exceeding 5m²
Height: Not exceeding 3.5m
No. of storey: 1

Store with toilet GFA: Not exceeding 65m² Height: Not exceeding 7m No. of storey: 1

F.S Note:

- Sufficient Emergency lighting shall be provided throughout the entire building / Structures in accordance with BS 5266: Part 1 and BS EN 1838.
- Sufficient directional and Exit sign shall be provided in accordance with 83 5266 part 1 and FSD Circluar Letter 5/2008.
- 3. Fire Alarm system shall be provided to the entire building in accordance with 83 5839; Part 1: 2002 + A2: 2008 and FSD Circluar Letter No: 1/2009. One actuation point and one audio warning advice to be located at each Hose reel point. This actuation point should include facilities for the start and / visual warning device initiation.
- 4. Hose reel system supplied by 2m³ FS Water tank shall be provided. There shall be sufficient Hose reel to ensure that every part of each building / Structure can be reached by a length of not more than 30m of Hose reels tubing.
- 5. Portable hand-operate approved appliance shall be provided as required by occupancy

1	reactio:	•	
I	(消防泵	Hose Reel Pump
I	\boxtimes	消防水缸	2m³ FS Water Tank
		消防喉轆泵控制箱	Fire Alarm Hosereel Pump Control Pan
	H.R.	消防喉嚨	Hosereel
i	Œ	5.0公斤二氧化碳氣體滅火筒	5.0kg CO ² Gas type Fire Extinguisher
	(SB)	沙筒	Sand Bucket
-	₽.	警鐘	Fire Alarm Bell
	•	手動報警按鈕	Manual Fire Alarm Call Point
	予	視像火警警報器	Visual Fire Alarm
	EXIT	出口	Exit Sign
	20	緊急照明燈	Emergency Light

Project 項目名稱:

Proposed Temporary Shop and Services (Store) for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C & 1034 S.A RP (Part) in D.D. 121 & Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, N.T.

Drawing Title 圖目

Fire Service Installations Proposal under Planning Application No. A/YL-TYST/1216

Legend:

Drawing No. 關號:

Remarks 備註:

Scale 比例

1:500

消防(裝置及設備)規例

(Regulation 9(1))

A 9231582

消防處檔號			(Regulation 9(1)) (第九條(1)款)		05010		
	CER	RTIFICATE OF F	IRE SERVICE INSTALLATION A	ND EQUIPMENT			
			消防裝置及設備證書				
Name of 顧客姓	名						
Name of 樓宇名	稱		3 SC & 1034 SA RP(Part)				
	o./Town Lot: DD1/ 數/市地段	21	Street/Road/Estate Name: To 街道/屋苑名稱	ong Yan San Tsuen	TINES.		
Block : 座		District 分區		ea: HK 區 香港	NT 九龍 ✓ 新界		
Type of	Building 樓宇類型: Inc	20100000000 Dept	nercial商業 Domestic住宅 Composit				
	rt 1 Annual Inspection(一部 只適用於年板	自 主 i i i i i i i i i i i i i i i i i i	ordance with Regulation 8(b) of Fire Service (Installations a ment which is installed in any premises shall have such fire ser in every 12 months. 根據消防(裝置及設備)規例第八 12個月由一名註冊承辦商檢查該等消防裝置或設備3	vice installation or equipment inspecte 條(b)款,擁有裝置在任何處所內	ed by a registered contractor at least		
Code編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Comment on Condition 狀況評述	Completion Date 完成日期(DD/MM/YY)	Next Due Date 下次到期日(DD/MM/YY)		
2	Hose Reel	G/F	Conforms with FSD Requirements (1 Set Hose Reel)	5/6/2023	4/6/2024		
13	MFA System	G/F	Conforms with FSD Requirements (1 Set Break Glass, 1 Set Alarm Bell)		4/6/2024		
11	Emergency Lighting	G/F	Conforms with FSD Requirements (3 Sets Emergency Light)		4/6/2024		
12	Exit Sign	G/F	Conforms with FSD Requirements (3 Sets Exit Sign)	5/6/2023 4/6/2024			
Part 2 第	写二部 Installation / Mod	dification / Repair	·/ Inspection work 裝置/改裝/修	理/檢查工作			
Code編碼 (1-35)	Type of FSI 裝置類型	Location(s) 位置	Nature of Work Carried out 完成之工作內容	Comment on Condition 狀	况評述 Completion Date 完成日期(DD/MM/YY)		
				20 J. B. J. S.			
	2 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Clark Target 300	British from pre-lizarity	plan more free for			
			图 化金属 医电	411 - 42 M T 1 1 1 1 2 1	VII.		
			TATAMATA	arting multiparts			
Dout 2 質	三部 Defects 損壞事項	<u> </u>					
Code編碼	Type of FSI 裝置類型	Location(s) 位置	Outstanding Defects 未修缺點	Comment on De	efects 缺點評述		
(1-35)	1770 01131 农业双主	Location(s) [M. [].	Outstanding Defects A Book and	Comment on De	Ciccio By Mil Fi De		
	* JUN 1991	(Court	A Transfer South To	ar o-badt of fi	eti I		
			Part Alab Com	1 - (1 - (1 - (1 - (1 - (1 - (1 - (1 -	W		
	1 8 4 8 4	Walk Dallace in		par I nitry	m34		
			4.5	CHUCE ENG			
	200000000000000000000000000000000000000		SECONDAL TURN AND ALL FOR GOLD	世紀			
	ertify that the above installations/equi in accordance with the Codes of Pr			11	For FSD use only:		

working order in accordance with the Codes of Practice for Minimum Fire Service Installations and Equipment and Inspection, Testing and Maintenance of Installations and Equipment published from time to time by the Director of Fire Services. Defects are listed in Part 3.

本人藉此證明以上之消防裝置及設備經試驗,證明性能良好,符 合消防處處長不時公佈的最低限度之消防裝置及設備守則與裝置 及設備之檢查測試及保養守則的規格、損壞事項列於第三部。

如證書涉及年檢事項,應張貼於大廈 或處所當眼處以供消防處人員查核

This certificate should be displayed at prominent location of the building or premises for FSD's inspection if any annual maintenance work is involved.

FSD/RC No. : 消防處註冊號碼 RC1/389 RC2/554 Company Name: 公司名稱 Century Fire Service Engineering Co. Ltd Telephone: 聯絡電話 2393 8468 Date: 5/6/2023 日期

KWOK CHUNG YIN

Inspected

Key-in

Verified

Name:

姓名

受權人簽署

F.S. 251 (Rev. 1/2016)

FSD Ref.:

FSD Ref.: 消防處檔號

FIRE SERVICE (INSTALLATIONS AND EQUIPMENT) REGULATIONS 消防(装置及設備)規例
(Regulation 9(1))
(第九條(1)款)
CERTIFICATE OF FIRE SERVICE INSTALLATION AND FOUIPMENT

A 8051673

	of Client :		消防裝置及設備證書		
顧客姓 Name o 樓宇名	of Building:	e 1023 CD DD 10	33 SC & 1034 SA RP(Part)		
Street N		D121	Street/Road/Estate Name: 街道/屋苑名稱	Tong Yan San	Гsuen
Block: 座	330/17/2012	District 分區		эа: НК	K 九龍 ☑ MT
Type of		Industrial工業 Comm	nercial商業 Domestic住宅 Composit	e綜合 Licensed premis	es持牌處所 Institu
	urt 1 Annual Inspectio 一部 只適用於年	· 給車面 once	ordance with Regulation 8(b) of Fire Service (Installations a ment which is installed in any premises shall have such fire ser in every 12 months. 根據消防(裝置及設備)規例第八 12個月由一名註冊承據商檢查該等消防裝置或設備至	vice installation or equipment inspect 條(b)數,擁有裝置在任何處所內	ed by a registered contractor at
Code編碼 (1-35)	Type of FSI 裝置類	型 Location(s) 位置	Comment on Condition 狀況評述	Completion Date 完成日期(DD/MM/YY)	Next Due Date 下次到期日(DD/MM
			A LIMITA WAT		
24	Portable Fire Extinguisher	消防泵房	Conforms With FSD Requirements (1 Nos of 5Kg CO2 Gas Type F.E.)	05-06-2023	04-06-2024
35	Sand Bucket	消防泵房	Conforms With FSD Requirements (1 Nos of Sand Bucket)	05-06-2023	04-06-2024
ode編碼 (1-35)	Type of FSI 裝置類類	AND	/ Inspection work 装置/改裝/修: Nature of Work Carried out 完成之工作內容	Comment on Condition 狀	ス評述 Completion I 完成日期(DD/M
art 3 第 ode編碼	序三部 Defects 損壞 Type of FSI 裝置類類		Outstanding Defects 未修缺點	Comment on De	efects 缺點評述
83.554	X *				
		to be also to do not			
	× , v/s 11 31v-1	- M-6 X July	Primar processor of the		
	, 1, 1, 3, 7,	THE REAL PROPERTY OF THE	A St. St. Opposition of the state of the sta		OV CO
					ON SOUTH
rking order apment and	ertify that the above installations in accordance with the Codes of Inspection, Testing and Mainter Director of Fire Services Defects.	of Practice for Minimum Fire 5 nance of Installations and Equipr	Service Installations and Signature:		ON SUPERIOR LISE
rking order inpment and ime by the l 人籍此 消防處	r in accordance with the Codes	of Practice for Minimum Fire 5 nance of Installations and Equipr are listed in Part 3. 設備經試驗,證明性 .度之消防裝置及設備	Service Installations and nent published from time 空權人簽署 Regular	Ting Ka Hin	

5/6/2023



Appendix Ib of RNTPC Paper No. A/YL-TYST/1216

電話: (852) 3180 7811 傳真: (852) 3180 7611 Fax Email 電郵: info@aikon.hk Web 網址: www.aikon.hk

: 14th June 2023 Date

Our Ref. : ADCL/PLG-10261/L004

The Secretary **Town Planning Board** 15/F., North Point Government Offices 333 Java Road, North Point, Hong Kong

! y Em Mi) Mn! FMx ", "2, 77 02()

Dear Sir/Madam,

```
Ε
    !" "i, n 16 ) Maning -- ) i Mi, n f,
                                    ""m-, My!h,- Mn!!" vi "!f, M "i,!,f3 "M! NI,"!
                1033 !" 103( !"
     1023!"!
                                     M" in D'D" 121 Mn! !j, ining G, v" nm"n" Mn! ", ng Mn
    !Mn"!u"n u"n , ng ""w "" i", i"!
      )Mnning -- )i Mi, n", " / !" !"/1216
```

We would like to provide background information and clarification on the captioned application.

Since the last approved application for proposed temporary shop and services for a period of 3 years (i.e. Planning Application No. A/YL-TYST/1029) approved by the Rural and New Town Planning Committee on 10.7.2020, the Applicant has made his best efforts on implementing the proposed store. According to the Applicant, the previous tenant of the proposed store vacated the premises a short while ago and the Applicant is currently actively looking for a new operator in order to serve the daily necessity needs of nearby residents again at the earliest convenience.

We would also like to clarify that the current renewal application in terms of nature (i.e. a store to provide daily necessities e.g. canned food, snacks, drinks, toilet tissue etc. to serve the daily necessity needs of nearby residents), traffic arrangement (i.e. no access of medium or heavy goods vehicles, including container tractor/trailer) and operation hours (i.e. 7:00 a.m. to 9:00 p.m. daily) are the same as that proposed in the last approved application.

Thank you for your kind attention and should you have any queries, please do not hesitate to contact our Miss Zoe LAU or Mr. Thomas LUK at 3180 7811.

Yours faithfully, For and on behalf of

i(, n D"v"),,- m"n"", n!u)"Mn y imi""!

c.c. DPO/TMYLW, PlanD (Attn.: Mr. Edwin YEUNG) - By Email (ewsyeung@pland.gov.hk)

Client - By Email





Appendix Ic of RNTPC Paper No. A/YL-TYST/1216

Tel 電話: (852) 3180 7811 Fax 傳真: (852) 3180 7611 Email 電郵: info@aikon.hk Web 網址: www.aikon.hk

Date : 20th June 2023

Our Ref. : ADCL/PLG-10261/L005

The Secretary
Town Planning Board
15/F., North Point Government Offices
333 Java Road, North Point, Hong Kong

By Email and Fax (No. 2877 0245)

Dear Sir/Madam,

RE: Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories (Planning Application No. A/YL-TYST/1216)

Further to our submission to the TPB dated 19.6.2023 (Our Ref.: ADCL/PLG-10261/L006) (hereinafter referred to as "the Previous Submission"), please find herewith the consolidated further information including responses to the latest comments from the Transport Department and the revised sewerage drainage proposal which strives to supersede the Previous Submission.

Responses to the Latest Comments from the Transport Department

Since the proposed development is in small scale with only one light goods vehicle (LGV) loading/unloading bay and one private car parking space, the trip generation and attraction of the proposed development is anticipated to be very minimal. It is estimated that the proposed development will generate and attract not more than 6 trips per day, which is about 1 vehicular trip every 2 hours on average during the operation hours (i.e. 7:00 a.m. to 9:00 p.m. daily). The expected traffic figures for the proposed use are detailed in **Table 1** below.

<u>Table 1: Expected Traffic Figures for the Proposed Use</u>

Expected Total Number of Trips Per Day = 6

	No. of LGV	No. of LGV (Out)	No. of Private Car (In)	No. of Private Car (Out)
Average No. of	(111)	(Out)	(111)	(Out)
Vehicles / Day	1	1	2	2



<u>Clarification on the Revised Sewerage Drainage Proposal</u>

Please note that the drainage proposal under Application No. A/YL-TYST/1216 is identical to the one submitted in the last approved Application No. A/YL-TYST/1029 (**Appendix I** refers). The Applicant will continue maintain the existing drainage system and submit drainage record photos at a later stage.

Whereas the sewerage drainage proposal at **Appendix II** is an additional sewerage scheme proposed in the current application. The portion of the proposed terminal manhole outside Lot 1034 S.A RP in D.D. 121 would only locate at public road/government land(s). The Applicant will further implement and maintain the proposed sewerage system once the aforesaid proposal is agreed by Drainage Services Department. Form HBP1 and CCTV record will be provided at the implementation stage.

Thank you for your kind attention and should you have any queries, please do not hesitate to contact our Miss Zoe LAU or Mr. Thomas LUK at 3180 7811.

Yours faithfully, For and on behalf of

Aikon Development Consultancy Limited


Encl.

c.c. DPO/TMYLW, PlanD (<u>Attn.: Mr. Edwin YEUNG</u>) - By Email (ewsyeung@pland.gov.hk) Client – By Email

Planning Application No. A/YL-TYST/1216 Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories Ref.: ADCL/PLG-10261/L005

Appendix | I

Drainage Proposal



Planning Application No. A/YL-TYST/1216
Section 16 Planning Application for Temporary Shop and Services for a Period of 3 Years at Lots 1023 S.B RP, 1033 S.C, 1034 S.A RP (Part) in D.D. 121 and Adjoining Government Land, Tong Yan San Tsuen, Yuen Long, New Territories

Ref.: ADCL/PLG-10261/L005

Appendix | II

Revised Sewerage Drainage Proposal

External Sewerage Drainage Works At Tong Yan San Tsuen, Yuen Long Lot 1034 S.A. RP IN DD121 Response to Comments (RtoC), for comments from DSD dated 13 Jun 2023 (Contact Person: MO chak-hei, Isaac at tel. no. 5114-3310)

Item No.	DSD Advices	AP Responses	
(1)	Please provide the type of standard DSD manhole to be used (with standard drawings) for the proposed terminal manhole.	Terminal Manhole Type T1_1 referring to DSD standard is now adopted. Please refer to the revised drawing no. P21012 /DR/101 (Rev A).	
(2)	According to their new standard, the pipe would need to be 250 OD PE pipe, please revise, and indicate on the drawing.	The size of pipe has been revised and modified on the manhol schedule of P21012/DR/101 (Rev A).	
(3)	Please provide a sewerage calculation using 250 OD PE and provide the inlets and outlets levels with gradient.	The sewerage calculation using 250 OD PE is revised in the sewerage proposal as attached.	
(4)	Please shift the proposed terminal manhole to the north to make it as close as the lot boundary (i.e. the pink line).	The proposed terminal manhole has been shifted away from the vehicular road and close to the north of the lot boundary. The drainage plan P21012/DR/101 (Rev A) refers.	

Proposed Sewerage Drainage Work in Lot 1034 S.A RP in D.D. 121, Tong Yan San Tsuen, Yuen Long

Sewerage Proposal

P21012/R/001/Issue 2

Wings & Associates Consulting Engineers Ltd. 22/F, Elite Centre, 22 Hung To Road, Kwun Tong, Kowloon Hong Kong

CONTENTS

- 1. INTRODUCTION
- 2. SITE DESCRIPTION
- 3 SEWERAGE SYSTEM OF THE SITE
- 4. CONCLUSION

APPENDICE

Appendix A Proposed Sewerage Plan Appendix B Topographic Survey Plan

Appendix C Calculation of the Proposed Sewerage System

1. INTRODUCTION

- 1.1 The lot owner of Lot 1034 S.A RP in D.D. 121, Tong Yan San Tseun, Yuen Long initiates to construct a new sewerage terminal manhole and a sewerage pipe from the terminal manhole to the public sewerage system at the adjacent Tong Yan San Tsuen Road for the current temporary facilities inside the subject lot and adjoining Government Land which are built by the application for permission under Section 16 of the Town Planning Ordinance (see *Appendix A*).
- 1.2 Two facilities are currently situated and operated inside the subject lot and adjoining Government Land, including a Martial Arts Training Venue was proposed to be operated at Lot 1034 S.A RP (Part) in D.D. 121, Tong Yan San Tseun, Yuen Long on a temporary basis for a period of 5 years until 6.7.2023 and a Temporary Shop and Services for a period of 3 years until 10.7.2023.
- 1.3 This report presents the sewerage proposal for the proposed Work.

2. SITE DESCRIPTION

2.1 The site is a flat ground located at Tong Yan San Tseun, Yuen Long adjacent to Tong Yan San Tseun Road as shown in **Photo 1**. Topographic survey has been carried out to verify the existing ground level (see *Appendix B*). Across the Tong Yan San Road, there is a residential neighborhood (e.g., Greenville Residence and Windsor Garden).



Photo 1: Aerial Photo of the Lot 1034 S.A RP

2.2 The location of proposed terminal manhole and sewerage pipe is currently vacant and hard-paved. General view of the current site situation of the lot is shown in **Photo 2**.



Photo 2: Current Site Situation at Lot 1034 S.A RP

2.3 Below photos show the current situation of the facilities inside the lot.



Photo 3: Current Site Situation of the Martial Arts Training Venue



Photo 4: Current Site Situation of the Shop and Services

3. SEWERAGE SYSTEM OF THE SITE

3.1 The proposed sewerage system for the land lot 1034 S.A RP if for collecting sewage inside the area.

According to the paper from Town Planning Board to the application for permission under S.16 of the Town Planning Ordinance, the maximum capacity of the training venue will be limited to 20 people. Referring to EPD GESF, the amount of wastewater generated will be about $0.08 \text{m}^3/\text{per}$ day per capita (conservative selection between category of commercial employee and school student). Therefore, the amount of wastewater generated will be $1.6 \text{m}^3/\text{per}$ day.

According to the paper from Town Planning Board to the application for permission under S.16 of the Town Planning Ordinance, the GFA is less than 130mm². Referring to EPD GESF, the amount of wastewater generated will be about 0.08m³/per day per capita (J6). Assuming the amount of wastewater generated will be 1.6m³/per day for 20 staff and visitors.

The total amount of wastewater generated from the two temporary facilities is 3.2 m³/per day (i.e. 3.704E-5 m³/s). Since the volume of sewage is insignificant and much smaller than other residential neighborhood (e.g., Greenville Residence and Windsor Garden), the impact on existing sewage system is considered minimal and no impact assessment is necessary for this proposed works. The capacity of the new sewerage pipe is checked referring to the calculation sheet attached in *Appendix C*.

Venue	Maximum number	Wastewater	The amount of
	of people	generated per day	wastewater generated
		per capita (m ³)	per day (m ³)
Martial Art Training	20	0.08	1.6
Venue			
Shop and Services	20	0.08	1.6
Total			3.2

4. CONCLUSIONS

4.1 The proposed sewerage work is capable for the use of the two current facilities (i.e. the Martial Arts Training Venue and the Shop and Services) situated inside the subject lot and the adjoining lots area and government land.

END OF TEXT

APPENDIX A

Proposed Sewerage Plan

GENERAL NOTES

- 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- 2. ALL LEVELS ARE IN mPD UNLESS OTHERWISE STATED. 3. DIMENSIONS SHALL NOT BE SCALED FROM THE DRAWINGS.
- 4. COORDINATES ARE BASED ON THE HONG KONG METRIC GRID (1980).

NOTES FOR CONCRETE WORKS

- . ALL CONCRETE WORKS ARE DESIGNED IN ACCORDANCE WITH CODE OF PRACTICE FOR THE STRUCTURAL USE OF CONCRETE 2013 AND BS8007:1987
- CONCRETE MIX SHALL BE GRADE 40D/20 COMPLYING WITH CS1:2010 EXCEPT SECTION 7.1.
- ALL REINFORCEMENT SHALL BE GRADÉ S275JO CLASS 1 STEEL COMPLY WITH THE CODE OF
- PRACTICE FOR THE STRUCTURAL USE OF STEEL, 2011 THE CONCRETE COVER FOR MANHOLE AND SUMP PUMP PIT SHALL BE 25mm.
- THE REACTIVE ALKALI OF CONCRETE EXPRESSED AS THE EQUIVALENT SODIUM OXIDE PER CUBIC METER OF CONCRETE SHOULD NOT EXCEED 3.0kg WHEN DETERMINED IN ACCORDANCE WITH
- THE SPECIFICATION ITEMS GIVEN IN APPENDIX A OF PRACTICE FOR PNAP 180 PFA CONCRETE TO BE USED IF NECESSARY. THE PFA CONTENT SHOULD NOT EXCEED 25% BY MASS OF THE CEMENTITIOUS CONTENT (OPC PLUS PFA) OF THE CONCRETE AND COMPLY WITH
- APP-33 (PNAP90) BLEND CEMENT CONTAINING PFA SHOULD COMPLY WITH BS6588:1985). MINIMUM ÀNCHORÁGE BOND LENGTH AND LAP LENGTH FOR CONCRETE GRADE 40D.

	HIGH TENSION STEEL
FULL TENSION ANCHORAGE/ LAP	35 DIA.
FULL COMPRESSION ANCHORAGE/ LAP	35 DIA.

- . DESIGN GROUND WATER LEVEL SHALL BE OF GROUND LEVEL. 9. DESIGN LOADING:
- LIVE LOAD
- BUILDING SURCHARGE LOAD = 10kPa 10. 75mm BLINDING LAYER SHALL BE PROVIDED

NOTES OF DRAINAGE WORKS:

1) ALL DRAINAGE SYSTEM, PIPEWORK INSTALLATION & CONNECTION SHALL FULFILL MANUFACTURER'S REQUIREMENTS, BUILDING DEPARTMENT & DRAINAGE SERVICES DEPARTMENT REQUIREMENTS AND ALL RELEVANT REGULATIONS.

2) WHETHER SHOWN ON THE DRAWING OR NOT, SUFFICIENT ACCESS SHALL BE PROVIDED BY MEANS OF CLEANING EYES OR OTHER APPROVED METHOD TO ENABLE ALL DRAINAGE PIPES TO BE CLEARED OF ANY OBSTRUCTION SUCH ACCESS POINTS SHALL BE SO SITED AS TO ALLOW CLEARANCE FOR THE EASY ENTRY OF CLEANING ROD / TOOL. 3) ALL BENDS, BRANCHES OR TEE-JOINTS, ETC. SHALL HAVE AN OBTUSE ANGLE AND HAVE

SHALL NOT CHANGE IN ANY WAY OF THE CROSS SECTION OF THE PIPE AND A CLEANING EYE SHALL BE PROVIDED AT OR NEAR SUCH JOINTS. (4) SUFFICIENT ANCHORAGE AND SUPPORT SHALL BE PROVIDED TO ALL PIPEWORKS TO TAKE ÙP THE WEIGHT OF THE PIPEWORK SYSTEM AND, IN ADDITION, THE THRUST DEVELOPED IN THE

THE LARGEST PRACTICABLE RADIUS OF CURVATURE. THE BENDS, BRANCHES OR TEE—JOINTS

PIPEWORKS AND FITTINGS WHILE THE PIPES DISCHARGING RAIN WATER / SOIL AND WASTE (5) ALL PIPES PASSING THROUGH FIRE COMPARTMENT SHOULD COMPLY WITH FRC 10.5 & 10.6. PIPEWORKS RUN THROUGH WALL AND FLOOR SHALL BE PROVIDED WITH PIPE SLEEVES OF MIN. COMMERCIAL SIZE LARGER THAN THE PIPE LINES. AFTER INSTALLATION OF PIPEWORKS, THE

SPACE / GAP IN BETWEEN SHALL BE SEALED OFF WITH APPROVED TYPE OF FIRE RESISTANT

(6) THE CONTRACTOR SHALL ENSURE THAT NO WATER BORNE PIPING SHALL BE EMBEDDED IN ANY LOAD BEARING STRUCTURAL ELEMENT. NO DRAINAGE PIPING SHALL BE EMBEDDED IN STRUCTURAL ELEMENTS AS STATED ON PNAP 230.

(7) ALL C.I. PIPES SHOULD COMPLY WITH PNAP 282. THE JOINTS OF C.I. SOCKETED PIPES SHALL BE MADE WITH A GASKET OF HAMP OR YARN, AND SHALL BE PROPERLY CAULKED WITH METALLIC LEAD OR OTHER APPROVED MATERIAL. YET, FLANGED PIPE JOINTS SHALL BE MADE BY BOLTING THE FLANGES TOGETHER SECURELY WITH A SUITABLE METALLIC GASKET.

(8) ALL HORIZONTAL DRAINAGE PIPEWORK INSTALLATION SHALL RUN TO MIN. GRADIENT OF 1: 40 (FOR =< 100mm DIA.), 1:70 (150mm DIA.) UNLESS OTHERWISE SPECIFIED. ALSO, ALL PIPEWORK SHALL BE CONNECTED WITH SUFFICIENT CLEANING EYE AT ALL TURNS, BRANCHES AND WC POSITIONS FOR EASY MAINTENANCE IN FUTURE.

(9) HORIZONTAL VENT PIPES SHALL BE SLIGHTLY INCLINED UPWARD CONNECTED TO VENT STACK. IT SHALL ALSO BE INSTALLED WITH A CONTINUOUS FALL BACK INTO THE DISCHARGE

(10) THE MANHOLE SHALL BE FITTED AT A LEVEL FLUSHED WITH FLOOR LEVEL WITH A DOUBLE SEALED CAST IRON AIR TIGHT COVER OF ADEQUATE STRENGH AND APPROVED DESIGN. THE MANHOLE COVER SHALL BE MED. DUTY TYPE DOUBLE SEAL.

(11) SHORT FORMS OF DRAIN PIPEWORK: (12) ABBREVIATIONS: SP - SOIL WATER DRAIN PIPE

- FD FLOOR DRAIN & VG VERTICAL GRATING WP - WASTE WATER DRAIN PIPE
- F/A FROM ABOVE & F/B FROM BELOW SWP - SOIL & WASTE WATER DRAIN PIPE T/A - TO ABOVE & T/B - TO BELOW VP - VENT PIPE
- H/L HIGH LEVEL & M/L MID LEVEL & L/L - LOW LEVEL
 - F/LL FROM LOW LEVEL & F/HL FROM HIGH
 - T/LL TO LOW LEVEL & T/HL TO HIGH LEVEL U/G - UNDERGROUND
- 13) DIMENSIONS FOR PIPE SIZES SHOWN ON DRAWINGS ARE IN MILLIMETRE, UNLESS THERWISE STATED.

PIPE MATERIAL SCH<u>EDUL</u>E

TYPE OF PIPE	DIAMETER MATERIAL OF PIPE
SOIL AND WASTE WATER PUMPED PIPE (ABOVE GROUND & UNDER GROUND)	80 & ABOVE DUCTILE IRON PIPE AND FITTING TO BS EN 598
SOIL AND WASTE WATER PIPE (ABOVE GROUND & UNDER GROUND)	80 & ABOVE OST IRON PIPES AND FITTINGS TO B.S. 437 WITH TYTON JOINT OR SOCKET JOINT, LEAD CAULKED.
SOIL AND WASTE WATER PIPE CONNECTION TO EX. PUBLIC SEWAGE MANHOLE	80 & BOVE POLYETHYLENE PIPE PE100 SDR 17, ELECTRO FUSION JOINT, EXTERNAL BLACK COLOUR, INTERNAL LIGHT COLOUR.

MANHOLE SCHEDUL

FOUL WATER MANHOLE							
MANHOLE NO. FWH.—XX	COVER LEVEL (C.L.)		DISCON. TRAP INVERT LEVEL (D.T.I.L.)	TYPE	DEPTH (m) (MEASURED FROM ROAD LEVEL TO LOWEST INVERT)	OUTLET PIPE SIZE (mm)	
TSMH 1	17.91	16.70	16.55	<u>T1_1</u>	1.36	<u>250</u>	

NOTES FOR FILLING MATERIALS AND COMPACTION:

- 1. ALL EARTH FILLING MATERIAL SHALL BE OBTAINED FROM EXCAVATION ON SITE OR APPROVED BORROW AREAS OR FROM OTHER SOURCES APPROVED BY THE
- 2. FILLING MATERIAL SHALL BE FREE FROM UNSUITABLE MATERIAL INCLUDING ORGANIC MATERIAL TOPSOIL (OR THE SURFACE LAYER OF SOIL WHICH CAN SUPPORT VEGETATION) SUPPLY, PERISHABLE MATERIALS, FROM MARSHES OR LOGS. STUMPS AND OTHER DELETERIOUS SUBSTANCES FILLING MATERIAL
- SHALL CONTAIN IN MATERIAL EXCEEDING 200mm IN SIZE. THE CONTRACTOR SHALL PROVIDE AT HIS OWN EXPENSE A MEANS OF SCREENING THE MATERIAL TO ELIMINATE OVER-SIZED STONES.
- UNLESS OTHERWISE SPECIFIED THE BACKFILLING MATERIAL SHALL BE GENERAL
- FILLING MATERIAL PLACED IN LAYERS NOT EXCEEDING 300mm THICK 5. THE INSITU DENSITY OF COMPACTION MATERIAL FORMING THE FILL SHALL NOT
- BE LESS THAN 95% OF THE MAXIMUM DRY DENSITY 6. THE RESULTS OF COMPACTED FILL SHALL BE SUBMITTED TO BD DURING BA14
- FILLING WORKS SHALL COMPLY WITH APP-15 8. SOIL TEST FOR BACKFILL MATERIALS SHALL COMPLY WITH APP-64

NOTES ON DEWATERING: (FOR INFORMATION ONLY)


- 1. SUFFICIENT NO. OF DEWATERING PUMPS SHALL BE PROVIDED TO KEEP THE EXCAVATION DRY IN CASE DEWATERING IS FOUND TO BE NECESSARY.
- 2. ALL THE DISCHARGED WATER PUMPED OUT FROM THE EXCAVATION SHALL BE DESILTED PRIOR TO DISCHARGE OFF SITE.
- 3. IN ANY CASE ANY LOSS OF FINES ARE OBSERVED DURING DEWATERING, THE LOOSEN UP SOILS SHALL BE TOPPED WITH GRANULAR MATERIAL AND BE SEALED BY CEMENT MORTAR.

INITIAL DEFECT SURVEY:


- 1. PRIOR TO COMMENCEMENT OF EXCAVATION WORKS, A DEFECT SURVEY WILL BE CARRIED OUT ON EXISTING CARRIAGEWAY AND ADJACENT STRUCTURES WITHIN 25m FROM THE ALIGNMENT OF EXCAVATION WORKS, AND ANY DEFECTS FOUND WILL BE FULLY DOCUMENTED WITH COLOUR PHOTOGRAPHS.
- NOTES ON PROTECTION OF EARTHWORKS AGAINST

THE CONTRACTOR SHALL EMPLOY THE FOLLOWING MINIMUM MEASURES TO SAFEGUARD AGAINST FLOODING IN HEAVY RAINFALL.

- 1. SURFACE WATER FLOWING INTO THE SITE FROM OUTSIDE SHALL BE INTERCEPTED AND CONDUCTED FROM THE SITE TO INDICATED SAFE DISCHARGE POINT. AT EACH INTERSECTION AND ABRUPT CHANGE IN DIRECTION OF SURFACE DRAINAGE CHANNELS ANACCESSIBLE CATCHPIT SHALL BE PROVIDED. ALL DRAINAGE WORKS SHALL BE KEPT CLEAR OF DEBRIS.
- 2. WHERE PRACTICALLY COMPLETED DRAINAGE WORKS DISCHARGE WITHIN THE SITE, A TEMPORARY CONDUIT SHALL BE PROVIDED TO THE DISCHARGE POINTS.
- 3. ALL SURFACES SHALL BE GRADED AND SEALED TO ENSURE EFFICIENT RUN-OFF AND TO AVOID PONDING.
- 4. A METHOD OF WORKING SHALL BE ADOPTED IN WHICH THE MINIMUM OF BARE SOIL IS EXPOSED AT ANY TIME. EARTHWORK TO FORM THE FINAL FACE SHALL BE FOLLOWED UP IMMEDIATELY WITH SURFACE PROTECTION AND DRAINAGE
- 5. WHERE TEMPORARY BARE SLOPE FACES ARE UNAVOIDABLE THEY SHALL BE PROTECTED WITH SHEETING WELL SECURED AGAINST THE WIND. WHERE SLOPE FACE IS TO BE TEMPORARILY EXPOSED FOR MORE THAN TWO WEEKS, TEMPORARY HARD SURFACE SHALL BE PROVIDED AND TEMPORARY DRAINS SHALL BE INSTALLED.
- 6. PRECAUTIONS SHALL ALWAYS BE TAKEN TO PREVENT WATER FROM ENTERING AND COLLECTING IN THE TRENCH OR SHAFT.











FRONT ELEVATION DETAILS OF FRESH AIR INLET

Structural & Geotechnical Engineer










SECTIONAL PLAN OF TERMINAL

MANHOLE TYPE T1_1

1:12 FALL

DRAINAGE LAYOUT



GN A

GN B

STW4678


Lot 1034 S.A RP

GN X

NEW Ø250 OD PE PIPE FALL 1:23

-SEWERAGE CONNECTION FROM

PREMISES/FACILITIES (FOR INFÓRMATION ONLY)



832580N

SCALE 1:1000

LEGEND:

EXISTING SEWAGE PIPE

— — VENT PIPE

---- LOT BOUNDARY

PROPOSED SEWAGE PIPE

EXISTING SEWAGE MANHOLE

PP' T ON ' T

PROPOSED SEWAGE TERMINAL MANHOLE

CONCRETE IS TO BE GRADE 30/20. PIPE DIAMETER OF PIPE TO BE LESS THAN OR EQUAL TO 450 mm.

1. ALL DIMENSIONS ARE IN MILLIMETRES.

832580N

832560N

1:200

OPENING FOR F.A.I. -(FOR SEWER MANHOLE ONLY)

4. FOR MANHOLE COVER OPENING SIZE 675, RECESS WITH SQUARE STEEL ROD SHALL BE PROVIDED AT TOP OF MANHOLE CHAMBER FOR INSTALLING MONITORING DEVICE(S). DETAILS REFER TO DSD STANDARD DRAWING NO. DS 1099.

Architect

翱翔顧問工程師有限公司 WINGS & ASSOCIATES CONSULTING ENGINEERS LTD

Description Drawn by Checked by Rev. Date Approved by 05.2023 1ST SUBMISSION RM 06.2023 1ST AMENDMENT KT RM VT

EXTERNAL SEWERAGE DRAINAGE WORKS AT TONG YAN SAN TSUEN. YUEN LONG LOT 1034 S.A. RP IN DD121 (APPLICATION NO. A/YL-TYST/1218)

GENERAL NOTE, BLOCK PLAN, DRAWING TITLE LOCATION PLAN, SECTION, DETAILS

_ STEP IRON WHEN NECESSARY

DRAWING NO. **P21012/DR/101** REV NO. A AS SHOWN SCALE PROJECT REF. P21012 External Drainage Drawing.dwg CAD REF.

FSD REF.

B.D. REF.

OFFICE USE:

ALL DIMENSIONS ARE IN MILLIMETER EXCEPT OTHERWISE NOTED THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY FOK LIK KAN WHOSE CONSENT MUST BE OBTAINED BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.

GENERAL NOTES

- 1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- 2. ALL LEVELS ARE IN mPD UNLESS OTHERWISE STATED. 3. DIMENSIONS SHALL NOT BE SCALED FROM THE DRAWINGS.
- 4. COORDINATES ARE BASED ON THE HONG KONG METRIC GRID (1980).

NOTES FOR CONCRETE WORKS

- . ALL CONCRETE WORKS ARE DESIGNED IN ACCORDANCE WITH CODE OF PRACTICE FOR THE STRUCTURAL USE OF CONCRETE 2013 AND BS8007:1987
- CONCRETE MIX SHALL BE GRADE 40D/20 COMPLYING WITH CS1:2010 EXCEPT SECTION 7.1.
- ALL REINFORCEMENT SHALL BE GRADÉ S275JO CLASS 1 STEEL COMPLY WITH THE CODE OF
- PRACTICE FOR THE STRUCTURAL USE OF STEEL, 2011
- THE CONCRETE COVER FOR MANHOLE AND SUMP PUMP PIT SHALL BE 25mm. THE REACTIVE ALKALI OF CONCRETE EXPRESSED AS THE EQUIVALENT SODIUM OXIDE PER CUBIC METER OF CONCRETE SHOULD NOT EXCEED 3.0kg WHEN DETERMINED IN ACCORDANCE WITH
- THE SPECIFICATION ITEMS GIVEN IN APPENDIX A OF PRACTICE FOR PNAP 180 PFA CONCRETE TO BE USED IF NECESSARY. THE PFA CONTENT SHOULD NOT EXCEED 25% BY
- MASS OF THE CEMENTITIOUS CONTENT (OPC PLUS PFA) OF THE CONCRETE AND COMPLY WITH APP-33 (PNAP90) BLEND CEMENT CONTAINING PFA SHOULD COMPLY WITH BS6588:1985). MINIMUM ÀNCHORÁGE BOND LENGTH AND LAP LENGTH FOR CONCRETE GRADE 40D.

	HIGH TENSION STEEL
FULL TENSION ANCHORAGE/ LAP	35 DIA.
FULL COMPRESSION ANCHORAGE/ LAP	35 DIA.

- . DESIGN GROUND WATER LEVEL SHALL BE OF GROUND LEVEL. 9. DESIGN LOADING:
- LIVE LOAD
- BUILDING SURCHARGE LOAD = 10kPa 10. 75mm BLINDING LAYER SHALL BE PROVIDED

NOTES OF DRAINAGE WORKS:

1) ALL DRAINAGE SYSTEM, PIPEWORK INSTALLATION & CONNECTION SHALL FULFILL MANUFACTURER'S REQUIREMENTS, BUILDING DEPARTMENT & DRAINAGE SERVICES DEPARTMENT REQUIREMENTS AND ALL RELEVANT REGULATIONS.

2) WHETHER SHOWN ON THE DRAWING OR NOT, SUFFICIENT ACCESS SHALL BE PROVIDED BY MEANS OF CLEANING EYES OR OTHER APPROVED METHOD TO ENABLE ALL DRAINAGE PIPES TO BE CLEARED OF ANY OBSTRUCTION SUCH ACCESS POINTS SHALL BE SO SITED AS TO ALLOW CLEARANCE FOR THE EASY ENTRY OF CLEANING ROD / TOOL.

3) ALL BENDS, BRANCHES OR TEE-JOINTS, ETC. SHALL HAVE AN OBTUSE ANGLE AND HAVE

THE LARGEST PRACTICABLE RADIUS OF CURVATURE. THE BENDS, BRANCHES OR TEE—JOINTS

SHALL NOT CHANGE IN ANY WAY OF THE CROSS SECTION OF THE PIPE AND A CLEANING EYE SHALL BE PROVIDED AT OR NEAR SUCH JOINTS. (4) SUFFICIENT ANCHORAGE AND SUPPORT SHALL BE PROVIDED TO ALL PIPEWORKS TO TAKE ÙP THE WEIGHT OF THE PIPEWORK SYSTEM AND, IN ADDITION, THE THRUST DEVELOPED IN THE

PIPEWORKS AND FITTINGS WHILE THE PIPES DISCHARGING RAIN WATER / SOIL AND WASTE (5) ALL PIPES PASSING THROUGH FIRE COMPARTMENT SHOULD COMPLY WITH FRC 10.5 & 10.6. PIPEWORKS RUN THROUGH WALL AND FLOOR SHALL BE PROVIDED WITH PIPE SLEEVES OF MIN. COMMERCIAL SIZE LARGER THAN THE PIPE LINES. AFTER INSTALLATION OF PIPEWORKS, THE

(6) THE CONTRACTOR SHALL ENSURE THAT NO WATER BORNE PIPING SHALL BE EMBEDDED IN ANY LOAD BEARING STRUCTURAL ELEMENT. NO DRAINAGE PIPING SHALL BE EMBEDDED IN STRUCTURAL ELEMENTS AS STATED ON PNAP 230.

SPACE / GAP IN BETWEEN SHALL BE SEALED OFF WITH APPROVED TYPE OF FIRE RESISTANT

(7) ALL C.I. PIPES SHOULD COMPLY WITH PNAP 282. THE JOINTS OF C.I. SOCKETED PIPES SHALL BE MADE WITH A GASKET OF HAMP OR YARN, AND SHALL BE PROPERLY CAULKED WITH METALLIC LEAD OR OTHER APPROVED MATERIAL. YET, FLANGED PIPE JOINTS SHALL BE MADE BY BOLTING THE FLANGES TOGETHER SECURELY WITH A SUITABLE METALLIC GASKET.

(8) ALL HORIZONTAL DRAINAGE PIPEWORK INSTALLATION SHALL RUN TO MIN. GRADIENT OF 1: 40 (FOR =< 100mm DIA.), 1:70 (150mm DIA.) UNLESS OTHERWISE SPECIFIED. ALSO, ALL PIPEWORK SHALL BE CONNECTED WITH SUFFICIENT CLEANING EYE AT ALL TURNS, BRANCHES AND WC POSITIONS FOR EASY MAINTENANCE IN FUTURE.

(9) HORIZONTAL VENT PIPES SHALL BE SLIGHTLY INCLINED UPWARD CONNECTED TO VENT STACK. IT SHALL ALSO BE INSTALLED WITH A CONTINUOUS FALL BACK INTO THE DISCHARGE

(10) THE MANHOLE SHALL BE FITTED AT A LEVEL FLUSHED WITH FLOOR LEVEL WITH A DOUBLE SEALED CAST IRON AIR TIGHT COVER OF ADEQUATE STRENGH AND APPROVED DESIGN. THE MANHOLE COVER SHALL BE MED. DUTY TYPE DOUBLE SEAL.

- (11) SHORT FORMS OF DRAIN PIPEWORK: (12) ABBREVIATIONS: SP - SOIL WATER DRAIN PIPE
- FD FLOOR DRAIN & VG VERTICAL GRATING WP - WASTE WATER DRAIN PIPE F/A - FROM ABOVE & F/B - FROM BELOW SWP - SOIL & WASTE WATER DRAIN PIPE T/A - TO ABOVE & T/B - TO BELOW VP - VENT PIPE
 - H/L HIGH LEVEL & M/L MID LEVEL & L/L - LOW LEVEL F/LL - FROM LOW LEVEL & F/HL - FROM HIGH
 - T/LL TO LOW LEVEL & T/HL TO HIGH LEVEL
- U/G UNDERGROUND 13) DIMENSIONS FOR PIPE SIZES SHOWN ON DRAWINGS ARE IN MILLIMETRE, UNLESS THERWISE STATED.

PIPE MATERIAL SCH<u>EDUL</u>E

TYPE OF PIPE	DIAMETER MATERIAL OF PIPE
SOIL AND WASTE WATER PUMPED PIPE ABOVE GROUND & UNDER GROUND)	80 & ABOVE DUCTILE IRON PIPE AND FITTING TO BS EN 598
SOIL AND WASTE WATER PIPE ABOVE GROUND & UNDER GROUND)	80 & ABCVE OST IRON PIPES AND FITTINGS TO B.S. 437 WITH TYTON JOINT OR SOCKET JOINT, LEAD CAULKED.
SOIL AND WASTE WATER PIPE CONNECTION TO EX. PUBLIC SEWAGE MANHOLE	80 & BOVE POLYETHYLENE PIPE PE100 SDR 17, ELECTRO FUSION JOINT, EXTERNAL BLACK COLOUR, INTERNAL LIGHT COLOUR.

MANHOLE SCHEDUL

FOUL WATER MANHOLE							
MANHOLE NO. FWH.—XX	COVER LEVEL (C.L.)		DISCON. TRAP INVERT LEVEL (D.T.I.L.)	TYPE	DEPTH (m) (MEASURED FROM ROAD LEVEL TO LOWEST INVERT)	OUTLET PIPE SIZE (mm)	
TSMH 1	17.91	16.70	16.55	<u>T1_1</u>	1.36	<u>250</u>	

NOTES FOR FILLING MATERIALS AND COMPACTION:

- 1. ALL EARTH FILLING MATERIAL SHALL BE OBTAINED FROM EXCAVATION ON SITE OR APPROVED BORROW AREAS OR FROM OTHER SOURCES APPROVED BY THE
- 2. FILLING MATERIAL SHALL BE FREE FROM UNSUITABLE MATERIAL INCLUDING ORGANIC MATERIAL TOPSOIL (OR THE SURFACE LAYER OF SOIL WHICH CAN SUPPORT VEGETATION) SUPPLY, PERISHABLE MATERIALS, FROM MARSHES OR LOGS. STUMPS AND OTHER DELETERIOUS SUBSTANCES FILLING MATERIAL
- SHALL CONTAIN IN MATERIAL EXCEEDING 200mm IN SIZE. THE CONTRACTOR SHALL PROVIDE AT HIS OWN EXPENSE A MEANS OF SCREENING THE MATERIAL TO ELIMINATE OVER-SIZED STONES.
- UNLESS OTHERWISE SPECIFIED THE BACKFILLING MATERIAL SHALL BE GENERAL
- FILLING MATERIAL PLACED IN LAYERS NOT EXCEEDING 300mm THICK 5. THE INSITU DENSITY OF COMPACTION MATERIAL FORMING THE FILL SHALL NOT
- BE LESS THAN 95% OF THE MAXIMUM DRY DENSITY 6. THE RESULTS OF COMPACTED FILL SHALL BE SUBMITTED TO BD DURING BA14

8. SOIL TEST FOR BACKFILL MATERIALS SHALL COMPLY WITH APP-64

FILLING WORKS SHALL COMPLY WITH APP-15

NOTES ON DEWATERING: (FOR INFORMATION ONLY)


- 1. SUFFICIENT NO. OF DEWATERING PUMPS SHALL BE PROVIDED TO KEEP THE EXCAVATION DRY IN CASE DEWATERING IS FOUND TO BE NECESSARY.
- 2. ALL THE DISCHARGED WATER PUMPED OUT FROM THE EXCAVATION SHALL BE DESILTED PRIOR TO DISCHARGE OFF SITE.
- 3. IN ANY CASE ANY LOSS OF FINES ARE OBSERVED DURING DEWATERING, THE LOOSEN UP SOILS SHALL BE TOPPED WITH GRANULAR MATERIAL AND BE SEALED BY CEMENT MORTAR.

INITIAL DEFECT SURVEY:

- 1. PRIOR TO COMMENCEMENT OF EXCAVATION WORKS, A DEFECT SURVEY WILL BE CARRIED OUT ON EXISTING CARRIAGEWAY AND ADJACENT STRUCTURES WITHIN 25m FROM THE ALIGNMENT OF EXCAVATION WORKS, AND ANY DEFECTS FOUND WILL BE FULLY DOCUMENTED WITH COLOUR PHOTOGRAPHS.
- NOTES ON PROTECTION OF EARTHWORKS AGAINST

THE CONTRACTOR SHALL EMPLOY THE FOLLOWING MINIMUM MEASURES TO SAFEGUARD AGAINST FLOODING IN HEAVY RAINFALL.

- 1. SURFACE WATER FLOWING INTO THE SITE FROM OUTSIDE SHALL BE INTERCEPTED AND CONDUCTED FROM THE SITE TO INDICATED SAFE DISCHARGE POINT. AT EACH INTERSECTION AND ABRUPT CHANGE IN DIRECTION OF SURFACE DRAINAGE CHANNELS ANACCESSIBLE CATCHPIT SHALL BE PROVIDED. ALL DRAINAGE WORKS SHALL BE KEPT CLEAR OF DEBRIS.
- 2. WHERE PRACTICALLY COMPLETED DRAINAGE WORKS DISCHARGE WITHIN THE SITE, A TEMPORARY CONDUIT SHALL BE PROVIDED TO THE DISCHARGE POINTS.
- 3. ALL SURFACES SHALL BE GRADED AND SEALED TO ENSURE EFFICIENT RUN-OFF AND TO AVOID PONDING.
- 4. A METHOD OF WORKING SHALL BE ADOPTED IN WHICH THE MINIMUM OF BARE SOIL IS EXPOSED AT ANY TIME. EARTHWORK TO FORM THE FINAL FACE SHALL BE FOLLOWED UP IMMEDIATELY WITH SURFACE PROTECTION AND DRAINAGE
- 5. WHERE TEMPORARY BARE SLOPE FACES ARE UNAVOIDABLE THEY SHALL BE PROTECTED WITH SHEETING WELL SECURED AGAINST THE WIND. WHERE SLOPE FACE IS TO BE TEMPORARILY EXPOSED FOR MORE THAN TWO WEEKS, TEMPORARY HARD SURFACE SHALL BE PROVIDED AND TEMPORARY DRAINS SHALL BE INSTALLED.
- 6. PRECAUTIONS SHALL ALWAYS BE TAKEN TO PREVENT WATER FROM ENTERING AND COLLECTING IN THE TRENCH OR SHAFT.










FRONT ELEVATION DETAILS OF FRESH AIR INLET

Structural & Geotechnical Engineer










SECTIONAL PLAN OF TERMINAL

MANHOLE TYPE T1_1 N.T.S.

DRAINAGE LAYOUT

1:12 FALL



GN A

GN B

STW4678

Lot 1034 S.A F

GN X

NEW Ø250 OD PE PIPE FALL 1:23

: 16.70, . : 16.55,

-SEWERAGE CONNECTION FROM

SCALE 1:1000

LEGEND:

EXISTING SEWAGE PIPE

— — VENT PIPE

---- LOT BOUNDARY


PROPOSED SEWAGE PIPE

EXISTING SEWAGE MANHOLE

PP' T ON ' T

PROPOSED SEWAGE TERMINAL MANHOLE

PREMISES/FACILITIES (FOR INFÓRMATION ONLY)



CONCRETE IS TO BE GRADE 30/20. PIPE DIAMETER OF PIPE TO BE LESS THAN OR EQUAL TO 450 mm.

1. ALL DIMENSIONS ARE IN MILLIMETRES.

832580N

832560N

1:200

OPENING FOR F.A.I. -(FOR SEWER MANHOLE ONLY)

4. FOR MANHOLE COVER OPENING SIZE 675, RECESS WITH SQUARE STEEL ROD SHALL BE PROVIDED AT TOP OF MANHOLE CHAMBER FOR INSTALLING MONITORING DEVICE(S). DETAILS REFER TO DSD STANDARD DRAWING NO. DS 1099.

Architect

翱翔顧問工程師有限公司 WINGS & ASSOCIATES CONSULTING ENGINEERS LTD

Rev.	Date	Description	Drawn by	Checked by	Approved by	. PF
-	05.2023	1ST SUBMISSION	KT	RM	VT	1 6
_A	06.2023	1ST AMENDMENT	KT	RM	VT	
						1
						D F
						-
						-

PROJECT TITLE EXTERNAL SEWERAGE DRAINAGE WORKS AT TONG YAN SAN TSUEN. YUEN LONG LOT 1034 S.A. RP IN DD121 (APPLICATION NO. A/YL-TYST/1216)

_ STEP IRON WHEN NECESSARY

DRAWING TITLE GENERAL NOTE, BLOCK PLAN, LOCATION PLAN, SECTION, DETAILS DRAWING NO. **P21012/DR/101** REV NO. A AS SHOWN SCALE PROJECT REF. P21012 External Drainage Drawing.dwg CAD REF. B.D. REF.


FSD REF.

OFFICE USE:

ALL DIMENSIONS ARE IN MILLIMETER EXCEPT OTHERWISE NOTED THE OWNERSHIP OF THE COPYRIGHT IN THIS DRAWING IS RETAINED BY FOK LIK KAN WHOSE CONSENT MUST BE OBTAINED BEFORE ANY USE OR REPRODUCTION OF THE DRAWING OR ANY PART THEREOF CAN BE MADE.

APPENDIX B

Topographic Survey Plan



APPENDIX C Calculation of the Proposed Sewerage System

Wings & Associates Consulting Engineers Ltd.

\\ ^{*}

Project Title : Sewerage Drainage System for Proposed Temporary Place of Recreation and Sports in Lot 1034S.A RP (Part) in D.D. 121

Date:

2023-06-19

Subject Design Calculation of Underground Pipes

Our Ref:

P21012

Location	USCP	DSCP	USGL	DSGL	USIL	DSIL	INVERT DIFF.	LENGTH	SLOPE	SLOPE	TOTAL VOLUMN (PER DAY)	DESIGN FLOW	SIZE	TYPE	VELOCITY (REFER TO MANNING EQUATION) V= R^(2/3) x S^(1/2) / n	FLOW CAP.	SPARE CAP.
								m	S	1 in	m ³	m³/s	mm		m/s	m ³ /s	m³/s
	TSMH1 (D.T.I.L.) Case 1	FMH1009095	17.910	17.100	16.550	16.070	0.48	10.85	0.044	23	0.8	0.000009	200	PIPE	(0.05 ^(2/3)) x (1/23)^0.5 / 0.013 = 2.2	0.069	0.069
	TSMH1 (D.T.I.L.) Case 2	FMH1009095	17.910	17.100	16.550	16.070	0.48	10.85	0.044	23	1.6	0.000019	200	PIPE	(0.05 ^(2/3)) x (1/23)^0.5 / 0.013 = 2.2	0.069	0.069
	TSMH1 (D.T.I.L.) Case 3	FMH1009095	17.910	17,100	16.550	16.070	0.48	10.85	0.044	23	3.2	0.000037	200	PIPE	(0.05 ^(2/3)) x (1/23)^0.5 / 0.013 = 2.2	0.069	0.069

Case 1:

Venue	Number of people	Wastewater	The amount of
		generated per day	wastewater generated
		per capita (m ³)	per day (m ³)
Martial Art Training	5	0.08	0.4
Venue			
Shop and Services	5	0.08	0.4
Total	0.8		

Case 2:

Venue	Number of people	Wastewater	The amount of
		generated per day	wastewater generated
		per capita (m ³)	per day (m ³)
Martial Art Training	10	0.08	0.8
Venue			
Shop and Services	10	0.08	0.8
Total			1.6

Case 3:

Venue Number of people		Wastewater	The amount of
			wastewater generated
		per capita (m ³)	per day (m ³)
Martial Art Training	20	0.08	1.6
Venue			
Shop and Services	20	0.08	1.6
Total	3.2		

Conclusion:

Case 3 is the most critical situation, and its design flow is within the flow capacity of the pipe. Therefore, we conclude that the proposed sewerage work is capable for the use of the two current facilities (i.e. the Martial Arts Training Venue and the Shop and Services) situated inside the subject lot and the adjoining lots area and government land.

Relevant extracts of the Town Planning Board Guidelines on "Renewal of Planning Approval and Extension of Time for Compliance with Planning Conditions for Temporary Use or Development" (TPB PG-No. 34D)

- 1. The criteria for assessing applications for renewal of planning approval include:
 - (a) whether there has been any material change in planning circumstances since the previous temporary approval was granted (such as a change in the planning policy/land-use zoning for the area) or a change in the land uses of the surrounding areas;
 - (b) whether there are any adverse planning implications arising from the renewal of the planning approval (such as pre-emption of planned permanent development);
 - (c) whether the planning conditions under previous approval have been complied with to the satisfaction of relevant Government departments within the specified time limits;
 - (d) whether the approval period sought is reasonable; and
 - (e) any other relevant considerations.
- 2. Under normal circumstances, the approval period for renewal should not be longer than the original validity period of the temporary approval. In general, the Board is unlikely to grant an approval period exceeding three years unless there are strong justifications and the period is allowed for under the relevant statutory plans. Depending on the circumstances of each case, the Board could determine the appropriate approval period, which may be shorter than the time under request.

Previous Applications covering the Application Site

Approved Applications

	Application No.	Proposed Use(s)	Date of Consideration (RNTPC)
1	A/YL-TYST/785	Proposed Temporary Shop and Services (Real Estate	8.4.2016
		Agency) for a Period of 3 Years	[revoked on 8.10.2017]
2	A/YL-TYST/859	Proposed Temporary Shop and Services (Real Estate	10.11.2017
		Agency) for a Period of 3 Years	
3	A/YL-TYST/1029	Proposed Temporary Shop and Services for a Period of 3	10.7.2020
		Years	

Similar Applications within/straddling the Subject "R(B)1" Zone on the Tong Yan San Tsuen OZP Since 2018

Approved Applications

	Application No.	Proposed Use(s)/Development(s)	Date of Consideration (RNTPC)
1	A/YL-TYST/940#	Temporary Carpet Shop and Wholesale of Carpet	1.2.2019
		for a Period of 3 Years	[revoked on 1.5.2021]
2	A/YL-TYST/1095#	Proposed Temporary Shop and Services and	25.6.2021
		Wholesale of Carpet for a Period of 3 Years	
3	A/YL-TYST/1120	Proposed Temporary Shop and Services for a Period	12.11.2021
		of 3 Years	
4	A/YL-TYST/1127*	Proposed Temporary Shop and Services for a Period	14.1.2022
		of 3 Years	
5	A/YL-TYST/1186	Proposed Temporary Shop and Services for a Period	11.11.2022
		of 3 Years	

Remarks:

- # Straddling the adjacent "Government, Institution or Community" zone.
- * Straddling the adjacent "Residential (Group D)" zone.

Rejected Application

	Application No.	Proposed Use(s)	Date of Consideration (RNTPC)	Rejection Reason(s)
1	A/YL-TYST/915	Temporary Shop and Services (Motor-vehicle Showroom) for a Period of 3 Years	21.9.2018	(1), (2)

Rejection Reason(s):

- (1) Not in line with the planning intention of the "R(B)1" zone.
- (2) The scale of the proposed development is excessive.

Government Departments' General Comments

1. Land Administration

Comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD):

No adverse comment on the application.

2. Traffic

- (a) Comments of the Commissioner for Transport (C for T):
 - no comment on the application; and
 - the local track leading to the application site (the Site) is not under her purview.
- (b) Comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD):

No adverse comment on the application.

3. Environment

Comments of the Director of Environmental Protection (DEP):

- no adverse comment on the application; and
- no environmental complaint concerning the Site received in the past three years.

4. Drainage

Comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD):

- subject to the proposed alignment of the new sewer only located at public road/government land(s) (outside the lot), he has no objection in principle to the proposed development and no adverse comment on the submitted sewerage drainage proposal;
- based on the drainage proposal enclosed in the application, the applicant would maintain the same drainage facilities as those implemented under previous planning application No. A/YL-TYST/1029; and
- should the Town Planning Board (the Board) consider the application acceptable from the planning point of view, approval conditions requiring the maintenance of the existing drainage facilities implemented under application No. A/YL-TYST/1029, the submission of records of the existing drainage facilities on site, and the implementation and maintenance of the agreed sewerage drainage proposal to the satisfaction of the Director of Drainage Services or of the Board should be stipulated.

5. Fire Safety

Comments of the Director of Fire Services (D of FS):

No objection in principle to the renewal application subject to the existing fire service installations implemented on the Site being maintained in efficient working order at all times.

6. **Building Matters**

Comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD):

- no adverse comment on the application; and
- as there is no record of approval granted by the Building Authority for the existing structures at the Site, he is not in a position to offer comments on their suitability for the use proposed in the application.

7. Long Term Development

- (a) Comments of the Chief Engineer/Cross-Boundary Infrastructure and Development, Planning Department (CE/CID, PlanD):
 - the Civil Engineering and Development Department (CEDD) and PlanD jointly commissioned the "Planning and Engineering Study for Housing Sites in Yuen Long South (YLS) Investigation". According to the Revised Recommended Outline Development Plan of YLS promulgated in May 2020, the Site falls within an area shown as 'Road'; and
 - the objective of YLS is to transform the degraded rural land predominantly occupied by brownfield operations including open storage yards, warehouses and rural industrial uses into housing and other uses with supporting infrastructure and community facilities, and to improve the existing environment. It is noted that the application is for temporary use for a period of three years. In considering the application for temporary uses, due consideration should be given on the possible implication on land clearance which would affect the future implementation of YLS.
- (b) Comments of the Project Manager (West) (PM(W)), CEDD:

No objection to the application.

8. District Officer's Comments

Comments of the District Officer (Yuen Long), Home Affairs Department (DO(YL), HAD):

• his office has not received any feedback from locals.

9. Other Departments

• Chief Engineer/Construction, Water Supplies Department (CE/C, WSD) and Commissioner of Police (C of P) have no comment on the application.

Recommended Advisory Clauses

- (a) to resolve any land issues relating to the development with the concerned owner(s) of the application site (the Site);
- (b) to note the comments of the District Lands Officer/Yuen Long, Lands Department (DLO/YL, LandsD) that:
 - (i) the Site comprises Government Land (GL) and Old Schedule Agricultural Lots held under the Block Government Lease which contains the restriction that no structures are allowed to be erected without the prior approval of the Government;
 - (ii) the private lots are covered by Short Term Waiver (STW) No. 4678 for the purpose of "Temporary Shop and Services (Real Estate Agency)", whereas the GL therein is covered by Short Term Tenancy (STT) No. 3068 for the purpose of "Temporary Shop and Services" and "Temporary Place of Recreation and Sports (Martial Arts Training Venue)"; and
 - (iii) the STW/STT holder(s) will need to apply to his office for modification of the STW/STT conditions where appropriate. Besides, given the proposed use is temporary in nature, only application for regularisation or erection of temporary structure(s) will be considered. Applications for any of the above will be considered by his department acting in the capacity of the landlord or lessor at its sole discretion and there is no guarantee that such application(s) will be approved. If such application is approved, it will be subject to such terms and conditions, including among others the payment of rent or fee, as may be imposed by his department;
- (c) to note the comments of the Commissioner for Transport (C for T) that:
 - (i) consent of the owners/managing parties of the local track should be obtained for using it as the vehicular access to the Site; and
 - (ii) sufficient space should be provided within the Site for manoeuvring of vehicles. No parking, queuing and reverse movement of vehicles on public road are allowed;
- (d) to note the comments of the Chief Highway Engineer/New Territories West, Highways Department (CHE/NTW, HyD) that:
 - (i) adequate drainage measures should be provided to prevent surface water running from the Site to the nearby public roads and drains; and
 - (ii) the access road connecting the Site with Sha Tseng Road/Tong Yan San Tsuen Road is not and will not be maintained by his office. His office should not be responsible for maintaining any access connecting the Site with Sha Tseng Road/Tong Yan San Tsuen Road:
- (e) to note the comments of the Chief Engineer/Mainland North, Drainage Services Department (CE/MN, DSD) that:
 - (i) the sewerage system should be rectified if they are found to be inadequate or ineffective during operation. The applicant shall also be liable for and shall indemnify claims and demands arising out of damage or nuisance caused by a failure of the sewerage system;

- (ii) DLO/YL should be consulted and consent from relevant lot owners should be consulted for any works to be carried out outside his lot boundary before commencement of the sewerage works; and
- (iii) form HBP1 should be submitted to his department for application of technical audit for any proposed connection to his department's drainage facilities;
- (f) to note the comments of the Director of Environmental Protection (DEP) that:
 - the relevant mitigation measures and requirements in the latest "Code of Practice on Handling the Environmental Aspects of Temporary Uses and Open Storage Sites" should be followed to minimise any potential environmental nuisances on the surrounding area;
- (g) to note the comments of the Chief Building Surveyor/New Territories West, Buildings Department (CBS/NTW, BD) that:
 - (i) if the existing structures (not being a New Territories Exempted House) are erected on leased land without the approval of the Building Authority (BA), they are unauthorized building works (UBW) under the Buildings Ordinance (BO) and should not be designated for any proposed use under the application;
 - (ii) for UBW erected on leased land, enforcement action may be taken by the BD to effect their removal in accordance with the prevailing enforcement policy against UBW as and when necessary. The granting of any planning approval should not be construed as an acceptance of any existing building works or UBW on the Site under the BO;
 - (iii) before any new building works (including containers/open sheds as temporary buildings, demolition and land filling, etc.) are to be carried out on the Site, prior approval and consent of the BA should be obtained, otherwise they are UBW. An Authorised Person should be appointed as the co-ordinator for the proposed building works in accordance with the BO;
 - (iv) the Site shall be provided with means of obtaining access thereto from a street and emergency vehicular access in accordance with Regulations 5 and 41D of the Building (Planning) Regulations (B(P)R) respectively; and
 - (v) the Site does not abut on a specified street of not less than 4.5m wide and its permitted development intensity shall be determined under Regulation 19(3) of the B(P)R at the building plan submission stage; and
- (h) to note the comments of the Project Manager (West), Civil Engineering and Development Department (PM(W), CEDD) that:
 - the Site falls within the boundary of the proposed Yuen Long South (YLS) Development Stage 4. The YLS Development would provide land to meet the medium to long term housing needs of Hong Kong and the detailed implementation programme with phasing and packaging of works for YLS Development Stage 4 is being formulated.

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review

參考編號

Reference Number:

230523-124254-63821

提交限期

Deadline for submission:

09/06/2023

提交日期及時間

Date and time of submission:

23/05/2023 12:42:54

有關的規劃申請編號

The application no. to which the comment relates: A/YL-TYST/1216

「提意見人」姓名/名稱

Name of person making this comment:

小姐 Miss Chan

意見詳情

Details of the Comment:

臨時店舗且已運作多年 應可繼續批准

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review

參考編號

Reference Number:

230524-095522-59228

提交限期

Deadline for submission:

09/06/2023

提交日期及時間

Date and time of submission:

24/05/2023 09:55:22

有關的規劃申請編號

The application no. to which the comment relates: A/YL-TYST/1216

「提意見人」姓名/名稱

Name of person making this comment:

小姐 Miss Kwok Hiu Man

意見詳情

Details of the Comment:

由於申請並不會帶來環境影響,所以我支持這個申請

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review

參考編號

Reference Number:

230525-154307-41243

提交限期

Deadline for submission:

09/06/2023

提交日期及時間

Date and time of submission:

25/05/2023 15:43:07

有關的規劃申請編號

The application no. to which the comment relates: A/YL-TYST/1216

「提意見人」姓名/名稱

Name of person making this comment:

先生 Mr. 盧緯卉

意見詳情

Details of the Comment:

4

就規劃申請/覆核提出意見 Making Comment on Planning Application / Review

参考編號

Reference Number:

230606-113124-29995

提交限期

Deadline for submission:

09/06/2023

提交日期及時間

Date and time of submission:

06/06/2023 11:31:24

有關的規劃申請編號

The application no. to which the comment relates:

A/YL-TYST/1216

「提意見人」姓名/名稱

Name of person making this comment:

先生 Mr. Kennith Kwok

意見詳情

Details of the Comment:

Support this application.